

Lighting

PHILIPS

MASTER MHN-SA

MASTER MHN-SA 1800W/956 230V XW UNP/1

Compact quartz metal halide lamps with double-pinch

Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- \cdot The luminaire must be able to contain hot lamp parts if the lamp ruptures
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Voltage	
Cap base	X830R		
Operating position	P15 [Parallel +/-15D or Horizontal(HOR)]	Control	
Life to 50% failures (nom.)	5,000 h	Dimmab	
Light Technical		Mechar	
Colour Code	956 [CCT of 5600K]	Lamp Fi	
Colour designation	Daylight	Bulb sha	
Chromaticity Coordinate X (Nom)	330		
Chromaticity Coordinate Y (Nom)	339	Approv	
Correlated Colour Temperature	5600 K	Mercury	
Luminous efficacy (rated) (nom.)	86 lm/W	Energy o	
Colour rendering index (CRI)	86		
Arc Length O (Nom)	25 mm	Produc	
		Order pr	
Operating and Electrical		Full proc	
Power Consumption	1,800.0 W	Full EOC	
Voltage (nom.)	120 V	Order co	
		Material	


Voltage (nom.)	120 V
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Clear
Bulb shape	TD40 [TD 40 mm]
Approval and Application	
Mercury (Hg) content (nom.)	87 mg
Energy consumption kWh/1,000 hours	1980 kWh
Product Data	
Order product name	MASTER MHN-SA 1800W/956 230V XW UNP/1
Full product name	MASTER MHN-SA 1800W/956 230V XW UNP/1
Full EOC	871150020106500
Order code	20106500
Material no. (12 NC)	928099205130

MASTER MHN-SA

Local order code	1800MHNSA956R			
SAP numerator - quantity per pack	1			
EAN/UPC — Product/Case	8718291548294			
Numerator – packs per outer box	1			


EAN/UPC - Case 8711500201065

Dimensional drawing




Product	D (max)	0	х	А	C (max)
MASTER MHN-SA 1800W/956 230V XW	41 mm	25 mm	25 mm	318 mm	369 mm
UNP/1					

Photometric data




Spectral Power Distribution Colour - MASTER MHN-SA 1800W/956 230V XW UNP/1

Lifetime



Life Expectancy Diagram - MASTER MHN-SA 1800W/956 230V XW UNP/1



Lumen Maintenance Diagram - MASTER MHN-SA 1800W/956 230V XW UNP/1 **MASTER MHN-SA**



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 14 - data subject to change