Lighting

PHILIPS



MASTER SON-T APIA Plus Xtra

MASTER SON-T APIA Plus Xtra 100W E40 1SL/12

High Pressure Sodium lamp with clear tubular outer bulb shape, high output and longest reliable lifetime

Warnings and Safety

- Control gear must include end-of-life protection (IEC60662, IEC 62035)
- \cdot HF gear must comply with Philips LDi guideline
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Operating and Electrical		
Cap-Base	E40	Power Consumption	105 W	
Operating Position	UNIVERSAL [Any or Universal (U)]	Lamp Current (Nom)	1,150 mA	
Flux measurement reference	Sphere	Voltage (Nom)	108 V	
Life to 50% Failures (Nom)	40,000 hour(s)			
		Controls and Dimming		
Light Technical		Dimmable	Yes	
Color Code	- [Not Specified]			
Luminous Flux	11,550 lm	Mechanical and Housing		
Chromaticity Coordinate X (Nom)	0.535	Bulb Finish	Clear	
Chromaticity Coordinate Y (Nom)	0.42	Bulb Shape	T46	
Correlated Color Temperature (Nom) 2000 K		,	
Luminous Efficacy (rated) (Nom)	110 lm/W	Approval and Application	Approval and Application	
Color rendering index (CRI)	-	Energy Efficiency Class	F	
Arc Length O (Nom)	47 mm	Mercury (Hg) Content (Max)	16.3 mg	
		Mercury (Hg) Content (Nom)	16.3 mg	


A ↑ G

MASTER SON-T APIA Plus Xtra

Energy Consumption kWh/1000 h	103 kWh		
EPREL Registration Number	1557897		
Product Data			
Order product name	MST SON-T APIA Plus Xtra 100W E40 1SL/12		
Full product name	MASTER SON-T APIA Plus Xtra 100W E40 1SL/12		
Full product code	872790092323000		
Order code	92323000		


Material Nr. (12NC)	928150219230
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8727900923230
Numerator - Packs per outer box	12
EAN/UPC - Case	8727900923247

Dimensional drawing




Product	D (max)	0	L	C (max)
MST SON-T APIA Plus Xtra 100W E40 1SL/12	48 mm	47 mm	132 mm	210 mm

Photometric data




Light Distribution Diagram - MST SON-T APIA Plus Xtra 100W E40 1SL/12



Spectral Power Distribution Colour - MST SON-T APIA Plus Xtra 100W E40 1SL/12

MASTER SON-T APIA Plus Xtra

Lifetime



Lumen Maintenance Diagram - MST SON-T APIA Plus Xtra 100W E40 1SL/12

Life Expectancy Diagram - MST SON-T APIA Plus Xtra 100W E40 1SL/12



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, April 15 - data subject to change