



# **MSR Short Arc**

## MSR 2000 SA 1CT/8

MSR Short Arc – for longer life The lamp's short arc and compact design helps enable a compact luminaire that provides high beam intensity, while the excellent colour rendition characteristics help ensure optimal colours on stage. The highly innovative P3 technology, developed by Philips, allows MSR Short Arc lamps to be used at higher temperatures in any burning position. The result? Longer lifetime, fewer early failures and a highly consistent performance throughout the lamp's lifetime.

#### **Warnings and Safety**

• A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### Product data

General Information			
Cap-Base	GY22 [GY22]		
Operating Position	UNIVERSAL [Any or Universal (U)]		
Life to 50% Failures (Nom)	750 h		
Light Technical			
Color Code	- [Not Specified]		
Luminous Flux	174,000 lm		
Chromaticity Coordinate X (Nom)	323		
Chromaticity Coordinate Y (Nom)	334		
Correlated Color Temperature (Nom)	6000 K		
Luminous Efficacy (rated) (Nom)	87 lm/W		
Color rendering index (CRI)	85		
Arc Length O (Nom)	7.0 mm		

0 15 15 1			
Operating and Electrical			
Power Consumption	2,000 W		
Lamp Current (Nom)	21.5 A		
Controls and Dimming			
Dimmable	Yes		
Product Data			
Order product name	MSR 2000 SA 1CT/8		
Full product name	MSR 2000 SA 1CT/8		
Full product code	872790091573000		
Local code description	MSR2000SA		
Order code	928173205114		
Material Nr. (12NC)	928173205114		
Local order code	MSR2000SA		


Datasheet, 2023, April 16 data subject to change

### **MSR Short Arc**

Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8727900915730
Numerator - Packs per outer box	8


EAN/UPC - Case	8727900915747

#### Dimensional drawing



Product	D (max)	0	L (min)	L (max)	L	C (max)
MSR 2000 SA 1CT/8	34 mm	7.0 mm	58 mm	60 mm	59 mm	135 mm

#### Photometric data



Spectral Power Distribution Colour - MSR 2000 SA 1CT/8



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.