



MasterColor CDM-T T6 Elite

MASTERColor CDM-T Elite 100W/930.1CT/12

The Elite family is at the very top of the MasterColor CDM range, and gives a unique combination of unbeatable light quality and consistent performance over lifetime, while keeping running costs low. MasterColor metal halide lamps deliver consistent white light and higher color rendering than any standard metal halide source for architectural lighting.

Warnings and Safety

• R "WARNING: These lamps can cause serious skin burn and eye inflammation from short wave ultraviolet radiation if outer envelope of the lamp is broken or punctured. Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used. Certain lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available." This lamp complies with FDA radiation performance standard 21 CFR subchapter J. (USA:21 CFR 1040.30 Canada: SOR/DORS/80-381)

Product data

General Information					
Cap-Base	G12 [G12] UNIVERSAL [Any or Universal (U)]				
Operating Position					
Life to 50% Failures (Nom)	20,000 hour(s)				
Light Technical					
Color Code	930 [CCT of 3000K]				
Color Designation	Warm White (WW)				
Chromaticity Coordinate X (Nom)	0.432				
Chromaticity Coordinate Y (Nom)	0.399				
Correlated Color Temperature (Nom)	3000 K				
Luminous Efficacy (rated) (Nom)	110 lm/W				
Color rendering index (CRI)	92				

Arc Length O (Nom)	8.5 mm
Operating and Electrical	
Power Consumption	100.0 W
Voltage (Nom)	88 V
Voltage (Nom)	88 V
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Clear

Datasheet, 2023, September 4 data subject to change

MasterColor CDM-T T6 Elite


Bulb Shape	T19 [T 19mm]				
Approval and Application					
Mercury (Hg) Content (Nom)	10.1 mg				
Energy Consumption kWh/1000 h	110 kWh				
Product Data					
Order product name	MASTERColor CDM-T Elite 100W/930.1CT/12				
Full product name	MASTERColor CDM-T Elite 100W/930.1CT/12				


Order code	928183205115			
Material Nr. (12NC)	928183205115			
Numerator - Quantity Per Pack	1			
EAN/UPC - Product/Case	046677408299			
Numerator - Packs per outer box	12			
EAN/UPC - Case	50046677408294			


Dimensional drawing

Product	D (max)	0	L (min)	L (max)	L	C (max)
MASTERColor CDM-T Elite 100W/	20 mm	8.5 mm	55 mm	57 mm	56 mm	110 mm
930.1CT/12						

Photometric data








Light Distribution Diagram - MASTERColor CDM-T Elite 100W/930.1CT/12

Spectral Power Distribution Colour - MASTERColor CDM-T Elite 100W/930.1CT/12

MasterColor CDM-T T6 Elite

Lifetime



Life Expectancy Diagram - MASTERColor CDM-T Elite 100W/930.1CT/12

Lumen Maintenance Diagram - MASTERColor CDM-T Elite 100W/930.1CT/12



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.