



MasterColor CDM-TC T4 Elite

MASTERColor CDM-TC ELITE 70W/930 G8.5

Philips MasterColor CDM Evolution 3000K Tubular Single-Ended. T4 Lamp is the next evolution of MasterColor.

Warnings and Safety

• R "WARNING: These lamps can cause serious skin burn and eye inflammation from short wave ultraviolet radiation if outer envelope of the lamp is broken or punctured. Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used. Certain lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available." This lamp complies with FDA radiation performance standard 21 CFR subchapter J. (USA:21 CFR 1040.30 Canada: SOR/DORS/80-381)

Product data

| G8.5 [G8.5] | | | | |
|----------------------------------|--|--|--|--|
| UNIVERSAL [Any or Universal (U)] | | | | |
| 20,000 hour(s) | | | | |
| | | | | |
| | | | | |
| 930 [CCT of 3000K] | | | | |
| Warm White (WW) | | | | |
| 0.435 | | | | |
| 0.396 | | | | |
| 3000 K | | | | |
| 107 lm/W | | | | |
| 90 | | | | |
| 7.15 mm | | | | |
| | | | | |

| Operating and Electrical | |
|-------------------------------|---------------|
| Power Consumption | 73.2 W |
| Voltage (Nom) | 85 V |
| Voltage (Nom) | 85 V |
| | |
| Controls and Dimming | |
| Dimmable | No |
| | |
| Mechanical and Housing | |
| Bulb Finish | Clear |
| Bulb Shape | T14 [T 14 mm] |
| | |
| Approval and Application | |
| Mercury (Hg) Content (Nom) | 6.6 mg |
| Energy Consumption kWh/1000 h | 80 kWh |
| | |


Datasheet, 2023, September 4 data subject to change

MasterColor CDM-TC T4 Elite

| Product Data | |
|-------------------------------|---------------------------------------|
| Order product name | MASTERColor CDM-TC ELITE 70W/930 G8.5 |
| Full product name | MASTERColor CDM-TC ELITE 70W/930 G8.5 |
| Order code | 928189505115 |
| Material Nr. (12NC) | 928189505115 |
| Numerator - Quantity Per Pack | 1 |


| EAN/UPC - Product/Case | 046677409173 |
|---------------------------------|----------------|
| Numerator - Packs per outer box | 12 |
| EAN/UPC - Case | 50046677409178 |


Dimensional drawing



| Product | D (max) | 0 | L (min) | L (max) | L | C (max) |
|--------------------------|---------|---------|---------|---------|-------|---------|
| MASTERColor CDM-TC ELITE | 15 mm | 7.15 mm | 51 mm | 53 mm | 52 mm | 85 mm |
| 70W/930 G8.5 | | | | | | |

Photometric data








Light Distribution Diagram - MASTERColor CDM-TC ELITE 70W/930 G8.5

Spectral Power Distribution Colour - MASTERColor CDM-TC ELITE 70W/930 G8.5

Lifetime





Lumen Maintenance Diagram - MASTERColor CDM-TC ELITE 70W/930 G8.5

Life Expectancy Diagram - MASTERColor CDM-TC ELITE 70W/930 G8.5

MasterColor CDM-TC T4 Elite



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.