

# MASTERColour CDM-TC 精锐型

## MASTERC CDM-TC Elite 70W/942 G8.5 OEM

单端、外型紧凑且高效的陶瓷金卤放电光源

### 安全提示

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- Use only with electronic control gear
- Control gear must include end-of-life protection (IEC61167, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

### 产品数据

| 一般信息 | |
|---|---|
| 底盖 | G8.5 [G8.5] |
| 操作位置 | UNIVERSAL [任意或通用 (U)] |
| 50% 故障条件下的使用寿命 ( 标称 ) | 15,000 小时 |

| 灯技术 | |
|---|---|
| 颜色代码 | 942 [CCT of 4200K] |
| 颜色名称 | 冷白色 (CW) |
| 色度坐标 X ( 标称 ) | 0.365 |
| 色度坐标 Y ( 标称 ) | 0.363 |
| 相关色温 ( 标称 ) | 4200 K |
| 光效 ( 额定 )( 标称 ) | 102 lm/W |
| 显色指数 (CRI) | 92 |
| 弧长 O ( 标称 ) | 7.75 mm |

| 操作和电气 | |
|---|---|
| 功耗 | 73.0 W |
| 电压 ( 标称 ) | 88 V |
| 电压 ( 标称 ) | 88 V |

| 控制和调光 | |
|---|---|
| 可调光 | 否 |

| 机械和外壳 | |
|---|---|
| 灯泡外观 | 透明 |
| 灯泡外形 | T14 [T 14 毫米] |

| 审批和申请 | |
|---|---|
| 汞 (Hg) 含量 ( 标称 ) | 6.6 mg |


# MASTERColour CDM-TC 精锐型

| | |
|---|---|
| **能耗 kWh/1000 h** | 80 kWh |

| | |
|---|---|
| **产品数据** | |
| **订单产品名称** | MASTERC CDM-TC Elite 70W/942 G8.5 OEM |
| **完整的产品名称** | MASTERC CDM-TC Elite 70W/942 G8.5 OEM |
| **完整产品代码** | 871869645547000 |
| **订购代码** | 928193905106 |

| | |
|---|---|
| **材料编号 (12NC)** | 928193905106 |
| **计算器 - 每包数量** | 1 |
| **EAN/UPC - 产品/箱** | 8718696455470 |
| **计算器 - 每个外包装箱中的包数** | 12 |
| **EAN/UPC - 案例** | 8718696455487 |

## 二维绘图




| Product | D (max) | O | L (min) | L (max) | L | C (max) |
|---|---|---|---|---|---|---|
| MASTERC CDM-TC Elite 70W/942 G8.5 OEM | 15 mm | 7.75 mm | 51 mm | 53 mm | 52 mm | 85 mm |

## 光度数据





**Spectral Power Distribution Colour - MASTERC CDM-TC Elite 70W/942 G8.5 OEM**





**Light Distribution Diagram - MASTERC CDM-TC Elite 70W/942 G8.5 OEM**

# MASTERColour CDM-TC 精锐型

## 寿命




Lumen Maintenance Diagram - MASTERC CDM-TC Elite 70W/942 G8.5 OEM




Life Expectancy Diagram - MASTERC CDM-TC Elite 70W/942 G8.5 OEM

© 2023 Signify Holding 保留所有权利。 Signify 对此文档所包含信息的准确性或完整性不作任何陈述或保证，也不对根据此文档信息做出的任何行为负责。 本文档中提供的信息不作为任何商业要约，也不构成任何报价或合同的一部分，除非 Signify 同意。
Philips 和 Philips Shield Emblem 是 Koninklijke Philips N.V. 的注册商标。