



# **MHN-TD Essential**

## MHN-TD Essential 70W/730 RX7s 1CT/12

Double-envelope, double-ended Metal Halide lamps

#### **Warnings and Safety**

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- · Control gear must include end-of-life protection (IEC61167, IEC 62035)
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information	
Cap-Base	RX7S [RX7s]
Life to 50% Failures (Nom)	8,000 hour(s)
Light Technical	
Color Code	730 [CCT of 3000K]
Color Designation	Warm White (WW)
Chromaticity Coordinate X (Nom)	434
Chromaticity Coordinate Y (Nom)	402
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	80 lm/W
Color rendering index (CRI)	70
Arc Length O (Nom)	7.7 mm
Operating and Electrical	
Power Consumption	75.0 W
Voltage (Nom)	90 V

Voltage (Nom)	90 V	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Clear	
Bulb Material	Glass	
Bulb Shape	T21 [T 21mm]	
Approval and Application		
Mercury (Hg) Content (Nom)	13.4 mg	
Energy Consumption kWh/1000 h	83 kWh	
Product Data		
Order product name	MHN-TD Essential 70W/730 RX7s 1CT/12	
Full product name	MHN-TD Essential 70W/730 RX7s 1CT/12	
Full product code	872790084526600	


Datasheet, 2023, September 4 data subject to change

### **MHN-TD Essential**

Order code	928481000192
Material Nr. (12NC)	928481000192
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8727900845266


Numerator - Packs per outer box	12
EAN/UPC - Case	8727900845273


### Dimensional drawing




Product	О
MHN-TD Essential 70W/730 RX7s 1CT/12	7.7 mm

#### Photometric data









Light Distribution Diagram - MHN-TD Essential 70W/730 RX7s 1CT/12

Spectral Power Distribution Colour - MHN-TD Essential 70W/730 RX7s 1CT/12

#### Lifetime





Life Expectancy Diagram - MHN-TD Essential 70W/730 RX7s 1CT/12

Lumen Maintenance Diagram - MHN-TD Essential 70W/730 RX7s 1CT/12

## **MHN-TD Essential**



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.