



# **MASTER HPI Plus**

## HPI PLUS 250W/645 BU E40 1CT/12

Quartz metal halide lamps with opalized outer bulb

#### Warnings and Safety

- Use only in totally enclosed luminaire, even during testing (IEC61167, IEC 62035, IEC60598)
- The luminaire must be able to contain hot lamp parts if the lamp ruptures
- For use with control gear designed for high-pressure mercury or sodium lamps
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

#### **Product data**

General Information	
Cap-Base	E40
Operating Position	H [Hanging or Base Up (BU)]
Life to 50% Failures (Nom)	20,000 hour(s)
Light Technical	
Color Code	645 [CCT of 4500K]
Color Designation	Cool White (CW)
Chromaticity Coordinate X (Nom)	359
Chromaticity Coordinate Y (Nom)	354
Correlated Color Temperature (Nom)	4500 K
Luminous Efficacy (rated) (Nom)	66 lm/W
Color rendering index (CRI)	65
Operating and Electrical	
Power Consumption	256 W
Voltage (Nom)	128 V
	-

Voltage (Nom)	128 V	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Coated glass	
Bulb Shape	BD90	
Approval and Application		
Mercury (Hg) Content (Nom)	47 mg	
Energy Consumption kWh/1000 h	278 kWh	
Product Data		
Order product name	HPI PLUS 250W/645 BU E40 1CT/12	
Full product name	HPI PLUS 250W/645 BU E40 1CT/12	
Full product code	871829167629400	
Order code	928481400096	


Datasheet, 2024, January 23 data subject to change

## **MASTER HPI Plus**

Material Nr. (12NC)	928481400096
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718291676294
Numerator - Packs per outer box	12


EAN/UPC - Case	8718291676300
EAN, OFC - Case	0710231070300


## Dimensional drawing




Product	D (max)	C (max)
HPI PLUS 250W/645 BU E40 1CT/12	91 mm	226 mm

### Photometric data









Light Distribution Diagram - HPI PLUS 250W/645 BU E40 1CT/12

Spectral Power Distribution Colour - HPI PLUS 250W/645 BU E40 1CT/12

#### Lifetime





Life Expectancy Diagram - HPI PLUS 250W/645 BU E40 1CT/12

Lumen Maintenance Diagram - HPI PLUS 250W/645 BU E40 1CT/12

## **MASTER HPI Plus**



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.