



MasterColor CDM-T Elite Med Wattage

CDM T9 ELITE 315W/930/U/E NA

The Philips MasterColor Elite MW system offers an unrivalled level of light quality and performance. The lamp's sparkling white light creates a natural ambience and really brings out the best in all different types of colors. In addition, the high efficiency of the lamp and ballast together means reduced energy use and a lower cost of ownership compared to a 400W Metal Halide HID system

Warnings and Safety

• R "WARNING: These lamps can cause serious skin burn and eye inflammation from short wave ultraviolet radiation if outer envelope of the lamp is broken or punctured. Do not use where people will remain for more than a few minutes unless adequate shielding or other safety precautions are used. Certain lamps that will automatically extinguish when the outer envelope is broken or punctured are commercially available." This lamp complies with FDA radiation performance standard 21 CFR subchapter J. (USA:21 CFR 1040.30 Canada: SOR/DORS/80-381)

Product data

General Information				
Cap-Base	PGZ18 [PGZ18]			
Operating Position	UNIVERSAL [Any or Universal (U)]			
Features	na [Not Applicable]			
Life to 50% Failures (Nom)	30,000 hour(s)			
Light Technical				
Color Code	930 [CCT of 3000K]			
Color Designation	Warm White (WW)			
Saturated Red (R9)	45			
Chromaticity Coordinate X (Nom)	0.429			
Chromaticity Coordinate Y (Nom)	0.398			
Luminous Efficacy (Rated) (Min)	112 lm/W			

Luminous Efficacy (rated) (Nom)	120 lm/W			
Color rendering index (CRI)	90			
Arc Length O (Nom)	16 mm			
Operating and Electrical				
Power Consumption	315.9 W			
Voltage (Nom)	100 V			
Voltage (Nom)	100 V			
Mechanical and Housing				
Bulb Finish	Clear			
Bulb Shape	TMW28 [TMW 28mm]			


Datasheet, 2023, September 4 data subject to change

MasterColor CDM-T Elite Med Wattage

Approval and Application				
Mercury (Hg) Content (Max)	28 mg			
Energy Consumption kWh/1000 h	347 kWh			
Product Data				
Order product name	CDM T9 ELITE 315W/930/U/E NA			
Full product name	CDM T9 ELITE 315W/930/U/E NA			
Order code	928601164602			


Material Nr. (12NC)	928601164602
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677218317
Numerator - Packs per outer box	12
EAN/UPC - Case	50046677218312


Dimensional drawing




Product	D (max)	D	D	C (max)	С
CDM T9 ELITE 315W/930/U/E NA	29 mm	1.1 inch	28 mm	188 mm	186 mm

Photometric data









Light Distribution Diagram - CDM T9 ELITE 315W/930/U/E NA

Spectral Power Distribution Colour - CDM T9 ELITE 315W/930/U/E NA

MasterColor CDM-T Elite Med Wattage

Lifetime





Life Expectancy Diagram - CDM T9 ELITE 315W/930/U/E NA

Lumen Maintenance Diagram - CDM T9 ELITE 315W/930/U/E NA



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.