PHILIPS Lighting



MASTER VALUE LEDs pot LV

MAS LEDspotLV DimTone 6.5-35W MR16 24D

Philips MASTER VALUE MR16 is the series of Low Voltage (12VAC) Halogen MR16 replacements. Not only does it employs Philips' patented solution to guarantee the broadest possible compatibility with standard 12V Halogen electronic transformers. It also delivers beam intensity which is equivalent to the 50W Philips Halogen MR16 lamps. The form-factor of Philips MASTER Value LED MR16 guarantees a 100% form on the back-side of the lamp (exact form with Halogen lamps.)

Warnings and Safety

- Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- Not intended for use with emergency light fixtures or exit lights

Product data


eneral Information		Correlated Color Temperature (Nom)	2700 K
Cap-Base	GU5.3 [GU5.3]	Luminous Efficacy (rated) (Nom)	63.08 lm/W
Nominal lifetime	25,000 hour(s)	Color Consistency	<6
Switching Cycle	50,000	Color rendering index (CRI)	80
Lighting Technology	LED	LLMF At End Of Nominal Lifetime (Nom)	70 %
EU RoHS compliant	Yes	Luminous Flux in 90° Cone (Rated)	370 lm
1 index Transford		Our constinue and Electrical	
Light Technical		Operating and Electrical	
Color Code	822-827 [tunable warm white]	Line Frequency	50 to 60 Hz
Beam Angle (Nom)	24 degree(s)	Input Frequency	50 to 60 Hz
Luminous Flux	410 lm	Power Consumption	6.5 W
Luminous Intensity (Nom)	1,800 cd	Lamp Current (Nom)	800 mA
Color Designation	Warm White (WW)	Wattage Equivalent	35 W

MASTER VALUE LEDspot LV

Starting Time (Nom)	0.5 s
Warm-up time to 60% light	instant full light s
Power Factor (Fraction)	0.7
Voltage (Nom)	12 V
Temperature	
T-Case Maximum (Nom)	80 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Shape	MR16 [2inch/50mm]
Approval and Application	
Suitable For Accent Lighting	Yes


Energy Consumption kWh/1000 h	7 kWh		
Product Data			
Order product name	MAS LEDspotLV DimTone 6.5-35W MR16 24D		
Full product name	MAS LEDspotLV DimTone 6.5-35W MR16 24D		
Full product code	871869644213500		
Order code	929001127802		
Material Nr. (12NC)	929001127802		
Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	8718696442135		
Numerator - Packs per outer box	10		
EAN/UPC - Case	8718696442142		

Dimensional drawing



Product D C MAS LEDspotLV DimTone 6.5-35W MR16 24D 51 mm 50 mm

Photometric data



Light Distribution Diagram - MAS LEDspotLV DimTone 6.5-35W MR16 24D

100 60 40 20 0 200 300 400 500 600 700 800 λ[nm] 40

Spectral Power Distribution Colour - MAS LEDspotLV DimTone 6.5-35W MR16 24D

MASTER VALUE LEDspot LV



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, November 12 - data subject to change