



# MASTER VALUE LEDs pot LV

## MASTER LEDspotLV D 7-35W 927 MR16 15D

Philips MASTER VALUE MR16 is the series of Low Voltage (12 VAC) Halogen MR16 replacements. Not only does it employ Philips' patented solution to guarantee the broadest possible compatibility with standard 12 V Halogen electronic transformers, it also delivers beam intensity which is equivalent to the 50 W Philips Halogen MR16 lamps. The form-factor of Philips MASTER Value LED MR16 guarantees a 100% form on the back-side of the lamp (exact fit with Halogen lamps.)

#### **Warnings and Safety**

- Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- · Not intended for use with emergency light fixtures or exit lights

#### **Product data**

General Information	
Cap base	GU5.3 [GU5.3]
Nominal lifetime	40,000 h
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Colour Code	927
Beam angle (nom.)	15 degree(s)
Luminous Flux	400 lm
Luminous intensity (nom.)	2,800 cd
Colour designation	Warm White (WW)

Correlated Colour Temperature	2700 K
Luminous efficacy (rated) (nom.)	57.14 lm/W
Colour consistency	<6
Colour rendering index (CRI)	90
LLMF at end of nominal lifetime (nom.)	70 %
Luminous flux in 90° cone (rated)	400 lm
Operating and Electrical	
Power Consumption	7 W
Lamp current (nom.)	720 mA
Starting time (nom )	055

1 s

0.7

Datasheet, 2023, April 29 data subject to change

Warm-up time to 60% light


Power Factor (Fraction)

# **MASTER VALUE LEDspot LV**

Voltage (nom.)	12 V
Temperature	
T-Case maximum (nom.)	92 ℃
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb shape	MR16 [2 inch/50 mm]
Approval and Application	
Energy-saving product	Yes
Suitable for accent lighting	Yes


Energy consumption kWh/1,000 hours	8 kWh	
Product Data		
Order product name	MAS LEDspotLV D 7-35W 927 MR16 15D	
Full product name	MASTER LEDspotLV D 7-35W 927 MR16 15D	
Full EOC	871869665921200	
Order code	65921200	
Material no. (12 NC)	929001152532	
SAP numerator – quantity per pack	1	
EAN/UPC — Product/Case	8718696659212	
Numerator – packs per outer box	10	
EAN/UPC - Case	8718696659229	

## Dimensional drawing




Product	D	С
MAS LEDspotLV D 7-35W 927 MR16 15D	51 mm	51 mm

## Photometric data




Spectral Power Distribution Colour - MAS LEDspotLV D 7-35W 927 MR16 15D



General uniform lighting - MAS LEDspotLV D 7-35W 927 MR16 15D

# **MASTER VALUE LEDspot LV**

## Photometric data



Light Distribution Diagram - MAS LEDspotLV D 7-35W 927 MR16 15D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.