

LEDLamps

LEDBulb 10.5-75W E27 3000K 230V A60AU/PF

LED Lamps are a perfect fit for general lighting applications. Compatible with most existing fixtures and designed as a retrofit replacement for incandescent and halogen lamps, LED Lamps deliver huge energy savings and minimize maintenance cost

Product data

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes

Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	200 degree(s)
Luminous Flux	1,055 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	100.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	10.5 W
Lamp Current (Nom)	95 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	87 °C

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Shape	A60 [A 60mm]


Approval and Application	
Energy Saving Product	Yes
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	11 kWh

LEDLamps

Product Data	
Order product name	LEDBulb 10.5-75W E27 3000K 230V A60AU/PF
Full product name	LEDBulb 10.5-75W E27 3000K 230V A60AU/PF
Full product code	871869648204900
Order code	929001162319


Material Nr. (12NC)	929001162319
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696482049
Numerator - Packs per outer box	12
EAN/UPC - Case	8718696482056

Dimensional drawing




Product	D	C
LEDBulb 10.5-75W E27 3000K 230V A60AU/PF	60 mm	110 mm


Photometric data



General uniform lighting - LEDBulb 10.5-75W E27 3000K 230V A60AU/PF




Light Distribution Diagram - LEDBulb 10.5-75W E27 3000K 230V A60AU/PF




Spectral Power Distribution Colour - LEDBulb 10.5-75W E27 3000K 230V A60AU/PF

LEDLamps

Lifetime



Life Expectancy Diagram - LEDBulb 10.5-75W E27 3000K 230V A60AU/PF



Lumen Maintenance Diagram - LEDBulb 10.5-75W E27 3000K 230V A60AU/PF

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.