



# SceneSwitch LEDbulbs

# Scene Switch A60 9.5-60W B22 3000K/6500K

Some situations call for cool light, others benefit from the ambiance of a warm cozy glow. With Philips SceneSwitch LEDbulbs, you can have different light settings from just one bulb. And you don't need a dimmer! Optimize your lighting for relaxing, hobbies, recreation or working. Simply at the flick of a switch. And that's your existing switch! No extra installation is required.

### **Product data**

General Information		
Cap-Base	B22 [B22]	
Nominal lifetime	15,000 hour(s)	
Switching Cycle	100,000	
Lighting Technology	LED	
EU RoHS compliant	Yes	
Light Technical		
Color Code	865/830 [CCT of 6500K/3000K]	
Luminous Flux	806 lm	
Luminous Efficacy (rated) (Nom)	84.84 lm/W	
Color Consistency	<6	
Color rendering index (CRI)	80	
LLMF At End Of Nominal Lifetime (Nom) 70 %		
Operating and Electrical		
Power Consumption	9.5 W	
Lamp Current (Nom)	100 mA	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	

Power Factor (Fraction)	0.5	
Voltage (Nom)	220-240 V	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Frosted	
Bulb Shape	A60 [A 60mm]	
Approval and Application		
Energy Saving Product	Yes	
Suitable For Accent Lighting	No	
Energy Consumption kWh/1000 h	9.5 kWh	
Product Data		
Order product name	Scene Switch A60 9.5-60W B22 3000K/	
	6500K	
Full product name	Scene Switch A60 9.5-60W B22 3000K/	
	6500K	


Datasheet, 2023, December 6 data subject to change

# SceneSwitch LEDbulbs

Full product code	871869648552100
Order code	929001165419
Material Nr. (12NC)	929001165419
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696490860


Numerator - Packs per outer box	6
EAN/UPC - Case	8718696485538

## Dimensional drawing




Product	D	С
Scene Switch A60 9.5-60W B22 3000K/6500K	61 mm	111 mm

### Photometric data



Spectral Power Distribution Colour - Scene Switch A60 9.5-60W B22 3000K/6500K



Spectral Power Distribution Colour - Scene Switch A60 9.5-60W B22 3000K/6500K



General uniform lighting - Scene Switch A60 9.5-60W B22 3000K/6500K

Light Distribution Diagram - Scene Switch A60 9.5-60W B22 3000K/6500K

# SceneSwitch LEDbulbs



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.