



CorePro LEDbulb

CorePro LEDbulb 11-75W 827 B22

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data


General Information	
Cap base	B22 [B22]
Nominal lifetime	15,000 h
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Colour Code	827 [CCT of 2700K]
Beam angle (nom.)	200 degree(s)
Luminous Flux	1,055 lm
Colour designation	White (WH)
Correlated Colour Temperature	2700 K
Luminous efficacy (rated) (nom.)	95.91 lm/W
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz
Power Consumption	11 W
Lamp current (nom.)	100 mA
Starting time (nom.)	0.5 s
Warm-up time to 60% light	Instant full light s

Power Factor (Fraction)	0.5
Voltage (nom.)	220-240 V
Temperature	
T-Case maximum (nom.)	90 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60 mm]
Approval and Application	
Suitable for accent lighting	No
Energy consumption kWh/1,000 hours	11 kWh
Product Data	
Order product name	CorePro LEDbulb 11-75W 827 B22
Full product name	CorePro LEDbulb 11-75W 827 B22
Full EOC	871869651004900
Order code	51004900
Material no. (12 NC)	929001172002
Local order code	CLED11WBULBB22
SAP numerator – quantity per pack	1

CorePro LEDbulb


EAN/UPC — Product/Case	8718696510049
Numerator — packs per outer box	10
EAN/UPC - Case	8718696510056

Dimensional drawing



Product	D	C
CorePro LEDbulb 11-75W 827 B22	60 mm	108 mm

Photometric data



Light Distribution Diagram - CorePro LEDbulb 11-75W 827 B22



Spectral Power Distribution Colour - CorePro LEDbulb 11-75W 827 B22

