



CorePro LEDbulb

CorePro LEDbulb 9-60W 827 B22

LEDbulbs are compatible with existing fixtures with an E27 holder and are designed for retrofit replacement of incandescent bulbs.

Product data

General Information	
Cap base	B22 [B22]
Nominal lifetime	15,000 h
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes

Light Technical	
Colour Code	827 [CCT of 2700K]
Beam angle (nom.)	200 degree(s)
Luminous Flux	806 lm
Colour designation	White (WH)
Correlated Colour Temperature	2700 K
Luminous efficacy (rated) (nom.)	89.56 lm/W
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz
Power Consumption	9 W
Lamp current (nom.)	85 mA
Wattage equivalent	60 W
Starting time (nom.)	0.5 s

Warm-up time to 60% light	Instant full light s
Power Factor (Fraction)	0.5
Voltage (nom.)	220-240 V

Temperature	
T-Case maximum (nom.)	85 °C

Controls and Dimming	
Dimmable	No

Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60 mm]

Approval and Application	
Suitable for accent lighting	No
Energy consumption kWh/1,000 hours	9 kWh


Product Data	
Order product name	CorePro LEDbulb 9-60W 827 B22
Full product name	CorePro LEDbulb 9-60W 827 B22
Full EOC	871869651006300
Order code	51006300
Material no. (12 NC)	929001172102
Local order code	CLED9WBULBB22

CorePro LEDbulb

SAP numerator – quantity per pack	1
EAN/UPC – Product/Case	8718696510063
Numerator – packs per outer box	10


EAN/UPC – Case	8718696510070
----------------	---------------

Dimensional drawing



Product	D	C
CorePro LEDbulb 9-60W 827 B22	60 mm	108 mm

Photometric data



Light Distribution Diagram - CorePro LEDbulb 9-60W 827 B22



Spectral Power Distribution Colour - CorePro LEDbulb 9-60W 827 B22

