



Standard LED bulbs

LEDBulb13.5W E27 3000K W A21 1PF/6 MX

Standard LED bulbs are compatible with existing fixtures with a E27 holder and are designed for retrofit replacement of incandescent, halogen and energy saving bulbs. They deliver huge energy savings and minimize maintenance costs. The Standard LED bulb is the perfect bulb for your basic lighting needs. It provides the beautiful light and performance you expect from the LED technology at an affordable price.


Product data

General Information		Wattage Equivalent	
Cap-Base	E27 [E27]	100 W	
Nominal lifetime	25,000 hour(s)	Starting Time (Nom)	
Switching Cycle	50,000	0.5 s	
Lighting Technology	LED	Warm-up time to 60% light	
EU RoHS compliant	Yes	0.5 s	
Light Technical		Power Factor (Fraction)	
Color Code	830 [CCT of 3000K]	0.8	
Beam Angle (Nom)	150 degree(s)	Voltage (Nom)	
Luminous Flux	1,521 lm	100-240 V	
Color Designation	White (WH)	Temperature	
Correlated Color Temperature (Nom)	3000 K	T-Case Maximum (Nom)	
Luminous Efficacy (rated) (Nom)	112.00 lm/W	70 °C	
Color Consistency	<6	Controls and Dimming	
Color rendering index (CRI)	80	Dimmable	
LLMF At End Of Nominal Lifetime (Nom)	70 %	No	
Operating and Electrical		Mechanical and Housing	
Line Frequency	50 to 60 Hz	Bulb Finish	
Input Frequency	50 to 60 Hz	Frosted	
Power Consumption	13.5 W	Bulb Shape	
		A21 [A 21mm]	
		Product Data	
		Order product name	
		LEDBulb13.5W E27 3000K W A21 1PF/6 MX	
		Full product name	
		LEDBulb13.5W E27 3000K W A21 1PF/6 MX	
		Order code	
		929001195741	
		Material Nr. (12NC)	
		929001195741	
		Numerator - Quantity Per Pack	
		1	

Standard LED bulbs


EAN/UPC - Product/Case	046677462956
Numerator - Packs per outer box	6
EAN/UPC - Case	50046677462951

Dimensional drawing




Product	D	C
LEDBulb13.5W E27 3000K W A21 1PF/6 MX	68 mm	127 mm

Photometric data



Light Distribution Diagram - LEDBulb13.5W E27 3000K W A21 1PF/6 MX



Spectral Power Distribution Colour - LEDBulb13.5W E27 3000K W A21 1PF/6 MX

