



A-Shape LED

9A19/LED/830 DIM 120V

Philips A-shape LED lamps are the LED alternative to standard incandescents. It provides beautiful light and dependable performance you expect from LED at an affordable price.

Product data

| General Information | |
|---------------------------------------|-----------------------------------|
| Cap-Base | E26 [Single Contact Medium Screw] |
| Nominal lifetime | 25,000 hour(s) |
| Switching Cycle | 50,000 |
| Lighting Technology | LED |
| EU RoHS compliant | Yes |
| | |
| Light Technical | |
| Color Code | 830 [CCT of 3000K] |
| Luminous Flux | 800 lm |
| Color Designation | White (WH) |
| Correlated Color Temperature (Nom) | 3000 K |
| Luminous Efficacy (rated) (Nom) | 88.88 lm/W |
| Color Consistency | ANSI |
| Color rendering index (CRI) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| | |
| Operating and Electrical | |
| Line Frequency | 60 Hz |
| Input Frequency | 60 Hz |
| Power Consumption | 9 W |
| Lamp Current (Nom) | 100 mA |
| Wattage Equivalent | 60 W |
| Starting Time (Nom) | 0.5 s |


| Warm-up time to 60% light | 0.5 s |
|-------------------------------|-----------------------|
| Power Factor (Fraction) | 0.7 |
| Voltage (Nom) | 120 V |
| | |
| Temperature | |
| T-Case Maximum (Nom) | 95 ℃ |
| | |
| Controls and Dimming | |
| Dimmable | Yes |
| | |
| Mechanical and Housing | |
| Bulb Finish | Frosted |
| Bulb Shape | A19 [A 19mm] |
| | |
| Approval and Application | |
| Suitable For Accent Lighting | Yes |
| | |
| Product Data | |
| Order product name | 9A19/LED/830 DIM 120V |
| Full product name | 9A19/LED/830 DIM 120V |
| Order code | 929001196904 |
| Material Nr. (12NC) | 929001196904 |
| Numerator - Quantity Per Pack | 1 |
| EAN/UPC - Product/Case | 046677459055 |


Datasheet, 2023, December 5 data subject to change

A-Shape LED


| Numerator - Packs per outer box | 6 |
|---------------------------------|----------------|
| EAN/UPC - Case | 50046677459050 |

Dimensional drawing





Photometric data





General uniform lighting - 9A19/LED/830 DIM 120V



Spectral Power Distribution Colour - 9A19/LED/830 DIM 120V

A-Shape LED



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.