



# **MASTER LEDspot PAR**

### MASLEDspot D 9.5-90W 827WW PAR30S 25D SO

With its robust design and warm-white beam of light, these new-generation PAR lamps are ideal for general lighting and spot lighting in the hospitality industry. There is a choice of dimmable and non-dimmable versions. They are especially suitable for public areas such as lobbies, corridors, stairwells, where the light is always on. Compatible with existing fixtures with an E27 holder and designed for retrofit replacement of halogen/incandescent lamps, MASTER LEDspot PAR deliver huge energy savings and minimize maintenance cost without any reduction in brightness. The IP44-rated outdoor version of the PAR 38 lamp is one of the few energy-saving alternatives to incandescent PAR38 outdoor lamps available today. The dimmable PAR 20 is a perfect replacement for an incandescent spot.

#### **Product data**

General Information	
Cap base	E27 [ E27]
Nominal lifetime (nom.)	40000 h
Switching cycle	50000X
Technical type	9.5-90W
Light Technical	
Colour code	827 [ CCT of 2,700 K]
Beam Angle (Nom)	25°
Light distribution	25D [ Medium beam]
Luminous flux (nom.)	845 lm
Luminous flux (rated) (nom.)	845 lm
Luminous intensity (nom.)	3500 cd
Colour designation	Warm white (WW)
Rated beam angle	25°
Correlated colour temperature (nom.)	2700 K
Luminous efficacy (rated) (nom.)	88.4 lm/W

Colour consistency	<6	
Color rendering index (nom.)	80	
LLMF at end of nominal lifetime (nom.) 70 %		
Luminous Flux in 90° Cone (Rated)	815 lm	
Operating and Electrical		
Input frequency	50 to 60 Hz	
Power (Rated) (Nom)	9.5 W	
Lamp current (nom.)	44 mA	
Starting time (nom.)	0.5 s	
Warm-up time to 60% light (nom.)	0.5 s	
Power factor (nom.)	0.85	
Voltage (Nom)	230 V	
Controls and Dimming		
Dimmable	Yes	


Datasheet, 2019, April 2 data subject to change

## **MASTER LEDspot PAR**

A+
Yes
10 kWh
871869655080900
MASLEDspot D 9.5-90W 827WW PAR30S 25D
SO

EAN/UPC – product	8718696550809
Order code	55080900
Numerator – quantity per pack	1
Numerator – packs per outer box	6
Material no. (12NC)	929001198702
Net weight (piece)	0.202 kg


### Dimensional drawing





PAR30S 9.5W-90W 650lm 25D 2700K E27 D

# Product D C MASLEDspot D 9.5-90W 827WW PAR30S 25D SO 92 mm 93 mm

#### Photometric data







PAR30S 9.5W-90W /827 25D E27 D

## **MASTER LEDspot PAR**



© 2019 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.