



# **MASTER LEDbulb**

## MASTER LEDbulb DT 6-40W A60 E27 827 FR

MASTER LEDbulb range delivers a dimmable glow effect for a welcoming, warm atmosphere, making it ideal for general lighting applications in the hospitality industry. Its unique design radiates warm light in all directions, making it a true alternative to the incandescent lamp. It is particularly suitable for public areas such as lobbies, corridors, stairwells, where the light is always on. Compatible with existing fixtures with an E27 or a B22 holder and designed for retrofit replacement of incandescent bulbs, MASTER LEDbulb delivers huge energy savings and minimises maintenance cost without any compromise on light quality.

#### Warnings and Safety

- $\cdot$  Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- $\boldsymbol{\cdot}$  Not intended for use with emergency light fixtures or exit lights

### **Product data**

General Information	
Cap base	E27 [E27]
Nominal lifetime	25,000 h
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Colour Code	822-827 [tunable warm white]
Beam angle (nom.)	200 degree(s)
Luminous Flux	470 lm
Colour designation	Warm White (WW)
Luminous efficacy (rated) (nom.)	78.00 lm/W

Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz
Power Consumption	6 W
Lamp current (nom.)	35 mA
Wattage equivalent	40 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7


Datasheet, 2023, April 29 data subject to change

## **MASTER LEDbulb**

Voltage (nom.)	220-240 V	
Temperature		
T-Case maximum (nom.)	85 ℃	
Controls and Dimming		
Dimmable	Yes	
Mechanical and Housing		
Lamp Finish	Frosted	
Bulb shape	A60 [A 60 mm]	
Approval and Application		
Energy-saving product	Yes	
Suitable for accent lighting	No	


Energy consumption kWh/1,000 hours	6 kWh
Product Data	
Order product name	MAS LEDbulb DT 6-40W A60 E27 827 FR
Full product name	MASTER LEDbulb DT 6-40W A60 E27 827 FR
Full EOC	871869657791200
Order code	57791200
Material no. (12 NC)	929001233202
Local order code	ML6DTB22FR
SAP numerator – quantity per pack	1
EAN/UPC — Product/Case	8718696577912
Numerator – packs per outer box	10
EAN/UPC - Case	8718696577929

## Dimensional drawing




Product	D	С
MAS LEDbulb DT 6-40W A60 E27 827 FR	60 mm	110 mm

#### Photometric data




General uniform lighting - MAS LEDbulb DT 6-40W A60 E27 827 FR



Light Distribution Diagram - MAS LEDbulb DT 6-40W A60 E27 827 FR

## **MASTER LEDbulb**

## Photometric data



Spectral Power Distribution Colour - MAS LEDbulb DT 6-40W A60 E27 827 FR



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.