



CorePro Plastic LEDbulbs



CorePro LEDbulb ND 5.5-40W A60 B22 827

The CorePro LED bulb is the perfect bulb for your basic lighting needs. It provides beautiful light and dependable performance you expect from LED at an affordable price. CorePro LEDbulbs are compatible with existing fixtures with an E27 or B22 holder and are designed for retrofit replacement of incandescent bulbs. They deliver huge energy savings of 80% and provides excellent quality of light. By offering a lifetime of 15,000 hours it reduces maintenance costs.

Product data

General Information	
	B22
Cap-Base	B22
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
EU RoHS compliant	Yes
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	200 degree(s)
Luminous Flux	470 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	85.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	5.5 W
Lamp Current (Nom)	55 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	75 ℃
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Finish	Frosted

Datasheet, 2024, March 14 data subject to change

CorePro Plastic LEDbulbs


Bulb Shape	A60	
Approval and Application		
Energy Efficiency Class	F	
Energy Consumption kWh/1000 h	6 kWh	
EPREL Registration Number	397621	
EyeComfort	Yes	
Application Conditions		
can it be used in closed luminaires	No	
Product Data		
Order product name	CorePro LEDbulb ND 5.5-40W A60 B22 827	

Full product name	CorePro LEDbulb ND 5.5-40W A60 B22 827
Full product code	871869657765300
Order code	929001233802
Material Nr. (12NC)	929001233802
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696577653
Numerator - Packs per outer box	10
EAN/UPC - Case	8718696577660
	·


Dimensional drawing

Product	D	С
CorePro LEDbulb ND 5.5-40W A60 B22 827	60 mm	110 mm

Photometric data




General uniform lighting - CorePro LEDbulb ND 5.5-40W A60 B22 827



Light Distribution Diagram - CorePro LEDbulb ND 5.5-40W A60 B22 827


CorePro Plastic LEDbulbs


Photometric data



Spectral Power Distribution Colour - CorePro LEDbulb ND 5.5-40W A60 B22 827

Lifetime





Life Expectancy Diagram - CorePro LEDbulb ND 5.5-40W A60 B22 827

Lumen Maintenance Diagram - CorePro LEDbulb ND 5.5-40W A60 B22 827



© 2024 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.