
PHILIPS Lighting



MASTER VALUE LEDs pot LV

MAS LEDspotLV VLE D 8-50W 827 MR16 36D

Philips MASTER VALUE MR16 is the series of Low Voltage (12VAC) Halogen MR16 replacements. Not only does it employs Philips' patented solution to guarantee the broadest possible compatibility with standard 12V Halogen electronic transformers. It also delivers beam intensity which is equivalent to the 50W Philips Halogen MR16 lamps. The form-factor of Philips MASTER Value LED MR16 guarantees a 100% form on the back-side of the lamp (exact form with Halogen lamps.)

Warnings and Safety

- Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- Not intended for use with emergency light fixtures or exit lights

Product data


| eneral Information | | Correlated Color Temperature (Nom) | 270 |
|--------------------------|--------------------|---------------------------------------|----------|
| Cap-Base | GU5.3 [GU5.3] | Luminous Efficacy (rated) (Nom) | 77.63 ln |
| Nominal lifetime | 25,000 hour(s) | Color Consistency | <6 |
| Switching Cycle | 50,000 | Color rendering index (CRI) | 80 |
| Lighting Technology | LED | LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| EU RoHS compliant | Yes | Luminous Flux in 90° Cone (Rated) | 621 lm |
| Light Technical | | Operating and Electrical | |
| Color Code | 827 [CCT of 2700K] | Power Consumption | 8 W |
| Beam Angle (Nom) | 36 degree(s) | Lamp Current (Nom) | 1,000 mA |
| Luminous Flux | 621 lm | Wattage Equivalent | 50 W |
| Luminous Intensity (Nom) | 1,250 cd | Starting Time (Nom) | 0.5 s |
| Color Designation | Warm White (WW) | Warm-up time to 60% light | 1s |

MASTER VALUE LEDspot LV


| 0.7 |
|-------------------|
| 12 V |
| |
| |
| 75 ℃ |
| |
| |
| Yes |
| |
| |
| MR16 [2inch/50mm] |
| |
| |
| Yes |
| Yes |
| |

| Energy Consumption kWh/1000 h | 9 kWh | | |
|---------------------------------|--|--|--|
| | | | |
| Product Data | | | |
| Order product name | MAS LEDspotLV VLE D 8-50W 827 MR16 36D | | |
| Full product name | MAS LEDspotLV VLE D 8-50W 827 MR16 36D | | |
| Full product code | 871869657203000 | | |
| Order code | 929001241102 | | |
| Material Nr. (12NC) | 929001241102 | | |
| Numerator - Quantity Per Pack | 1 | | |
| EAN/UPC - Product/Case | 8718696572030 | | |
| Numerator - Packs per outer box | 10 | | |
| EAN/UPC - Case | 8718696572047 | | |
| | | | |


Dimensional drawing



Photometric data



ProductDCMAS LEDspotLV VLE D 8-50W 827 MR16 36D50 mm50 mm



Light Distribution Diagram - MAS LEDspotLV VLE D 8-50W 827 MR16 36D

General uniform lighting - MAS LEDspotLV VLE D 8-50W 827 MR16 36D

MASTER VALUE LEDspot LV

Photometric data

Spectral Power Distribution Colour - MAS LEDspotLV VLE D 8-50W 827 MR16 36D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, December 6 - data subject to change