



MASTER VALUE LEDs pot LV

MAS LEDspotLV VLE D 8-50W 840 MR16 36D

Philips MASTER VALUE MR16 is the series of Low Voltage (12VAC) Halogen MR16 replacements. Not only does it employs Philips' patented solution to guarantee the broadest possible compatibility with standard 12V Halogen electronic transformers. It also delivers beam intensity which is equivalent to the 50W Philips Halogen MR16 lamps. The form-factor of Philips MASTER Value LED MR16 guarantees a 100% form on the back-side of the lamp (exact form with Halogen lamps.)

Warnings and Safety

- · Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- · Not intended for use with emergency light fixtures or exit lights

Product data

General Information	
Cap-Base	GU5.3 [GU5.3]
Nominal lifetime	25,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	36 degree(s)
Luminous Flux	630 lm
Luminous Intensity (Nom)	1,350 cd
Color Designation	Cool White (CW)

Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	78.75 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	630 lm
Operating and Electrical	
Power Consumption	8 W
Lamp Current (Nom)	1,000 mA
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	1s
Power Factor (Fraction)	0.7


Datasheet, 2023, December 6 data subject to change

MASTER VALUE LEDspot LV

Voltage (Nom)	12 V	
Temperature		
T-Case Maximum (Nom)	75 ℃	
Controls and Dimming		
Dimmable	Yes	
Mechanical and Housing		
Bulb Shape	MR16 [2inch/50mm]	
Approval and Application		
Energy Saving Product	Yes	
Suitable For Accent Lighting	Yes	


9 kWh
MAS LEDspotLV VLE D 8-50W 840 MR16 36D
MAS LEDspotLV VLE D 8-50W 840 MR16 36D
871869657211500
929001241702
929001241702
1
8718696572115
10
8718696572122

Dimensional drawing




Product	D	С
MAS LEDspotLV VLE D 8-50W 840 MR16 36D	50 mm	50 mm

Photometric data



General uniform lighting - MAS LEDspotLV VLE D 8-50W 840 MR16 36D



Light Distribution Diagram - MAS LEDspotLV VLE D 8-50W 840 MR16 36D

MASTER VALUE LEDspot LV

Photometric data



Spectral Power Distribution Colour - MAS LEDspotLV VLE D 8-50W 840 MR16 36D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.