



Classic LEDspotMV

CLA LEDspotMV D 5.5-50W GU10 830 36D

Featuring a classic heritage design, Classic LEDspotMV delivers warm halogen-like light while saving around 90% on energy costs. It is compatible with most existing fixtures with a GU10 holder and is designed as a retrofit replacement for halogen or incandescent spots. LED lamps deliver significant energy savings and minimise maintenance costs.

Product data

General Information	
Cap base	GU10 [GU10]
Nominal lifetime (nom.)	15000 h
Switching cycle	50000X
Technical type	5.5-50W
Light Technical	
Colour code	830 [CCT of 3,000 K]
Beam Angle (Nom)	36 °
Luminous flux (nom.)	365 lm
Luminous flux (rated) (nom.)	365 lm
Luminous intensity (nom.)	680 cd
Colour designation	White (WH)
Rated beam angle	36 °
Correlated colour temperature (nom.)	3000 K
Luminous efficacy (rated) (nom.)	66 lm/W
Colour consistency	<6
Color rendering index (nom.)	80
LLMF at end of nominal lifetime (nom.)	70 %
Luminous Flux in 90° Cone (Rated)	365 lm


Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	5.5 W
Lamp current (nom.)	30 mA
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.70
Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	80 °C
Controls and Dimming	
Dimmable	Yes
Approval and Application	
Energy efficiency label (EEL)	A+
Energy-saving product	Yes
Suitable for accent lighting	Yes
Energy Consumption kWh/1000 h	6 kWh

Classic LEDspotMV

Product Data	
Full product code	871869658169800
Order product name	CLA LEDspotMV D 5.5-50W GU10 830 36D
EAN/UPC – product	8718696581698
Order code	58169800
Numerator – quantity per pack	1

Numerator – packs per outer box	10
Material no. (12NC)	929001254102
Net weight (piece)	0.036 kg



Dimensional drawing




LEDClassic 50W GU10 WH 230V 36D DIM

Product	D	C
CLA LEDspotMV D 5.5-50W GU10 830 36D	50 mm	53 mm

Photometric data



LEDspotMV 5.5-50W GU10 830 36D D



LEDspotMV GU10 MR16 830

Classic LEDspotMV

