




MASTER Value Decorative LED bulbs

CLA LEDGlobe D 7-50W G120 B22 820 GOLD

The new Deco collection transforms your home with a perfect blend of warm white light and a lean, minimalistic lighting experience. With long lifetime, up to 90% energy savings, no flickering and an instant full-level brightness, you will also enjoy soft and evenly distributed light with that trendy and stylish charm for a welcoming harmony in your space.

Product data


General Information	
Cap base	B22 [B22]
Nominal lifetime	15,000 h
Switching Cycle	20,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Colour Code	820 [CCT of 2000K]
Luminous Flux	630 lm
Colour designation	Flame
Correlated Colour Temperature	2000 K
Luminous efficacy (rated) (nom.)	90.00 lm/W
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input frequency	50 to 60 Hz

Power Consumption	7 W
Lamp current (nom.)	40 mA
Wattage equivalent	50 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (nom.)	220-240 V
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb shape	G120 [G 120 mm]
Approval and Application	
Energy-saving product	Yes
Suitable for accent lighting	No
Energy consumption kWh/1,000 hours	7 kWh

MASTER Value Decorative LED bulbs

Product Data	
Order product name	CLA LEDGlobe D 7-50W G120 B22 820 GOLD
Full product name	CLA LEDGlobe D 7-50W G120 B22 820 GOLD
Full EOC	871869658743000
Order code	58743000
Material no. (12 NC)	929001257902


Dimensional drawing




SAP numerator – quantity per pack	1
EAN/UPC – Product/Case	8718696587430
Numerator – packs per outer box	6
EAN/UPC – Case	8718696587447

Product	D	C
CLA LEDGlobe D 7-50W G120 B22 820 GOLD	125 mm	186.5 mm


Photometric data



Spectral Power Distribution Colour - CLA LEDGlobe D 7-50W G120 B22 820 GOLD



General uniform lighting - CLA LEDGlobe D 7-50W G120 B22 820 GOLD



Light Distribution Diagram - CLA LEDGlobe D 7-50W G120 B22 820 GOLD

MASTER Value Decorative LED bulbs

