

# MASTER Value Decorative LED bulbs

## CLA LEDGlobe D 7-50W G120 B22 820 GOLD

The new collection of MASTER Value Decorative LED bulbs will transform any home. decorative LED bulbs are ideal for decorative lighting projects, they offer a perfect blend of (warm) white light and a minimalistic lighting experience. With a very long lifetime, up to 90% energy savings, no flickering and an instant full level brightness, you can enjoy soft and evenly distributed light. And thanks to the dimmable LED bulbs, you can dial it up or down to suit your mood. So, you can create a welcoming harmony in your space with decorative LED lamps that shine with trendy and stylish charm.

### Product data

General Information	
Cap-Base	B22 [B22]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	820 [CCT of 2000K]
Luminous Flux	630 lm
Color Designation	Flame
Correlated Color Temperature (Nom)	2000 K
Luminous Efficacy (rated) (Nom)	90.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	7 W
Lamp Current (Nom)	40 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.7
Voltage (Nom)	220-240 V
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Shape	G120 [G 120mm]


MASTER Value Decorative LED bulbs

Approval and Application	
Energy Saving Product	Yes
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	7 kWh

Product Data	
Order product name	CLA LEDGlobe D 7-50W G120 B22 820 GOLD
Full product name	CLA LEDGlobe D 7-50W G120 B22 820 GOLD
Full product code	871869658743000


Order code	929001257902
Material Nr. (12NC)	929001257902
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696587430
Numerator - Packs per outer box	6
EAN/UPC - Case	8718696587447

Dimensional drawing




Product	D	C
CLA LEDGlobe D 7-50W G120 B22 820 GOLD	125 mm	186.5 mm


Photometric data



Spectral Power Distribution Colour - CLA LEDGlobe D 7-50W G120 B22 820 GOLD



General uniform lighting - CLA LEDGlobe D 7-50W G120 B22 820 GOLD



Light Distribution Diagram - CLA LEDGlobe D 7-50W G120 B22 820 GOLD

## MASTER Value Decorative LED bulbs

