



Classic LEDspotMV

CLA LEDspotMV ND 520lm GU10 865 120D

Featuring a classic heritage design, Classic LEDspotMV delivers warm halogen-like light while saving around 90% on energy costs. It is compatible with most existing fixtures with a GU10 holder and is designed as a retrofit replacement for halogen or incandescent spots. LED lamps deliver significant energy savings and minimize maintenance costs.

Product data

General Information	
Cap-Base	GU10 [GU10]
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	120 degree(s)
Luminous Flux	540 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	108.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	5 W

Lamp Current (Nom)	41 mA		
Starting Time (Nom)	0.5 s		
Warm-up time to 60% light	0.5 s		
Power Factor (Fraction)	0.5		
Voltage (Nom)	220-240 V		
Temperature			
T-Case Maximum (Nom)	78 °C		
Controls and Dimming			
Dimmable	No		
Mechanical and Housing			
Bulb Shape	PAR16 [PAR 2 inch/50mm]		
Approval and Application			
Suitable For Accent Lighting	No		
Energy Consumption kWh/1000 h	5 kWh		
Product Data			
Order product name	CLA LEDspotMV ND 520lm GU10 865 120D		
Full product name	CLA LEDspotMV ND 520lm GU10 865 120D		


Datasheet, 2023, December 6 data subject to change

Classic LEDspotMV

Full product code	871869668692800
Order code	929001297402
Material Nr. (12NC)	929001297402
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696686928


Numerator - Packs per outer box	10
EAN/UPC - Case	8718696686935


Dimensional drawing




Product	D	С
CLA LEDspotMV ND 520lm GU10 865 120D	50 mm	55 mm

Photometric data








Colonia X Proteometries 4.3 Philips Lighting E.Y. Pages 171


General uniform lighting - CLA LEDspotMV ND 520lm GU10 865 120D




Light Distribution Diagram - CLA LEDspotMV ND 520lm GU10 865 120D

Classic LEDspotMV

Lifetime





Life Expectancy Diagram - CLA LEDspotMV ND 520lm GU10 865 120D

Lumen Maintenance Diagram - CLA LEDspotMV ND 520lm GU10 865 120D

