



# **CorePro LEDspot MV**

# CorePro LEDspotMV ND 5-42W 827 Refl80

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. These GU10 LED spot lights are compatible with most existing fixtures with a GU10 LED base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance costs.

### **Product data**

General Information	
Cap-Base	E27 [E27]
Nominal lifetime	15,000 hour(s)
Switching Cycle	20,000
Lighting Technology	LED
EU RoHS compliant	Yes
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	120 degree(s)
Luminous Flux	505 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	101.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	5 W

Lamp Current (Nom)	40 mA		
Starting Time (Nom)	0.5 s		
Warm-up time to 60% light	0.5 s		
Power Factor (Fraction)	0.4		
Voltage (Nom)	220-240 V		
Temperature			
T-Case Maximum (Nom)	50 ℃		
Controls and Dimming			
Dimmable	No		
Mechanical and Housing			
Bulb Shape	R80 [R 80mm]		
Approval and Application			
Energy Consumption kWh/1000 h	5 kWh		
Product Data			
Order product name	CorePro LEDspotMV ND 5-42W 827 Refl80		
Full product name	CorePro LEDspotMV ND 5-42W 827 Refl80		
Full product code	871869676842600		


Datasheet, 2023, December 6 data subject to change

# CorePro LEDspot MV

Order code	929001316402
Material Nr. (12NC)	929001316402
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696768426


Numerator - Packs per outer box	6
EAN/UPC - Case	8718696768433

## Dimensional drawing



Product	D	С
CorePro LEDspotMV ND 5-42W 827 Refl80	80 mm	114 mm


### Photometric data





90°
60°
30°
(cd/1000lm)
0°
90.270°


General uniform lighting - CorePro LEDspotMV ND 5-42W 827 Refl80 Light Distribution Diagram - CorePro LEDspotMV ND 5-42W 827 Refl80




Spectral Power Distribution Colour - CorePro LEDspotMV ND 5-42W 827 Refl80

## CorePro LEDspot MV

### Lifetime





Life Expectancy Diagram - CorePro LEDspotMV ND 5-42W 827 Refl80

Lumen Maintenance Diagram - CorePro LEDspotMV ND 5-42W 827 Refl80

