# **PHILIPS** Lighting



## MASTER VALUE LEDs pot LV

### MAS LED spot VLE D 5.5-35W MR16 827 60D

Philips MASTER VALUE MR16 is the series of Low Voltage (12VAC) Halogen MR16 replacements. Not only does it employs Philips' patented solution to guarantee the broadest possible compatibility with standard 12V Halogen electronic transformers. It also delivers beam intensity which is equivalent to the 50W Philips Halogen MR16 lamps. The form-factor of Philips MASTER Value LED MR16 guarantees a 100% form on the back-side of the lamp (exact form with Halogen lamps.)

#### Warnings and Safety

- Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- Not intended for use with emergency light fixtures or exit lights


#### **Product data**

eneral Information		Correlated Color Temperature (Nom)	
o-Base	GU5.3 [GU5.3]	Luminous Efficacy (rated) (Nom)	
ominal lifetime	25,000 hour(s)	Color Consistency	
vitching Cycle	50,000	Color rendering index (CRI)	
ghting Technology	LED	LLMF At End Of Nominal Lifetime (Nom)	70
U RoHS compliant	Yes	Luminous Flux in 90° Cone (Rated)	450 lm
ight Technical		Operating and Electrical	
Color Code	827 [CCT of 2700K]	Line Frequency	– Hz
Beam Angle (Nom)	60 degree(s)	Input Frequency	- Hz
uminous Flux	450 lm	Power Consumption	5.5 W
Luminous Intensity (Nom)	500 cd	Lamp Current (Nom)	630 mA
Color Designation	Warm White (WW)	Wattage Equivalent	35 W

#### MASTER VALUE LEDspot LV


Starting Time (Nom)	0.5 s	Energy Consumption kWh/1000 h	7 kWh
Warm-up time to 60% light	0.5 s	EyeComfort	Yes
Power Factor (Fraction)	0.8		
Voltage (Nom)	ac Electronic 12 V	Product Data	
		Order product name	MAS LED spot VLE D 5.5-35W MR16 827 60D
Temperature		Full product name	MAS LED spot VLE D 5.5-35W MR16 827 60D
T-Case Maximum (Nom)	95 °C	Full product code	871869670829300
		Order code	929001326202
Controls and Dimming		Material Nr. (12NC)	929001326202
Dimmable	Yes	Numerator - Quantity Per Pack	1
		EAN/UPC - Product/Case	8718696708293
Mechanical and Housing		Numerator - Packs per outer box	10
Bulb Shape	MR16 [2inch/50mm]	EAN/UPC - Case	8718696708309
Approval and Application			
Suitable For Accent Lighting	Yes		

#### Dimensional drawing




#### Product D с MAS LED spot VLE D 5.5-35W MR16 827 60D 50.5 mm 45 mm

#### Photometric data



Mips Lighting B.Y.


Accent Lighting Spots - MAS LED spot VLE D 5.5-35W MR16 827 60D



Light Distribution Diagram - MAS LED spot VLE D 5.5-35W MR16 827 60D


#### MASTER VALUE LEDspot LV

Photometric data



Spectral Power Distribution Colour - MAS LED spot VLE D 5.5-35W MR16 827 60D

#### Lifetime



Life Expectancy Diagram - MAS LED spot VLE D 5.5-35W MR16 827 60D

Lumen Maintenance Diagram - MAS LED spot VLE D 5.5-35W MR16 827 60D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.