PHILIPS Lighting



MASTER VALUE LEDs pot LV

MAS LED spot VLE D 7-50W MR16 830 36D

Philips MASTER VALUE MR16 is the series of Low Voltage (12VAC) Halogen MR16 replacements. Not only does it employs Philips' patented solution to guarantee the broadest possible compatibility with standard 12V Halogen electronic transformers. It also delivers beam intensity which is equivalent to the 50W Philips Halogen MR16 lamps. The form-factor of Philips MASTER Value LED MR16 guarantees a 100% form on the back-side of the lamp (exact form with Halogen lamps.)

Warnings and Safety

- Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- Not intended for use with emergency light fixtures or exit lights

Product data


eneral Information		Correlated Color Temperature (Nom)	3000
Cap-Base	GU5.3 [GU5.3]	Luminous Efficacy (rated) (Nom)	90.00 lm/
Nominal lifetime	25,000 hour(s)	Color Consistency	<6
Switching Cycle	50,000	Color rendering index (CRI)	80
Lighting Technology	LED	LLMF At End Of Nominal Lifetime (Nom)	70 %
EU RoHS compliant	Yes	Luminous Flux in 90° Cone (Rated)	630 lm
Light Technical		Operating and Electrical	
Color Code	830 [CCT of 3000K]	Power Consumption	7 W
Beam Angle (Nom)	36 degree(s)	Lamp Current (Nom)	760 mA
Luminous Flux	630 lm	Wattage Equivalent	50 W
Luminous Intensity (Nom)	1,700 cd	Starting Time (Nom)	0.5 s
Color Designation	White (WH)	Warm-up time to 60% light	0.5 s

MASTER VALUE LEDspot LV

Power Factor (Fraction)	0.8	
Voltage (Nom)	ac Electronic 12 V	
Temperature		
T-Case Maximum (Nom)	105 °C	
Controls and Dimming		
Dimmable	Yes	
Mechanical and Housing		
Bulb Shape	MR16 [2inch/50mm]	
Approval and Application		
Suitable For Accent Lighting	Yes	

Energy Consumption kWh/1000 h	8 kWh		
Product Data			
Order product name	MAS LED spot VLE D 7-50W MR16 830 36D		
Full product name	MAS LED spot VLE D 7-50W MR16 830 36D		
Full product code	871869670837800		
Order code	929001326602		
Material Nr. (12NC)	929001326602		
Numerator - Quantity Per Pack	1		
EAN/UPC - Product/Case	8718696708378		
Numerator - Packs per outer box	10		
EAN/UPC - Case	8718696708385		

Dimensional drawing




MAS LED spot VLE D 7-50W MR16 830 36D 50.5 mm 49.5 mm

D

с

Photometric data



120° 180° 120° 90 90 -500 60 60 750 1000-| |250 γ.... +30 30[°] 1500 (cd)


Product

Accent Lighting Spots - MAS LED spot VLE D 7-50W MR16 830 36D




MASTER VALUE LEDspot LV

Photometric data



Spectral Power Distribution Colour - MAS LED spot VLE D 7-50W MR16 830 36D

Lifetime



Life Expectancy Diagram - MAS LED spot VLE D 7-50W MR16 830 36D

Lumen Maintenance Diagram - MAS LED spot VLE D 7-50W MR16 830 36D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.