



CorePro LEDspot LV

CorePro LED spot ND 8-50W MR16 830 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with MR16 GU5.3 holders and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver huge energy savings and minimize maintenance cost.

Product data

| General Information | |
|---------------------------------------|--------------------|
| Cap-Base | GU5.3 [GU5.3] |
| Nominal lifetime | 15,000 hour(s) |
| Switching Cycle | 50,000 |
| Lighting Technology | LED |
| EU RoHS compliant | Yes |
| | |
| Light Technical | |
| Color Code | 830 [CCT of 3000K] |
| Beam Angle (Nom) | 36 degree(s) |
| Luminous Flux | 621 lm |
| Luminous Intensity (Nom) | 1,100 cd |
| Color Designation | White (WH) |
| Correlated Color Temperature (Nom) | 3000 K |
| Luminous Efficacy (rated) (Nom) | 77.63 lm/W |
| Color Consistency | <6 |
| Color rendering index (CRI) | 80 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % |
| Luminous Flux in 90° Cone (Rated) | 621 lm |
| | |
| Operating and Electrical | |
| Power Consumption | 8 W |
| Lamp Current (Nom) | 660 mA |
| | |

| Wattage Equivalent | 50 W | | |
|-------------------------------|--|--|--|
| Starting Time (Nom) | 0.5 s | | |
| Warm-up time to 60% light | 0.5 s | | |
| Power Factor (Fraction) | 0.85 | | |
| Voltage (Nom) | 12 V | | |
| | | | |
| Temperature | | | |
| T-Case Maximum (Nom) | 90 ℃ | | |
| | | | |
| Controls and Dimming | | | |
| Dimmable | No | | |
| | | | |
| Mechanical and Housing | | | |
| Bulb Shape | MR16 [2inch/50mm] | | |
| | | | |
| Approval and Application | | | |
| Suitable For Accent Lighting | Yes | | |
| Energy Consumption kWh/1000 h | 9 kWh | | |
| | | | |
| Product Data | | | |
| Order product name | CorePro LED spot ND 8-50W MR16 830 36D | | |
| Full product name | CorePro LED spot ND 8-50W MR16 830 36D | | |
| Full product code | 871869671069200 | | |


Datasheet, 2023, December 6 data subject to change

CorePro LEDspot LV

| Order code | 929001345002 |
|-------------------------------|---------------|
| Material Nr. (12NC) | 929001345002 |
| Numerator - Quantity Per Pack | 1 |
| EAN/UPC - Product/Case | 8718696710692 |


| Numerator - Packs per outer box | 10 |
|---------------------------------|---------------|
| EAN/UPC - Case | 8718696710708 |

Dimensional drawing




| Product | D | С |
|--|-------|-------|
| CorePro LED spot ND 8-50W MR16 830 36D | 51 mm | 50 mm |

Photometric data



Accent Lighting Spots - CorePro LED spot ND 8-50W MR16 830 36D


Light Distribution Diagram - CorePro LED spot ND 8-50W MR16 830 36D




Spectral Power Distribution Colour - CorePro LED spot ND 8-50W MR16 830 36D

CorePro LEDspot LV

Lifetime





Life Expectancy Diagram - CorePro LED spot ND 8-50W MR16 830 36D

Lumen Maintenance Diagram - CorePro LED spot ND 8-50W MR16 830 36D

