



CorePro Glass LED bulbs



CorePro LEDBulbND 8.5-75W E27 A60 827CLG

Featuring a classic heritage design, these filament LED lamps combine the familiar shapes of classic incandescent bulbs with the benefits of long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these CorePro LED bulbs provide 90% energy savings compared with conventional lamps. CorePro Glass LED bulbs provide excellent quality of light in a vintage style. CorePro LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

Product data

General Information	
Cap base	E27
Nominal lifetime	15,000 h
Switching Cycle	20,000
Lighting Technology	LED
Flux measurement reference	Sphere
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Colour Code	827 [CCT of 2700K]
Luminous Flux	1,055 lm
Colour designation	Warm White (WW)
Correlated Colour Temperature	2700 K
Luminous efficacy (rated) (nom.)	124.00 lm/W
Colour consistency	<6
Colour rendering index (CRI)	80
LLMF at end of nominal lifetime (nom.)	70 %

Flickering value (PstLM)	1	
Stroboscopic effect	0.4	
Photobiological safety according to EN 62471 RG1		
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input frequency	50 to 60 Hz	
Power Consumption	8.5 W	
Lamp current (nom.)	70 mA	
Wattage equivalent	75 W	
Starting time (nom.)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.52	
Voltage (nom.)	220-240 V	
Temperature		
T-Case maximum (nom.)	50 ℃	


Datasheet, 2023, April 14 data subject to change

CorePro Glass LED bulbs

Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Lamp Finish	Clear
Bulb shape	A60
Approval and Application	
Energy Efficiency Class	E
Energy consumption kWh/1,000 hours	9 kWh
EPREL registration number	387423
EyeComfort	Yes
Application Conditions	
Can it be used in closed luminaires	No


CorePro LEDBulbND 8.5-75W E27 A60	
827CLG	
CorePro LEDBulbND 8.5-75W E27 A60	
827CLG	
871951434712000	
34712000	
929002025492	
1	
8719514347120	
10	
8719514347137	

Dimensional drawing




Product	D	С
CorePro LEDBulbND 8.5-75W E27 A60 827CLG	60 mm	104 mm

Photometric data




Light Distribution Diagram - CorePro LEDBulbND 8.5-75W E27 A60 827CLG



Spectral Power Distribution Colour - CorePro LEDBulbND 8.5-75W E27 A60 827CLG

CorePro Glass LED bulbs


Photometric data




Calculus Photometrics 4.5 Philips Lighting Sci. Page: 177

General uniform lighting - CorePro LEDBulbND 8.5-75W E27 A60 827CLG

Lifetime





Lumen Maintenance Diagram - CorePro LEDBulbND 8.5-75W E27 A60 827CLG

Life Expectancy Diagram - CorePro LEDBulbND 8.5-75W E27 A60 827CLG



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.