



MASTER LEDspot ExpertColor AR111



MAS ExpertColor 10.8-50W 930 AR111 40D

The MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates ambience with superior lighting that has a customised spectrum, high CRI and deep dimming features. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will also suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot LV and LEDspot Par lamps.

Product data

General Information	
Cap base	G53
Nominal lifetime	40,000 h
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Colour Code	930 [CCT of 3000K]
Beam angle (nom.)	40 degree(s)
Luminous Flux	620 lm
Luminous intensity (nom.)	1,200 cd
Colour designation	White (WH)
Correlated Colour Temperature	3000 K
Luminous efficacy (rated) (nom.)	57 lm/W
Colour consistency	<4

95
70 %
520 lm
RG1
50 to 60 Hz
50 to 60 Hz
10.8 W
I,000 mA
50 W
0.5 s
0.5 s
0.7
ac electronic 12 V


Datasheet, 2023, April 15 data subject to change

MASTER LEDspot ExpertColor AR111

Temperature	
T-Case maximum (nom.)	70 °C
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Lamp Finish	Clear
Bulb shape	AR111
Approval and Application	
Energy Efficiency Class	G
Suitable for accent lighting	Yes
Energy consumption kWh/1,000 hours	11 kWh
EPREL registration number	648252
EyeComfort	Yes


Application Conditions	
Can it be used in closed luminaires	No
Product Data	
Order product name	MAS ExpertColor 10.8-50W 930 AR111
	40D
Full product name	MAS ExpertColor 10.8-50W 930 AR111
	40D
Full EOC	871951433401400
Order code	33401400
Material no. (12 NC)	929003043702
SAP numerator – quantity per pack	1
EAN/UPC — Product/Case	8719514334014
Numerator – packs per outer box	6
EAN/UPC - Case	8719514334021


Dimensional drawing



Product	D	С
MAS ExpertColor 10.8-50W 930 AR111 40D	111 mm	61 mm

Photometric data






Spectral Power Distribution Colour - MAS ExpertColor 10.8-50W 930 AR111 40D

Light Distribution Diagram - MAS ExpertColor 10.8-50W 930 AR111 40D

MASTER LEDspot ExpertColor AR111


Photometric data




Calculate Photometric 4.5 Philips Lighting ScV. Figur. 1

Accent Lighting Spots - MAS ExpertColor 10.8-50W 930 AR111 40D

Lifetime





Life Expectancy Diagram - MAS ExpertColor 10.8-50W 930 AR111 40D

Lumen Maintenance Diagram - MAS ExpertColor 10.8-50W 930 AR111 40D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.