



MASTER LEDspot ExpertColor LV



MASTER LED ExpertColor 6.7-35W MR16 930 36D

MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates such an ambience with superior lighting that has a customised spectrum, high CRI and deep dimming feature. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot MV lamps.

Product data

General Information	
Cap base	GU5.3
Nominal lifetime	40,000 h
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Narrow Cone
CE mark	Yes
EU RoHS compliant	Yes
Light Technical	
Colour Code	930 [CCT of 3000K]
Beam angle (nom.)	36 degree(s)
Luminous Flux	440 lm
Luminous intensity (nom.)	1,400 cd
Colour designation	White (WH)
Correlated Colour Temperature	3000 K
Luminous efficacy (rated) (nom.)	65 lm/W
Colour consistency	<3

Colour rendering index (CRI)	97	
LLMF at end of nominal lifetime (nom.)	70 %	
Luminous flux in 90° cone (rated)	440 lm	
Photobiological safety according to EN 62471 RG1		
Operating and Electrical		
Line Frequency	- Hz	
Input frequency	- Hz	
Power Consumption	6.7 W	
Lamp current (nom.)	650 mA	
Wattage equivalent	35 W	
Starting time (nom.)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.7	
Voltage (nom.)	ac electronic 12 V	


Datasheet, 2023, April 15 data subject to change

MASTER LEDspot ExpertColor LV

Temperature	
T-Case maximum (nom.)	92 ℃
Controls and Dimming	
Dimmable	Only with specific dimmers
Mechanical and Housing	
Bulb shape	MR16
Approval and Application	
Energy Efficiency Class	G
Suitable for accent lighting	Yes
Energy consumption kWh/1,000 hours	7 kWh
EPREL registration number	624223
EyeComfort	Yes
Application Conditions	
Can it be used in closed luminaires	No


MAS LED ExpertColor 6.7-35W MR16 930
36D
MASTER LED ExpertColor 6.7-35W MR16
930 36D
871951435861400
35861400
929003079502
1
8719514358614
10
8719514358621


Dimensional drawing



Product	D	С
MAS LED ExpertColor 6.7-35W MR16 930 36D	50.5 mm	46 mm

Photometric data






Spectral Power Distribution Colour - MAS LED ExpertColor 6.7-35W MR16 930 36D

Accent Lighting Spots - MAS LED ExpertColor 6.7-35W MR16 930 36D


MASTER LEDspot ExpertColor LV


Photometric data



Light Distribution Diagram - MAS LED ExpertColor 6.7-35W MR16 930 36D

Lifetime





Life Expectancy Diagram - MAS LED ExpertColor 6.7-35W MR16 930 36D

Lumen Maintenance Diagram - MAS LED ExpertColor 6.7-35W MR16 930 36D



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.