



# Energy Saver Decoratives

## BC-EL/A G25 9W 3PK

Philips Energy Saver Decorative CFLs provide energy savings and reduce operating costs without sacrificing quality of light compared to incandescent equivalents.

### Warnings and Safety

- Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Compact fluorescent lamps have to be treated as special waste, they must be taken to your local waste facilities for recycling. The European Lighting Industry has set up an infrastructure, capable of recycling mercury, other metals, glass etc.

### Product data

General Information	
Cap-Base	E26 [Single Contact Medium Screw]
Switching Cycle	5,000
Rated Lifetime (Hours)	8,000 hour(s)
Lighting Technology	Compact Fluorescent Integrated
Light Technical	
Color Code	827 [CCT of 2700K]
Color Designation	Warm White (WW)
Chromaticity Coordinate X (Nom)	463
Chromaticity Coordinate Y (Nom)	420
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	56 lm/W
Color rendering index (CRI)	80

Operating and Electrical	
Line Frequency	50 or 60 Hz
Input Frequency	50 or 60 Hz
Power Consumption	9 W
Lamp Current (Nom)	120 mA
Power Factor (Fraction)	0.55
Voltage (Nom)	110-127 V
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Bulb Shape	EL/A G25 T3

# Energy Saver Decoratives

Approval and Application	
Mercury (Hg) Content (Max)	2 mg
Product Data	
Order product name	BC-EL/A G25 9W 3PK
Order code	929689983601
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	4
Material Nr. (12NC)	929689983601
Full product name	BC-EL/A G25 9W 3PK
EAN/UPC - Case	50046677417333
EAN/UPC - Product/Case	046677417338

## Dimensional drawing

Product	C (max)	F (max)
BC-EL/A G25 9W 3PK	112 mm	65.4 mm

