



# **Energy Saver Decoratives**

## EL/A G25 9W 6/1

Philips Energy Saver Decorative CFLs provide energy savings and reduce operating costs without sacrificing quality of light compared to incandescent equivalents.

#### Warnings and Safety

- Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Compact fluorescent lamps have to be treated as special waste, they must be taken to your local waste facilities for recycling. The European Lighting Industry has set up an infrastructure, capable of recycling mercury, other metals, glass etc.

#### **Product data**

| General Information                |                                   |  |
|------------------------------------|-----------------------------------|--|
| Cap-Base                           | E26 [Single Contact Medium Screw] |  |
| Switching Cycle                    | 5,000                             |  |
| Rated Lifetime (Hours)             | 8,000 hour(s)                     |  |
| Lighting Technology                | Compact Fluorescent Integrated    |  |
|                                    |                                   |  |
| Light Technical                    |                                   |  |
| Color Code                         | 827 [CCT of 2700K]                |  |
| Color Designation                  | Warm White (WW)                   |  |
| Chromaticity Coordinate X (Nom)    | 463                               |  |
| Chromaticity Coordinate Y (Nom)    | 420                               |  |
| Correlated Color Temperature (Nom) | 2700 K                            |  |
| Luminous Efficacy (rated) (Nom)    | 56 lm/W                           |  |
| Color rendering index (CRI)        | 80                                |  |
|                                    |                                   |  |

| Operating and Electrical |             |
|--------------------------|-------------|
| Line Frequency           | 50 or 60 Hz |
| Input Frequency          | 50 or 60 Hz |
| Power Consumption        | 9 W         |
| Lamp Current (Nom)       | 120 mA      |
| Power Factor (Fraction)  | 0.55        |
| Voltage (Nom)            | 110-127 V   |
|                          |             |
| Controls and Dimming     |             |
| Dimmable                 | No          |
|                          |             |
| Mechanical and Housing   |             |
| Bulb Shape               | EL/A G25 T3 |
|                          | ·           |

Datasheet, 2023, September 4 data subject to change

## **Energy Saver Decoratives**

| Approval and Application      |                 |
|-------------------------------|-----------------|
| Mercury (Hg) Content (Max)    | 2 mg            |
|                               |                 |
| Product Data                  |                 |
| Order product name            | EL/A G25 9W 6/1 |
| Order code                    | 929689983603    |
| Numerator - Quantity Per Pack | 1               |

| Numerator - Packs per outer box | 6               |
|---------------------------------|-----------------|
| Material Nr. (12NC)             | 929689983603    |
| Full product name               | EL/A G25 9W 6/1 |
| EAN/UPC - Case                  | 50046677417357  |
| EAN/UPC - Product/Case          | 046677417352    |
| •                               |                 |

### Dimensional drawing

| Product         | C (max) | F (max) |
|-----------------|---------|---------|
| EL/A G25 9W 6/1 | 112 mm  | 65.4 mm |

