



# **Energy Saver Decoratives**

## **BC-EL/A FAN 5W 3PK**

Philips Energy Saver Decorative CFLs provide energy savings and reduce operating costs without sacrificing quality of light compared to incandescent equivalents.

#### Warnings and Safety

- Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Compact fluorescent lamps have to be treated as special waste, they must be taken to your local waste facilities for recycling. The European Lighting Industry has set up an infrastructure, capable of recycling mercury, other metals, glass etc.

#### **Product data**

| General Information                |                                   |  |  |
|------------------------------------|-----------------------------------|--|--|
| Cap-Base                           | E26 [Single Contact Medium Screw] |  |  |
| Switching Cycle                    | 5,000                             |  |  |
| Rated Lifetime (Hours)             | 8,000 hour(s)                     |  |  |
| Lighting Technology                | Compact Fluorescent Integrated    |  |  |
|                                    |                                   |  |  |
| Light Technical                    |                                   |  |  |
| Color Code                         | 827 [CCT of 2700K]                |  |  |
| Color Designation                  | Warm White (WW)                   |  |  |
| Chromaticity Coordinate X (Nom)    | 463                               |  |  |
| Chromaticity Coordinate Y (Nom)    | 420                               |  |  |
| Correlated Color Temperature (Nom) | 2700 K                            |  |  |
| Luminous Efficacy (rated) (Nom)    | 43 lm/W                           |  |  |
|                                    |                                   |  |  |
| Operating and Electrical           |                                   |  |  |
| Line Frequency                     | 50 or 60 Hz                       |  |  |

| Input Frequency            | 50 or 60 Hz |  |
|----------------------------|-------------|--|
| Power Consumption          | 5 W         |  |
| Lamp Current (Nom)         | 80 mA       |  |
| Power Factor (Fraction)    | 0.55        |  |
| Voltage (Nom)              | 110-127 V   |  |
|                            |             |  |
| Controls and Dimming       |             |  |
| Dimmable                   | No          |  |
|                            |             |  |
| Mechanical and Housing     |             |  |
| Bulb Shape                 | EL/A FAN    |  |
|                            |             |  |
| Approval and Application   |             |  |
| Mercury (Hg) Content (Max) | 5 mg        |  |
|                            |             |  |
|                            |             |  |

Datasheet, 2023, September 4 data subject to change

## **Energy Saver Decoratives**

| Product Data                    |                    |  |  |  |
|---------------------------------|--------------------|--|--|--|
| Order product name              | BC-EL/A FAN 5W 3PK |  |  |  |
| Order code                      | 929689984001       |  |  |  |
| Numerator - Quantity Per Pack   | 1                  |  |  |  |
| Numerator - Packs per outer box | 4                  |  |  |  |
| Material Nr. (12NC)             | 929689984001       |  |  |  |

| Full product name      | BC-EL/A FAN 5W 3PK |  |
|------------------------|--------------------|--|
| EAN/UPC - Case         | 50046677417456     |  |
| EAN/UPC - Product/Case | 046677417451       |  |

### Dimensional drawing



| Product            | D (max) | C (max) | F (max) |
|--------------------|---------|---------|---------|
| BC-EL/A FAN 5W 3PK | 54 mm   | 104 mm  | 45.5 mm |

