



TruGroove recessed

TruGroove Recessed Performance LED, 2200 lm/4ft, 3000/3500/4000K Direct, Regressed MesoOptics Lens

TruGroove Recessed Performance LED, 2200 lm/4ft, 3000/3500/4000K Direct, Regressed MesoOptics Lens – 94 lm/W

TruGroove Recessed delivers unrivaled performance and a truly innovative design – making a definitive statement in any architectural space. TruGroove Recessed corners provide endless opportunities for creative freedom with geometric patterns in walls and ceilings.

Product data

General Information		Efficacy	
Colour Temperature	3000/3500/4000K	94 lm/W	
CRI	80		
Photometric Distribution Type	Direct	Product Data	
Mounting	Recessed	Order product name	TruGroove Recessed Performance LED, 2200 lm/4ft, 3000/3500/4000K Direct, Regressed MesoOptics Lens
Operating and Electrical		Order code	3901LxGR
Voltages	120/277/347 V	Material Nr. (12NC)	LED04537
Luminaire Input Watts	20.5	Catalog Number	3901LxGR
Mechanical and Housing		Catalog Number Description	TruGroove Recessed Performance LED, 2200 lm/4ft, 3000/3500/4000K Direct, Regressed MesoOptics Lens
Shape	Linear		
Initial Performance (IEC Compliant)			
Luminaire Lumens	2200		