




PHILIPS




LUXSPACE 2
Surface Mounted

DN570C/571C



					P	P max	
DN570C	D250/DN571C	D250	LED12S	830/840	11W	12W	1,99 kg
DN570C	D250/DN571C	D250	LED12S	927/930	13W	14,4W	1,99 kg
DN570C	D250/DN571C	D250	LED20S	830/840	17,6W	19,4W	1,99 kg
DN570C	D250/DN571C	D250	LED20S	927/930	21,8W	24W	1,99 kg
DN570C	D250/DN571C	D250	LED24S	830/840	21,8W	24W	1,99 kg
DN570C	D250/DN571C	D250	LED24S	927/930	26,8W	29,6W	1,99 kg
DN570C	D250/DN571C	D250	LED40S	830/840	32,8W	36W	1,99 kg





CLO Version

		CCT/CRI	Pmax (W)	
			@ t=0h	@ t=50kh
DN570B/DN571B	LED12S	830/840	9	11
DN570B/DN571B	LED12S	927/930	10	13
DN570B/DN571B	LED20S	830/840	14	17,6
DN570B/DN571B	LED20S	927/930	23	28,8
DN570B/DN571B	LED24S	830/840	17	21,8
DN570B/DN571B	LED24S	927/930	21	26,8
DN570B/DN571B	LED40S	830/840	26	32,6

CLO Table



Step	time (h)	P %
	0	80%
1	3000	81%
2	7000	83%
3	10000	84%
4	13000	85%
5	17000	87%
6	20000	88%
7	23000	89%
8	27000	91%
9	30000	92%
10	33000	93%
11	37000	95%
12	40000	96%
13	43000	97%
14	47000	99%
15	50000	100%



DO NOT REPROGRAM THE DRIVER

Constant light Output Option stopped @ 50 000h


Fix PSE-E




5



6a




6b



7

DALI dimming range 1-100%



	Xitanium 20W/m 0.15- 0.5A 54V 230V	Xitanium 36W/m 0.3- 1.05A 54V 230V	Xitanium 20W WH 0.15-0.5A 54V Is	Xitanium 36W WH 0.3- 1.05A 54V Is	Xitanium 20W WH 0.15-0.5A 54V TD/Is CL	Xitanium 36W WH 0.3- 1A 54V TD/Is CL	XITANIUM 36W/M 0.3- 1.05A 54V TD 230V
Inom (A)	0,12	0,2	0,11	0,19	0,11	0,19	0,2
Imax (A)	18	18	15,8	16	20,4	20,4	18
Tref (μs)	250	250	224	216	195	195	250
MCB	Max number of drivers						
B-10A	x21	x21	x21	x21	x15	x15	x21
B-16A	x34	x34	x36	x36	x24	x24	x34
C-10A	x34	x34	x34	x34	x24	x24	x34



©2017 Philips Lighting Holding B.V.
All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner.
The information presented in this document does not form part of any quotation or contract, is believed to be accurate and
reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use.
Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Philips Lighting Holding B.V.
The Netherlands