

READ AND UNDERSTAND THESE INSTRUCTIONS BEFORE INSTALLING FIXTURE

This fixture is intended for installation in accordance with the National Electrical Code and local regulations. To assure full compliance with local codes and regulations, check with your local electrical inspector before installation. To prevent electrical shock, turn off electricity at fuse box before proceeding.

Retain these instructions for maintenance reference.

INSTRUCTION SHEET NO.

IS:9196

0395 Page 1 of 1

T-BAR LIVE END FOR USE WITH PROFILE, TRACK SYSTEMS ONLY

WARNING:

- **TURN OFF POWER AT FUSE BOX BEFORE INSTALLING ELECTRICAL CONNECTOR AND TRACK.**
- **DO NOT USE ELECTRICAL CONNECTOR AS A CONDUIT SUPPORT. INDEPENDENT CONDUIT SUPPORTS (SUCH AS CONDUIT STRAPS) MUST BE USED TO ATTACH THE CONDUIT INSTALLATION TO THE BUILDING STRUCTURE.**
- **OBSERVE POLARITY; WHITE NEUTRAL WIRE MUST BE CONNECTED TO THE TERMINAL MARKED "NEUT" IN THE ELECTRICAL CONNECTOR.**
- **USE 12 OR 14 GAUGE SOLID WIRE IN ELECTRICAL CONNECTOR ONLY.**


NOTE: Special care must be taken when making the hole in the mounting surface to prevent the hole from being visible when the track is mounted. The screws on the ELECTRICAL FITTING may have to be cut to conceal the mounting hole.

A. INSTALLING SURFACE FEED CONNECTOR

1. Point the POLARITY TAB away from the BEAD on the track.
2. Insert SURFACE FEED CONNECTOR into track. Ensure CONTACT BLADES insert into the TRACK CONDUCTOR GAPS.
4. Tighten LOCKING SCREW.

B. DIRECT POWER FEED.

1. Remove BOTTOM COVER by removing SCREW (retain).
2. Remove one K.O.
3. Attach the ELECTRICAL FITTING onto the METAL PLATE
4. Mount TRACK ASSEMBLY to T-RUNNER using CLIPS 9188 or 9189. (SOLD SEPARATELY).
5. Pass Supply LEADS through ELECTRICAL FITTING and secure conduit to ELECTRICAL FITTING.
6. Strip and form Supply LEADS to fit into SURFACE FEED CONNECTOR. Fasten Supply LEADS to SCREW TERMINALS; NEUTRAL (WHITE) LEAD to terminal marked "NEUT" GROUND LEAD to TERMINAL marked "GND", HOT (BLACK) LEAD to BRASS SCREW.
7. Fasten BOTTOM COVER to SURFACE FEED CONNECTOR using SCREW.



LIGHTOLIER® FALL RIVER, MASSACHUSETTS, 02720
MONTREAL, QUEBEC, CANADA