



FluxPanel LED

2x2, 3800 Nominal Delivered Lumens, 80 CRI, 4000K, Diffuse

2x2, 3800 Nominal Delivered Lumens, 80 CRI, 4000K, Diffuse - 105 lm/W

Philips Day-Brite/Philips CFI FluxPanel LED recessed is a highly versatile luminaire designed to provide smooth lighting gradient on the lens surface and ease of installation. Available for use in recessed, suspended, and surface mount orientation, FluxPanel is ideal for general lighting applications such as open office, schools, healthcare, and retail.

Product data

General Information		Initial Performance (IEC Compliant)	
Lamp Source Code	LED	Luminaire Lumens	3800
Colour Temperature	4000K	Efficacy	105 lm/W
CRI	80		
Mounting	Recessed frange vertaling Surface Suspended		
Operating and Electrical		Product Data	
Luminaire Input Watts	36	Order product name	2x2, 3800 Nominal Delivered Lumens, 80 CRI, 4000K, Diffuse
Voltages	120/277/347/UNIV V	Commercial Code	2FXP38L840-2-DS-UNV-DIM
		Order code	2FXP38L840-2-DS-UNV-DIM
		Catalog Number Description	2x2, 3800 Nominal Delivered Lumens, 80 CRI, 4000K, Diffuse
		Material Nr. (12NC)	CFI70000746
Mechanical and Housing			
Fixture Size	2 ft x 2 ft		
Shape	Square		