PHILIPS

Lighting



# TownGuide Performer – Designed around your needs

## TownGuide Performer

The TownGuide Performer family consists of six recognizable yet modern shapes: Flat Cone, Bowl, Classic Cone, Classic, T and Tzero. All are available with a clear bowl. Except for Tzero, also a frosted bowl can be chosen. With an extensive range of lumen packages and a choice of light colors and operating lifetimes, it is easy to select the version that best suits your project's specific requirements. In addition, TownGuide Performer has a variety of control system options that can make it an integral part of your smart energy-reduction programs – from stand-alone LumiStep and DynaDimmer, SDU switch-dim control, through to seamless remote connectivity with CityTouch lighting management software. Installation is easy. Thanks to the bayonet whistle connector with integrated gland located in the spigot, the luminaire does not have to be opened at all for installation. Philips has made every effort to make the Total Cost of Ownership (TCO) of the luminaire as attractive as possible. And as TownGuide Performer is a dedicated LED luminaire, compatible with a variety of control systems, the energy and maintenance cost savings compared to conventional lighting are significant.

**Benefits**

- Six recognizable yet modern designs that blend in with, and enhance, their surroundings
- LED light sources, in combination with a wide choice of optics, ensure that the optimal configuration can be obtained for your application. The state-of-the-art LEDs increase visual comfort for motorists, cyclists and pedestrians.
- Considerable reduction in energy usage and carbon footprint compared to HPL mercury, SON-T and PL-L compact fluorescent lamps; further energy savings achievable when using CLO or dimming options (can amount to as much as 80% compared to HPL mercury)

## Features

- Dedicated LED luminaire, optimized for minimum Total Cost of Ownership
- Wide choice of lumen packages, ranging from 1,200 to 7,000 lumens (GRN) or 4,000 to 12,000 lumens (ECO)
- Choice of light colors 3000 K (warm white) and 4000 K (neutral white)
- Long lifetime of 100,000 hours (GRN) or 80,000 hours (ECO) at L80B10
- Bayonet whistle connector for easy installation without opening the luminaire
- Suitable for new installations or one-to-one replacement in existing installations
- Vandal-resistant (IK10), ingress protection (IP66)
- TailorFit PCB technology
- Standard 3-year warranty program; as a service, we offer extended warranties or lifecycle services

## Application

- Residential areas: residential streets, cycle paths & footpaths, roundabouts, squares, parks & playgrounds, parking areas
- City centers: side streets, squares, parks & playgrounds, cycle paths & footpaths, parking areas, roundabouts, shopping & pedestrian areas
- Area and Transportation: industrial areas, parking areas, petrol stations, airports, harbors, public transport areas
- Sports: parking areas

## Versions



OPPR BDP100i 0021



OPPR BDP100i 0015

## Dimensional drawing

## Dimensional drawing

## Product details



OPDP_BDP100i_0011-Detail photo



OPDP_BDP100i_0001-Detail photo



OPDP_BDP100i_0003-Detail photo



OPDP_BDP100i_0007-Detail photo

## Product details



OPDP_BDP100i_0009-Detail photo



TownGuide_Performe-BDP100_105-DPP.TIF

| General Information | |
|---|---|
| **CE mark** | Yes |
| **Driver included** | Yes |
| **Flammability mark** | - |
| **Light source replaceable** | Yes |
| **Number of gear units** | 1 unit |
| **Service tag** | Yes |
| **Light Technical** | |
| **Standard tilt angle side entry** | - |
| **Standard tilt angle posttop** | 0° |
| **Approval and Application** | |
| **Mech. impact protection code** | IK10 |
| **Ingress protection code** | IP66 |
| **Over Time Performance (IEC Compliant)** | |
| **Driver failure rate at 5000 h** | 0.5 % |

### General Information

| Order Code | Full Product Name | Glow-wire test | Lamp family code | Product family code |
|---|---|---|---|---|
| 34715700 | BDP105 LED70/740 DS PCC GR D9 62P | Temperature 650 °C, duration 5 s | LED70 | BDP105 |
| 90608700 | BDP100 LED30/740 DN PCC SI CLO-LS-6 76P | Temperature 650 °C, duration 5 s | LED30 | BDP100 |
| 90609400 | BDP100 LED40/830 II DM PCC SI CLO-LS-6 6 | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 90996500 | BDP100 LED40/740 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 90997200 | BDP100 LED50/740 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 90998900 | BDP100 LED60/740 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 91002200 | BDP100 LED40/740 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 91003900 | BDP100 LED50/740 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91004600 | BDP100 LED60/740 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 91008400 | BDP100 LED40/830 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 91009100 | BDP100 LED50/830 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91010700 | BDP100 LED60/830 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 91014500 | BDP100 LED40/830 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 91015200 | BDP100 LED50/830 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91016900 | BDP100 LED60/830 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 30244600 | BDP100 LED30/740 DM PCC SI CLO-DDF1 76P | Temperature 650 °C, duration 5 s | LED30 | BDP100 |
| 37308800 | BDP100 LED40/740 DS PCC GR DDF27 62P | - | LED40 | BDP100 |

| Order Code | Full Product Name | Glow-wire test | Lamp family code | Product family code |
|---|---|---|---|---|
| 37309500 | BDP100 LED80/740 DS PCC GR DDF27 62P | - | LED80 | BDP100 |
| 90973600 | BDP100 LED50/740 II DW PCC GR 62P | - | LED50 | BDP100 |
| 90974300 | BDP100 LED70/740 II DW PCC GR 62P | - | LED70 | BDP100 |
| 90979800 | BDP100 LED50/740 II DS PCC GR 62P | - | LED50 | BDP100 |
| 90980400 | BDP100 LED70/740 II DS PCC GR 62P | - | LED70 | BDP100 |
| 90986600 | BDP100 LED70/830 II DW PCC GR 62P | - | LED70 | BDP100 |
| 90991000 | BDP100 LED50/830 II DS PCC GR 62P | - | LED50 | BDP100 |
| 90992700 | BDP100 LED70/830 II DS PCC GR 62P | - | LED70 | BDP100 |
| 12880400 | BDP100 LED120/740 II DRW PCC GR-900 D11 | - | LED120 | BDP100 |
| 90610000 | BDP100 LED50/830 II DS PCF SI CLO-LS-6 6 | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91000800 | BDP100 LED50/740 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91001500 | BDP100 LED60/740 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 91005300 | BDP100 LED40/740 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 91006000 | BDP100 LED50/740 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91007700 | BDP100 LED60/740 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 91011400 | BDP100 LED40/830 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 91012100 | BDP100 LED50/830 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91013800 | BDP100 LED60/830 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 91017600 | BDP100 LED40/830 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 91018300 | BDP100 LED50/830 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91019000 | BDP100 LED60/830 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 91051000 | BDP100 LED20/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED20 | BDP100 |
| 91054100 | BDP100 LED50/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 91056500 | BDP100 LED100/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED100 | BDP100 |
| 91958200 | BDP100 LED50/740 DW PCF SI 62P | Temperature 650 °C, duration 5 s | LED50 | BDP100 |
| 32961000 | BDP100 LED60/740 II DS PCF SI 62P | Temperature 650 °C, duration 5 s | LED60 | BDP100 |
| 90603200 | BDP100 LED50/830 II DS PCF GR 62P | - | LED50 | BDP100 |
| 90981100 | BDP100 LED30/740 II DS PCF GR 62P | - | LED30 | BDP100 |
| 90982800 | BDP100 LED50/740 II DS PCF GR 62P | - | LED50 | BDP100 |
| 90983500 | BDP100 LED70/740 II DS PCF GR 62P | - | LED70 | BDP100 |
| 90995800 | BDP100 LED70/830 II DS PCF GR 62P | - | LED70 | BDP100 |

| Order Code | Full Product Name | Glow-wire test | Lamp family code | Product family code |
|---|---|---|---|---|
| 91044200 | BDP100 LED20/830 DS PCF GR 62P | - | LED20 | BDP100 |
| 91045900 | BDP100 LED30/830 DS PCF GR 62P | - | LED30 | BDP100 |
| 91046600 | BDP100 LED40/830 DS PCF GR 62P | - | LED40 | BDP100 |
| 90614800 | BDP101 LED60/830 II DS PCF SI CLO-DDF2 6 | Temperature 650 °C, duration 5 s | LED60 | BDP101 |
| 91060200 | BDP101 LED30/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED30 | BDP101 |
| 91061900 | BDP101 LED35/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED35 | BDP101 |
| 91064000 | BDP101 LED100/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED100 | BDP101 |
| 90606300 | BDP101 LED50/830 II DS PCF GR 62P | - | LED50 | BDP101 |
| 90613100 | BDP101 LED60/830 II DM PCC SI CLO-DDF2 6 | Temperature 650 °C, duration 5 s | LED60 | BDP101 |
| 34534100 | BDP101 LED40/740 II DS PCC GR MSP 62P | - | LED40 | BDP101 |
| 90620900 | BDP102 LED40/830 II DW PCC SI CLO-DDF1 6 | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91020600 | BDP102 LED40/740 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91021300 | BDP102 LED50/740 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91022000 | BDP102 LED60/740 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP102 |
| 91026800 | BDP102 LED40/740 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91027500 | BDP102 LED50/740 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91028200 | BDP102 LED60/740 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP102 |
| 91032900 | BDP102 LED40/830 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91033600 | BDP102 LED50/830 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91034300 | BDP102 LED60/830 II DW PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP102 |
| 91038100 | BDP102 LED40/830 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91039800 | BDP102 LED50/830 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91040400 | BDP102 LED60/830 II DS PCC SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP102 |
| 31986400 | BDP102 LED50/740 DS PCC GR MSP 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 90622300 | BDP102 LED50/830 II DS PCF SI CLO-DDF1 6 | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91023700 | BDP102 LED40/740 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91024400 | BDP102 LED50/740 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |

| Order Code | Full Product Name | Glow-wire test | Lamp family code | Product family code |
|---|---|---|---|---|
| 91025100 | BDP102 LED60/740 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP102 |
| 91029900 | BDP102 LED40/740 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91030500 | BDP102 LED50/740 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91031200 | BDP102 LED60/740 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP102 |
| 91035000 | BDP102 LED40/830 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91036700 | BDP102 LED50/830 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91037400 | BDP102 LED60/830 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP102 |
| 91041100 | BDP102 LED40/830 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP102 |
| 91042800 | BDP102 LED50/830 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91043500 | BDP102 LED60/830 II DS PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED60 | BDP102 |
| 91067100 | BDP102 LED20/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED20 | BDP102 |
| 91068800 | BDP102 LED30/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED30 | BDP102 |
| 91069500 | BDP102 LED35/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED35 | BDP102 |
| 91070100 | BDP102 LED50/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED50 | BDP102 |
| 91071800 | BDP102 LED70/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED70 | BDP102 |
| 91075600 | BDP103 LED20/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED20 | BDP103 |
| 91077000 | BDP103 LED35/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED35 | BDP103 |
| 91078700 | BDP103 LED50/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED50 | BDP103 |
| 91081700 | BDP103 LED120/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED120 | BDP103 |
| 90623000 | BDP104 LED30/740 II DM PCC SI CLO-LS-8 6 | Temperature 650 °C, duration 5 s | LED30 | BDP104 |
| 34713300 | BDP104 LED70/740 DRW PCC GR D9 62P | Temperature 650 °C, duration 5 s | LED70 | BDP104 |
| 90624700 | BDP104 LED40/830 II DS PCF SI CLO-LS-8 6 | Temperature 650 °C, duration 5 s | LED40 | BDP104 |
| 90999600 | BDP100 LED40/740 II DW PCF SI LS-6 62P | Temperature 650 °C, duration 5 s | LED40 | BDP100 |
| 91086200 | BDP104 LED50/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED50 | BDP104 |
| 91088600 | BDP104 LED100/830 DW PCF SI CLO 62P | Temperature 650 °C, duration 5 s | LED100 | BDP104 |

## Light Technical (1/2)

| Order Code | Full Product Name | Luminaire light beam spread | Light source color | Correlated Color Temperature (Nom) | Optical cover type |
|---|---|---|---|---|---|
| 34715700 | BDP105 LED70/740 DS PCC GR D9 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90608700 | BDP100 LED30/740 DN PCC SI CLO-LS-6 76P | 32° x 29° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90609400 | BDP100 LED40/830 II DM PCC SI CLO-LS-6 6 | 53° x 71° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 90996500 | BDP100 LED40/740 II DW PCC SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90997200 | BDP100 LED50/740 II DW PCC SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90998900 | BDP100 LED60/740 II DW PCC SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91002200 | BDP100 LED40/740 II DS PCC SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91003900 | BDP100 LED50/740 II DS PCC SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91004600 | BDP100 LED60/740 II DS PCC SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91008400 | BDP100 LED40/830 II DW PCC SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91009100 | BDP100 LED50/830 II DW PCC SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91010700 | BDP100 LED60/830 II DW PCC SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91014500 | BDP100 LED40/830 II DS PCC SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91015200 | BDP100 LED50/830 II DS PCC SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91016900 | BDP100 LED60/830 II DS PCC SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 30244600 | BDP100 LED30/740 DM PCC SI CLO-DDF1 76P | 53° x 71° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 37308800 | BDP100 LED40/740 DS PCC GR DDF27 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 37309500 | BDP100 LED80/740 DS PCC GR DDF27 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90973600 | BDP100 LED50/740 II DW PCC GR 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90974300 | BDP100 LED70/740 II DW PCC GR 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90979800 | BDP100 LED50/740 II DS PCC GR 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90980400 | BDP100 LED70/740 II DS PCC GR 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90986600 | BDP100 LED70/830 II DW PCC GR 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 90991000 | BDP100 LED50/830 II DS PCC GR 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 90992700 | BDP100 LED70/830 II DS PCC GR 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 12880400 | BDP100 LED120/740 II DRW PCC GR-900 D11 | 39° x 96° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90610000 | BDP100 LED50/830 II DS PCF SI CLO-LS-6 6 | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |

# TownGuide Performer

| Order Code | Full Product Name | Luminaire light beam spread | Light source color | Correlated Color Temperature (Nom) | Optical cover type |
|---|---|---|---|---|---|
| 91000800 | BDP100 LED50/740 II DW PCF SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91001500 | BDP100 LED60/740 II DW PCF SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91005300 | BDP100 LED40/740 II DS PCF SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91006000 | BDP100 LED50/740 II DS PCF SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91007700 | BDP100 LED60/740 II DS PCF SI LS-6 62P | 75° | 840 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91011400 | BDP100 LED40/830 II DW PCF SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91012100 | BDP100 LED50/830 II DW PCF SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91013800 | BDP100 LED60/830 II DW PCF SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91017600 | BDP100 LED40/830 II DS PCF SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91018300 | BDP100 LED50/830 II DS PCF SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91019000 | BDP100 LED60/830 II DS PCF SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91051000 | BDP100 LED20/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91054100 | BDP100 LED50/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91056500 | BDP100 LED100/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91958200 | BDP100 LED50/740 DW PCF SI 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 32961000 | BDP100 LED60/740 II DS PCF SI 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 90603200 | BDP100 LED50/830 II DS PCF GR 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 90981100 | BDP100 LED30/740 II DS PCF GR 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 90982800 | BDP100 LED50/740 II DS PCF GR 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 90983500 | BDP100 LED70/740 II DS PCF GR 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 90995800 | BDP100 LED70/830 II DS PCF GR 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91044200 | BDP100 LED20/830 DS PCF GR 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91045900 | BDP100 LED30/830 DS PCF GR 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91046600 | BDP100 LED40/830 DS PCF GR 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 90614800 | BDP101 LED60/830 II DS PCF SI CLO-DDF2 6 | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91060200 | BDP101 LED30/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91061900 | BDP101 LED35/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91064000 | BDP101 LED100/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 90606300 | BDP101 LED50/830 II DS PCF GR 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 90613100 | BDP101 LED60/830 II DM PCC SI CLO-DDF2 6 | 53° x 71° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |

# TownGuide Performer

| Order Code | Full Product Name | Luminaire light beam spread | Light source color | Correlated Color Temperature (Nom) | Optical cover type |
|---|---|---|---|---|---|
| 34534100 | BDP101 LED40/740 II DS PCC GR MSP 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90620900 | BDP102 LED40/830 II DW PCC SI CLO-DDF1 6 | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91020600 | BDP102 LED40/740 II DW PCC SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91021300 | BDP102 LED50/740 II DW PCC SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91022000 | BDP102 LED60/740 II DW PCC SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91026800 | BDP102 LED40/740 II DS PCC SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91027500 | BDP102 LED50/740 II DS PCC SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91028200 | BDP102 LED60/740 II DS PCC SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 91032900 | BDP102 LED40/830 II DW PCC SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91033600 | BDP102 LED50/830 II DW PCC SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91034300 | BDP102 LED60/830 II DW PCC SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91038100 | BDP102 LED40/830 II DS PCC SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91039800 | BDP102 LED50/830 II DS PCC SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 91040400 | BDP102 LED60/830 II DS PCC SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover clear |
| 31986400 | BDP102 LED50/740 DS PCC GR MSP 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90622300 | BDP102 LED50/830 II DS PCF SI CLO-DDF1 6 | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91023700 | BDP102 LED40/740 II DW PCF SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91024400 | BDP102 LED50/740 II DW PCF SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91025100 | BDP102 LED60/740 II DW PCF SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91029900 | BDP102 LED40/740 II DS PCF SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91030500 | BDP102 LED50/740 II DS PCF SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91031200 | BDP102 LED60/740 II DS PCF SI LS-6 62P | 75° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91035000 | BDP102 LED40/830 II DW PCF SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91036700 | BDP102 LED50/830 II DW PCF SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91037400 | BDP102 LED60/830 II DW PCF SI LS-6 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91041100 | BDP102 LED40/830 II DS PCF SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91042800 | BDP102 LED50/830 II DS PCF SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91043500 | BDP102 LED60/830 II DS PCF SI LS-6 62P | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |

| Order Code | Full Product Name | Luminaire light beam spread | Light source color | Correlated Color Temperature (Nom) | Optical cover type |
|---|---|---|---|---|---|
| 91067100 | BDP102 LED20/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91068800 | BDP102 LED30/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91069500 | BDP102 LED35/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91070100 | BDP102 LED50/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91071800 | BDP102 LED70/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91075600 | BDP103 LED20/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91077000 | BDP103 LED35/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91078700 | BDP103 LED50/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91081700 | BDP103 LED120/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 90623000 | BDP104 LED30/740 II DM PCC SI CLO-LS-86 | 53° x 71° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 34713300 | BDP104 LED70/740 DRW PCC GR D9 62P | 39° x 96° | 740 neutral white | 4000 K | Polycarbonate bowl/cover clear |
| 90624700 | BDP104 LED40/830 II DS PCF SI CLO-LS-86 | 75° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 90999600 | BDP100 LED40/740 II DW PCF SI LS-6 62P | 50° x 70° | 740 neutral white | 4000 K | Polycarbonate bowl/cover frosted |
| 91086200 | BDP104 LED50/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |
| 91088600 | BDP104 LED100/830 DW PCF SI CLO 62P | 50° x 70° | 830 warm white | 3000 K | Polycarbonate bowl/cover frosted |

## Light Technical (2/2)

| Order Code | Full Product Name | Color rendering index (CRI) | Luminous Flux | Number of light sources | Optic type outdoor | Upward light output ratio |
|---|---|---|---|---|---|---|
| 34715700 | BDP105 LED70/740 DS PCC GR D9 62P | 70 | 4,830 lm | 8 | Distribution symmetrical | 0 |
| 90608700 | BDP100 LED30/740 DN PCC SI CLO-LS-6 76P | 70 | 2,291 lm | 4 | Distribution narrow | 3 |
| 90609400 | BDP100 LED40/830 II DM PCC SI CLO-LS-6 6 | 80 | 2,888 lm | 4 | Distribution medium | 3 |
| 90996500 | BDP100 LED40/740 II DW PCC SI LS-6 62P | 70 | 3,040 lm | 3 | Distribution wide | 3 |
| 90997200 | BDP100 LED50/740 II DW PCC SI LS-6 62P | 70 | 3,750 lm | 4 | Distribution wide | 3 |
| 90998900 | BDP100 LED60/740 II DW PCC SI LS-6 62P | 70 | 4,500 lm | 4 | Distribution wide | 3 |
| 91002200 | BDP100 LED40/740 II DS PCC SI LS-6 62P | 70 | 3,080 lm | 3 | Distribution symmetrical | 3 |
| 91003900 | BDP100 LED50/740 II DS PCC SI LS-6 62P | 70 | 3,800 lm | 4 | Distribution symmetrical | 3 |
| 91004600 | BDP100 LED60/740 II DS PCC SI LS-6 62P | 70 | 4,500 lm | 4 | Distribution symmetrical | 3 |

# TownGuide Performer

| Order Code | Full Product Name | Color rendering index (CRI) | Luminous Flux | Number of light sources | Optic type outdoor | Upward light output ratio |
|---|---|---|---|---|---|---|
| 91008400 | BDP100 LED40/830 II DW PCC SI LS-6 62P | 80 | 3,040 lm | 3 | Distribution wide | 3 |
| 91009100 | BDP100 LED50/830 II DW PCC SI LS-6 62P | 80 | 3,700 lm | 4 | Distribution wide | 3 |
| 91010700 | BDP100 LED60/830 II DW PCC SI LS-6 62P | 80 | 4,500 lm | 4 | Distribution wide | 3 |
| 91014500 | BDP100 LED40/830 II DS PCC SI LS-6 62P | 80 | 3,080 lm | 3 | Distribution symmetrical | 3 |
| 91015200 | BDP100 LED50/830 II DS PCC SI LS-6 62P | 80 | 3,800 lm | 4 | Distribution symmetrical | 3 |
| 91016900 | BDP100 LED60/830 II DS PCC SI LS-6 62P | 80 | 4,500 lm | 4 | Distribution symmetrical | 3 |
| 30244600 | BDP100 LED30/740 DM PCC SI CLO-DDF1 76P | 70 | 2,204 lm | 4 | Distribution medium | 3 |
| 37308800 | BDP100 LED40/740 DS PCC GR DDF27 62P | 70 | 3,080 lm | - | Distribution symmetrical | 3 |
| 37309500 | BDP100 LED80/740 DS PCC GR DDF27 62P | 70 | 6,000 lm | - | Distribution symmetrical | 3 |
| 90973600 | BDP100 LED50/740 II DW PCC GR 62P | 70 | 3,750 lm | - | Distribution wide | 3 |
| 90974300 | BDP100 LED70/740 II DW PCC GR 62P | 70 | 5,250 lm | - | Distribution wide | 3 |
| 90979800 | BDP100 LED50/740 II DS PCC GR 62P | 70 | 3,800 lm | - | Distribution symmetrical | 3 |
| 90980400 | BDP100 LED70/740 II DS PCC GR 62P | 70 | 5,250 lm | - | Distribution symmetrical | 3 |
| 90986600 | BDP100 LED70/830 II DW PCC GR 62P | 80 | 5,250 lm | - | Distribution wide | 3 |
| 90991000 | BDP100 LED50/830 II DS PCC GR 62P | 80 | 3,800 lm | - | Distribution symmetrical | 3 |
| 90992700 | BDP100 LED70/830 II DS PCC GR 62P | 80 | 5,250 lm | - | Distribution symmetrical | 3 |
| 12880400 | BDP100 LED120/740 II DRW PCC GR-900 D11 | 70 | 8,400 lm | - | Distribution residential wide | 0 |
| 90610000 | BDP100 LED50/830 II DS PCF SI CLO-LS-6 6 | 80 | 1,862 lm | 6 | Distribution symmetrical | 3 |
| 91000800 | BDP100 LED50/740 II DW PCF SI LS-6 62P | 70 | 2,700 lm | 4 | Distribution wide | 3 |
| 91001500 | BDP100 LED60/740 II DW PCF SI LS-6 62P | 70 | 3,240 lm | 4 | Distribution wide | 3 |
| 91005300 | BDP100 LED40/740 II DS PCF SI LS-6 62P | 70 | 2,280 lm | 3 | Distribution symmetrical | 3 |
| 91006000 | BDP100 LED50/740 II DS PCF SI LS-6 62P | 70 | 2,800 lm | 4 | Distribution symmetrical | 3 |
| 91007700 | BDP100 LED60/740 II DS PCF SI LS-6 62P | 70 | 3,240 lm | 4 | Distribution symmetrical | 3 |
| 91011400 | BDP100 LED40/830 II DW PCF SI LS-6 62P | 80 | 2,160 lm | 3 | Distribution wide | 3 |
| 91012100 | BDP100 LED50/830 II DW PCF SI LS-6 62P | 80 | 2,650 lm | 4 | Distribution wide | 3 |

# TownGuide Performer

| Order Code | Full Product Name | Color rendering index (CRI) | Luminous Flux | Number of light sources | Optic type outdoor | Upward light output ratio |
|---|---|---|---|---|---|---|
| 91013800 | BDP100 LED60/830 II DW PCF SI LS-6 62P | 80 | 3,240 lm | 4 | Distribution wide | 3 |
| 91017600 | BDP100 LED40/830 II DS PCF SI LS-6 62P | 80 | 2,280 lm | 3 | Distribution symmetrical | 3 |
| 91018300 | BDP100 LED50/830 II DS PCF SI LS-6 62P | 80 | 2,800 lm | 4 | Distribution symmetrical | 3 |
| 91019000 | BDP100 LED60/830 II DS PCF SI LS-6 62P | 80 | 3,240 lm | 4 | Distribution symmetrical | 3 |
| 91051000 | BDP100 LED20/830 DW PCF SI CLO 62P | 80 | 1,160 lm | 4 | Distribution wide | 3 |
| 91054100 | BDP100 LED50/830 DW PCF SI CLO 62P | 80 | 2,576 lm | 6 | Distribution wide | 3 |
| 91056500 | BDP100 LED100/830 DW PCF SI CLO 62P | 80 | 4,240 lm | 6 | Distribution wide | 3 |
| 91958200 | BDP100 LED50/740 DW PCF SI 62P | 70 | 2,700 lm | 6 | Distribution wide | 3 |
| 32961000 | BDP100 LED60/740 II DS PCF SI 62P | 70 | 3,240 lm | 4 | Distribution symmetrical | 3 |
| 90603200 | BDP100 LED50/830 II DS PCF GR 62P | 80 | 2,800 lm | - | Distribution symmetrical | 3 |
| 90981100 | BDP100 LED30/740 II DS PCF GR 62P | 70 | 1,710 lm | - | Distribution symmetrical | 3 |
| 90982800 | BDP100 LED50/740 II DS PCF GR 62P | 70 | 2,800 lm | - | Distribution symmetrical | 3 |
| 90983500 | BDP100 LED70/740 II DS PCF GR 62P | 70 | 3,780 lm | - | Distribution symmetrical | 3 |
| 90995800 | BDP100 LED70/830 II DS PCF GR 62P | 80 | 3,780 lm | - | Distribution symmetrical | 3 |
| 91044200 | BDP100 LED20/830 DS PCF GR 62P | 80 | 1,160 lm | - | Distribution symmetrical | 3 |
| 91045900 | BDP100 LED30/830 DS PCF GR 62P | 80 | 1,710 lm | - | Distribution symmetrical | 3 |
| 91046600 | BDP100 LED40/830 DS PCF GR 62P | 80 | 2,280 lm | - | Distribution symmetrical | 3 |
| 90614800 | BDP101 LED60/830 II DS PCF SI CLO-DDF2 6 | 80 | 2,300 lm | 8 | Distribution symmetrical | 15 |
| 91060200 | BDP101 LED30/830 DW PCF SI CLO 62P | 80 | 1,798 lm | 4 | Distribution wide | 15 |
| 91061900 | BDP101 LED35/830 DW PCF SI CLO 62P | 80 | 2,013 lm | 4 | Distribution wide | 15 |
| 91064000 | BDP101 LED100/830 DW PCF SI CLO 62P | 80 | 4,560 lm | 6 | Distribution wide | 15 |
| 90606300 | BDP101 LED50/830 II DS PCF GR 62P | 80 | 3,000 lm | - | Distribution symmetrical | 15 |
| 90613100 | BDP101 LED60/830 II DM PCC SI CLO-DDF2 6 | 80 | 4,424 lm | 8 | Distribution medium | 3 |
| 34534100 | BDP101 LED40/740 II DS PCC GR MSP 62P | 70 | 3,320 lm | - | Distribution symmetrical | 3 |
| 90620900 | BDP102 LED40/830 II DW PCC SI CLO-DDF1 6 | 80 | 3,116 lm | 4 | Distribution wide | 3 |
| 91020600 | BDP102 LED40/740 II DW PCC SI LS-6 62P | 70 | 3,160 lm | 3 | Distribution wide | 3 |
| 91021300 | BDP102 LED50/740 II DW PCC SI LS-6 62P | 70 | 3,900 lm | 4 | Distribution wide | 3 |
| 91022000 | BDP102 LED60/740 II | 70 | 4,680 lm | 4 | Distribution wide | 3 |

| Order Code | Full Product Name | Color rendering index (CRI) | Luminous Flux | Number of light sources | Optic type outdoor | Upward light output ratio |
|---|---|---|---|---|---|---|
| | DW PCC SI LS-6 62P | | | | | |
| 91026800 | BDP102 LED40/740 II DS PCC SI LS-6 62P | 70 | 3,280 lm | 3 | Distribution symmetrical | 3 |
| 91027500 | BDP102 LED50/740 II DS PCC SI LS-6 62P | 70 | 4,050 lm | 4 | Distribution symmetrical | 3 |
| 91028200 | BDP102 LED60/740 II DS PCC SI LS-6 62P | 70 | 4,740 lm | 4 | Distribution symmetrical | 3 |
| 91032900 | BDP102 LED40/830 II DW PCC SI LS-6 62P | 80 | 3,160 lm | 3 | Distribution wide | 3 |
| 91033600 | BDP102 LED50/830 II DW PCC SI LS-6 62P | 80 | 3,850 lm | 4 | Distribution wide | 3 |
| 91034300 | BDP102 LED60/830 II DW PCC SI LS-6 62P | 80 | 4,680 lm | 4 | Distribution wide | 3 |
| 91038100 | BDP102 LED40/830 II DS PCC SI LS-6 62P | 80 | 3,280 lm | 3 | Distribution symmetrical | 3 |
| 91039800 | BDP102 LED50/830 II DS PCC SI LS-6 62P | 80 | 4,000 lm | 4 | Distribution symmetrical | 3 |
| 91040400 | BDP102 LED60/830 II DS PCC SI LS-6 62P | 80 | 4,740 lm | 4 | Distribution symmetrical | 3 |
| 31986400 | BDP102 LED50/740 DS PCC GR MSP 62P | 70 | 4,050 lm | 6 | Distribution symmetrical | 3 |
| 90622300 | BDP102 LED50/830 II DS PCF SI CLO-DDF1 6 | 80 | 1,900 lm | 4 | Distribution symmetrical | 10 |
| 91023700 | BDP102 LED40/740 II | 70 | 2,280 lm | 3 | Distribution wide | 10 |
| | DW PCF SI LS-6 62P | | | | | |
| 91024400 | BDP102 LED50/740 II DW PCF SI LS-6 62P | 70 | 2,800 lm | 4 | Distribution wide | 10 |
| 91025100 | BDP102 LED60/740 II DW PCF SI LS-6 62P | 70 | 3,300 lm | 4 | Distribution wide | 10 |
| 91029900 | BDP102 LED40/740 II DS PCF SI LS-6 62P | 70 | 2,360 lm | 3 | Distribution symmetrical | 10 |
| 91030500 | BDP102 LED50/740 II DS PCF SI LS-6 62P | 70 | 2,950 lm | 4 | Distribution symmetrical | 10 |
| 91031200 | BDP102 LED60/740 II DS PCF SI LS-6 62P | 70 | 3,360 lm | 4 | Distribution symmetrical | 10 |
| 91035000 | BDP102 LED40/830 II DW PCF SI LS-6 62P | 80 | 2,280 lm | 3 | Distribution wide | 10 |
| 91036700 | BDP102 LED50/830 II DW PCF SI LS-6 62P | 80 | 2,800 lm | 4 | Distribution wide | 10 |
| 91037400 | BDP102 LED60/830 II DW PCF SI LS-6 62P | 80 | 3,300 lm | 4 | Distribution wide | 10 |
| 91041100 | BDP102 LED40/830 II DS PCF SI LS-6 62P | 80 | 2,360 lm | 3 | Distribution symmetrical | 10 |
| 91042800 | BDP102 LED50/830 II DS PCF SI LS-6 62P | 80 | 2,900 lm | 4 | Distribution symmetrical | 10 |
| 91043500 | BDP102 LED60/830 II DS PCF SI LS-6 62P | 80 | 3,360 lm | 4 | Distribution symmetrical | 10 |
| 91067100 | BDP102 LED20/830 DW PCF SI CLO 62P | 80 | 1,200 lm | 4 | Distribution wide | 10 |

| Order Code | Full Product Name | Color rendering index (CRI) | Luminous Flux | Number of light sources | Optic type outdoor | Upward light output ratio |
|---|---|---|---|---|---|---|
| 91068800 | BDP102 LED30/830 DW PCF SI CLO 62P | 80 | 1,740 lm | 4 | Distribution wide | 10 |
| 91069500 | BDP102 LED35/830 DW PCF SI CLO 62P | 80 | 1,947 lm | 4 | Distribution wide | 10 |
| 91070100 | BDP102 LED50/830 DW PCF SI CLO 62P | 80 | 2,714 lm | 6 | Distribution wide | 10 |
| 91071800 | BDP102 LED70/830 DW PCF SI CLO 62P | 80 | 3,584 lm | 8 | Distribution wide | 10 |
| 91075600 | BDP103 LED20/830 DW PCF SI CLO 62P | 80 | 1,060 lm | 4 | Distribution wide | 4 |
| 91077000 | BDP103 LED35/830 DW PCF SI CLO 62P | 80 | 1,716 lm | 4 | Distribution wide | 4 |
| 91078700 | BDP103 LED50/830 DW PCF SI CLO 62P | 80 | 2,346 lm | 6 | Distribution wide | 4 |
| 91081700 | BDP103 LED120/830 DW PCF SI CLO 62P | 80 | 4,800 lm | 8 | Distribution wide | 4 |
| 90623000 | BDP104 LED30/740 II DM PCC SI CLO-LS-8 6 | 70 | 2,204 lm | 4 | Distribution medium | 3 |
| 34713300 | BDP104 LED70/740 DRW PCC GR D9 62P | 70 | 4,620 lm | 8 | Distribution residential wide | 3 |
| 90624700 | BDP104 LED40/830 II DS PCF SI CLO-LS-8 6 | 80 | 1,386 lm | 3 | Distribution symmetrical | 3 |
| 90999600 | BDP100 LED40/740 II DW PCF SI LS-6 62P | 70 | 2,160 lm | 3 | Distribution wide | 3 |
| 91086200 | BDP104 LED50/830 DW PCF SI CLO 62P | 80 | 2,208 lm | 6 | Distribution wide | 3 |
| 91088600 | BDP104 LED100/830 DW PCF SI CLO 62P | 80 | 3,680 lm | 6 | Distribution wide | 3 |

## Operating and Electrical

| Order Code | Full Product Name | Power Consumption |
|---|---|---|
| 34715700 | BDP105 LED70/740 DS PCC GR D9 62P | 45.5 W |
| 90608700 | BDP100 LED30/740 DN PCC SI CLO-LS-6 76P | 19.6 W |
| 90609400 | BDP100 LED40/830 II DM PCC SI CLO-LS-6 6 | 32.5 W |
| 90996500 | BDP100 LED40/740 II DW PCC SI LS-6 62P | 27.5 W |
| 90997200 | BDP100 LED50/740 II DW PCC SI LS-6 62P | 34 W |
| 90998900 | BDP100 LED60/740 II DW PCC SI LS-6 62P | 39 W |
| 91002200 | BDP100 LED40/740 II DS PCC SI LS-6 62P | 27.5 W |
| 91003900 | BDP100 LED50/740 II DS PCC SI LS-6 62P | 34 W |
| 91004600 | BDP100 LED60/740 II DS PCC SI LS-6 62P | 39 W |
| 91008400 | BDP100 LED40/830 II DW PCC SI LS-6 62P | 32.5 W |
| 91009100 | BDP100 LED50/830 II DW PCC SI LS-6 62P | 41 W |
| 91010700 | BDP100 LED60/830 II DW PCC SI LS-6 62P | 47 W |
| 91014500 | BDP100 LED40/830 II DS PCC SI LS-6 62P | 32.5 W |
| 91015200 | BDP100 LED50/830 II DS PCC SI LS-6 62P | 41 W |
| 91016900 | BDP100 LED60/830 II DS PCC SI LS-6 62P | 47 W |
| 30244600 | BDP100 LED30/740 DM PCC SI CLO-DDF1 76P | 19.6 W |
| 37308800 | BDP100 LED40/740 DS PCC GR DDF27 62P | 27.5 W |
| 37309500 | BDP100 LED80/740 DS PCC GR DDF27 62P | 53 W |
| 90973600 | BDP100 LED50/740 II DW PCC GR 62P | 34 W |
| 90974300 | BDP100 LED70/740 II DW PCC GR 62P | 45.5 W |
| 90979800 | BDP100 LED50/740 II DS PCC GR 62P | 34 W |
| 90980400 | BDP100 LED70/740 II DS PCC GR 62P | 45.5 W |
| 90986600 | BDP100 LED70/830 II DW PCC GR 62P | 56 W |
| 90991000 | BDP100 LED50/830 II DS PCC GR 62P | 41 W |
| 90992700 | BDP100 LED70/830 II DS PCC GR 62P | 56 W |
| 12880400 | BDP100 LED120/740 II DRW PCC GR-900 D11 | 79 W |
| 90610000 | BDP100 LED50/830 II DS PCF SI CLO-LS-6 6 | 32.5 W |
| 91000800 | BDP100 LED50/740 II DW PCF SI LS-6 62P | 34 W |
| 91001500 | BDP100 LED60/740 II DW PCF SI LS-6 62P | 39 W |
| 91005300 | BDP100 LED40/740 II DS PCF SI LS-6 62P | 27.5 W |
| 91006000 | BDP100 LED50/740 II DS PCF SI LS-6 62P | 34 W |
| 91007700 | BDP100 LED60/740 II DS PCF SI LS-6 62P | 39 W |
| 91011400 | BDP100 LED40/830 II DW PCF SI LS-6 62P | 32.5 W |
| 91012100 | BDP100 LED50/830 II DW PCF SI LS-6 62P | 41 W |
| 91013800 | BDP100 LED60/830 II DW PCF SI LS-6 62P | 47 W |
| 91017600 | BDP100 LED40/830 II DS PCF SI LS-6 62P | 32.5 W |
| 91018300 | BDP100 LED50/830 II DS PCF SI LS-6 62P | 41 W |
| 91019000 | BDP100 LED60/830 II DS PCF SI LS-6 62P | 47 W |
| 91051000 | BDP100 LED20/830 DW PCF SI CLO 62P | 15.8 W |
| 91054100 | BDP100 LED50/830 DW PCF SI CLO 62P | 40 W |

| Order Code | Full Product Name | Power Consumption |
|---|---|---|
| 91056500 | BDP100 LED100/830 DW PCF SI CLO 62P | 74 W |
| 91958200 | BDP100 LED50/740 DW PCF SI 62P | 34 W |
| 32961000 | BDP100 LED60/740 II DS PCF SI 62P | 39 W |
| 90603200 | BDP100 LED50/830 II DS PCF GR 62P | 41 W |
| 90981100 | BDP100 LED30/740 II DS PCF GR 62P | 19.6 W |
| 90982800 | BDP100 LED50/740 II DS PCF GR 62P | 34 W |
| 90983500 | BDP100 LED70/740 II DS PCF GR 62P | 45.5 W |
| 90995800 | BDP100 LED70/830 II DS PCF GR 62P | 56 W |
| 91044200 | BDP100 LED20/830 DS PCF GR 62P | 15.8 W |
| 91045900 | BDP100 LED30/830 DS PCF GR 62P | 23.5 W |
| 91046600 | BDP100 LED40/830 DS PCF GR 62P | 32.5 W |
| 90614800 | BDP101 LED60/830 II DS PCF SI CLO-DDF2 6 | 40 W |
| 91060200 | BDP101 LED30/830 DW PCF SI CLO 62P | 23.5 W |
| 91061900 | BDP101 LED35/830 DW PCF SI CLO 62P | 27 W |
| 91064000 | BDP101 LED100/830 DW PCF SI CLO 62P | 74 W |
| 90606300 | BDP101 LED50/830 II DS PCF GR 62P | 41 W |
| 90613100 | BDP101 LED60/830 II DM PCC SI CLO-DDF2 6 | 46.5 W |
| 34534100 | BDP101 LED40/740 II DS PCC GR MSP 62P | 27.5 W |
| 90620900 | BDP102 LED40/830 II DW PCC SI CLO-DDF1 6 | 32.5 W |
| 91020600 | BDP102 LED40/740 II DW PCC SI LS-6 62P | 27.5 W |
| 91021300 | BDP102 LED50/740 II DW PCC SI LS-6 62P | 34 W |
| 91022000 | BDP102 LED60/740 II DW PCC SI LS-6 62P | 39 W |
| 91026800 | BDP102 LED40/740 II DS PCC SI LS-6 62P | 27.5 W |
| 91027500 | BDP102 LED50/740 II DS PCC SI LS-6 62P | 34 W |
| 91028200 | BDP102 LED60/740 II DS PCC SI LS-6 62P | 39 W |
| 91032900 | BDP102 LED40/830 II DW PCC SI LS-6 62P | 32.5 W |
| 91033600 | BDP102 LED50/830 II DW PCC SI LS-6 62P | 41 W |
| 91034300 | BDP102 LED60/830 II DW PCC SI LS-6 62P | 47 W |
| 91038100 | BDP102 LED40/830 II DS PCC SI LS-6 62P | 32.5 W |
| 91039800 | BDP102 LED50/830 II DS PCC SI LS-6 62P | 41 W |

| Order Code | Full Product Name | Power Consumption |
|---|---|---|
| 91040400 | BDP102 LED60/830 II DS PCC SI LS-6 62P | 47 W |
| 31986400 | BDP102 LED50/740 DS PCC GR MSP 62P | 34 W |
| 90622300 | BDP102 LED50/830 II DS PCF SI CLO-DDF1 6 | 32.5 W |
| 91023700 | BDP102 LED40/740 II DW PCF SI LS-6 62P | 27.5 W |
| 91024400 | BDP102 LED50/740 II DW PCF SI LS-6 62P | 34 W |
| 91025100 | BDP102 LED60/740 II DW PCF SI LS-6 62P | 39 W |
| 91029900 | BDP102 LED40/740 II DS PCF SI LS-6 62P | 27.5 W |
| 91030500 | BDP102 LED50/740 II DS PCF SI LS-6 62P | 34 W |
| 91031200 | BDP102 LED60/740 II DS PCF SI LS-6 62P | 39 W |
| 91035000 | BDP102 LED40/830 II DW PCF SI LS-6 62P | 32.5 W |
| 91036700 | BDP102 LED50/830 II DW PCF SI LS-6 62P | 41 W |
| 91037400 | BDP102 LED60/830 II DW PCF SI LS-6 62P | 47 W |
| 91041100 | BDP102 LED40/830 II DS PCF SI LS-6 62P | 32.5 W |
| 91042800 | BDP102 LED50/830 II DS PCF SI LS-6 62P | 41 W |
| 91043500 | BDP102 LED60/830 II DS PCF SI LS-6 62P | 47 W |
| 91067100 | BDP102 LED20/830 DW PCF SI CLO 62P | 15.8 W |
| 91068800 | BDP102 LED30/830 DW PCF SI CLO 62P | 23.5 W |
| 91069500 | BDP102 LED35/830 DW PCF SI CLO 62P | 27 W |
| 91070100 | BDP102 LED50/830 DW PCF SI CLO 62P | 40 W |
| 91071800 | BDP102 LED70/830 DW PCF SI CLO 62P | 54 W |
| 91075600 | BDP103 LED20/830 DW PCF SI CLO 62P | 15.8 W |
| 91077000 | BDP103 LED35/830 DW PCF SI CLO 62P | 27 W |
| 91078700 | BDP103 LED50/830 DW PCF SI CLO 62P | 40 W |
| 91081700 | BDP103 LED120/830 DW PCF SI CLO 62P | 92 W |
| 90623000 | BDP104 LED30/740 II DM PCC SI CLO-LS-8 6 | 19.6 W |
| 34713300 | BDP104 LED70/740 DRW PCC GR D9 62P | 45.5 W |
| 90624700 | BDP104 LED40/830 II DS PCF SI CLO-LS-8 6 | 27 W |
| 90999600 | BDP100 LED40/740 II DW PCF SI LS-6 62P | 27.5 W |
| 91086200 | BDP104 LED50/830 DW PCF SI CLO 62P | 40 W |
| 91088600 | BDP104 LED100/830 DW PCF SI CLO 62P | 74 W |

## Controls and Dimming

| Order Code | Full Product Name | Dimmable |
|---|---|---|
| 34715700 | BDP105 LED70/740 DS PCC GR D9 62P | Yes |
| 90608700 | BDP100 LED30/740 DN PCC SI CLO-LS-6 76P | Yes |
| 90609400 | BDP100 LED40/830 II DM PCC SI CLO-LS-6 6 | Yes |
| 90996500 | BDP100 LED40/740 II DW PCC SI LS-6 62P | Yes |
| 90997200 | BDP100 LED50/740 II DW PCC SI LS-6 62P | Yes |
| 90998900 | BDP100 LED60/740 II DW PCC SI LS-6 62P | Yes |
| 91002200 | BDP100 LED40/740 II DS PCC SI LS-6 62P | Yes |
| 91003900 | BDP100 LED50/740 II DS PCC SI LS-6 62P | Yes |
| 91004600 | BDP100 LED60/740 II DS PCC SI LS-6 62P | Yes |
| 91008400 | BDP100 LED40/830 II DW PCC SI LS-6 62P | Yes |
| 91009100 | BDP100 LED50/830 II DW PCC SI LS-6 62P | Yes |
| 91010700 | BDP100 LED60/830 II DW PCC SI LS-6 62P | Yes |
| 91014500 | BDP100 LED40/830 II DS PCC SI LS-6 62P | Yes |
| 91015200 | BDP100 LED50/830 II DS PCC SI LS-6 62P | Yes |
| 91016900 | BDP100 LED60/830 II DS PCC SI LS-6 62P | Yes |
| 30244600 | BDP100 LED30/740 DM PCC SI CLO-DDF1 76P | Yes |
| 37308800 | BDP100 LED40/740 DS PCC GR DDF27 62P | Yes |
| 37309500 | BDP100 LED80/740 DS PCC GR DDF27 62P | Yes |

| Order Code | Full Product Name | Dimmable |
|---|---|---|
| 90973600 | BDP100 LED50/740 II DW PCC GR 62P | No |
| 90974300 | BDP100 LED70/740 II DW PCC GR 62P | No |
| 90979800 | BDP100 LED50/740 II DS PCC GR 62P | No |
| 90980400 | BDP100 LED70/740 II DS PCC GR 62P | No |
| 90986600 | BDP100 LED70/830 II DW PCC GR 62P | No |
| 90991000 | BDP100 LED50/830 II DS PCC GR 62P | No |
| 90992700 | BDP100 LED70/830 II DS PCC GR 62P | No |
| 12880400 | BDP100 LED120/740 II DRW PCC GR-900 D11 | Yes |
| 90610000 | BDP100 LED50/830 II DS PCF SI CLO-LS-6 6 | Yes |
| 91000800 | BDP100 LED50/740 II DW PCF SI LS-6 62P | Yes |
| 91001500 | BDP100 LED60/740 II DW PCF SI LS-6 62P | Yes |
| 91005300 | BDP100 LED40/740 II DS PCF SI LS-6 62P | Yes |
| 91006000 | BDP100 LED50/740 II DS PCF SI LS-6 62P | Yes |
| 91007700 | BDP100 LED60/740 II DS PCF SI LS-6 62P | Yes |
| 91011400 | BDP100 LED40/830 II DW PCF SI LS-6 62P | Yes |
| 91012100 | BDP100 LED50/830 II DW PCF SI LS-6 62P | Yes |
| 91013800 | BDP100 LED60/830 II DW PCF SI LS-6 62P | Yes |
| 91017600 | BDP100 LED40/830 II DS PCF SI LS-6 62P | Yes |

| Order Code | Full Product Name | Dimmable |
|---|---|---|
| 91018300 | BDP100 LED50/830 II DS PCF SI LS-6 62P | Yes |
| 91019000 | BDP100 LED60/830 II DS PCF SI LS-6 62P | Yes |
| 91051000 | BDP100 LED20/830 DW PCF SI CLO 62P | No |
| 91054100 | BDP100 LED50/830 DW PCF SI CLO 62P | No |
| 91056500 | BDP100 LED100/830 DW PCF SI CLO 62P | No |
| 91958200 | BDP100 LED50/740 DW PCF SI 62P | No |
| 32961000 | BDP100 LED60/740 II DS PCF SI 62P | No |
| 90603200 | BDP100 LED50/830 II DS PCF GR 62P | No |
| 90981100 | BDP100 LED30/740 II DS PCF GR 62P | No |
| 90982800 | BDP100 LED50/740 II DS PCF GR 62P | No |
| 90983500 | BDP100 LED70/740 II DS PCF GR 62P | No |
| 90995800 | BDP100 LED70/830 II DS PCF GR 62P | No |
| 91044200 | BDP100 LED20/830 DS PCF GR 62P | No |
| 91045900 | BDP100 LED30/830 DS PCF GR 62P | No |
| 91046600 | BDP100 LED40/830 DS PCF GR 62P | No |
| 90614800 | BDP101 LED60/830 II DS PCF SI CLO-DDF2 6 | Yes |
| 91060200 | BDP101 LED30/830 DW PCF SI CLO 62P | No |
| 91061900 | BDP101 LED35/830 DW PCF SI CLO 62P | No |
| 91064000 | BDP101 LED100/830 DW PCF SI CLO 62P | No |
| 90606300 | BDP101 LED50/830 II DS PCF GR 62P | No |
| 90613100 | BDP101 LED60/830 II DM PCC SI CLO-DDF2 6 | Yes |
| 34534100 | BDP101 LED40/740 II DS PCC GR MSP 62P | No |
| 90620900 | BDP102 LED40/830 II DW PCC SI CLO-DDF1 6 | Yes |
| 91020600 | BDP102 LED40/740 II DW PCC SI LS-6 62P | Yes |
| 91021300 | BDP102 LED50/740 II DW PCC SI LS-6 62P | Yes |
| 91022000 | BDP102 LED60/740 II DW PCC SI LS-6 62P | Yes |
| 91026800 | BDP102 LED40/740 II DS PCC SI LS-6 62P | Yes |
| 91027500 | BDP102 LED50/740 II DS PCC SI LS-6 62P | Yes |
| 91028200 | BDP102 LED60/740 II DS PCC SI LS-6 62P | Yes |
| 91032900 | BDP102 LED40/830 II DW PCC SI LS-6 62P | Yes |
| 91033600 | BDP102 LED50/830 II DW PCC SI LS-6 62P | Yes |
| 91034300 | BDP102 LED60/830 II DW PCC SI LS-6 62P | Yes |

| Order Code | Full Product Name | Dimmable |
|---|---|---|
| 91038100 | BDP102 LED40/830 II DS PCC SI LS-6 62P | Yes |
| 91039800 | BDP102 LED50/830 II DS PCC SI LS-6 62P | Yes |
| 91040400 | BDP102 LED60/830 II DS PCC SI LS-6 62P | Yes |
| 31986400 | BDP102 LED50/740 DS PCC GR MSP 62P | No |
| 90622300 | BDP102 LED50/830 II DS PCF SI CLO-DDF1 6 | Yes |
| 91023700 | BDP102 LED40/740 II DW PCF SI LS-6 62P | Yes |
| 91024400 | BDP102 LED50/740 II DW PCF SI LS-6 62P | Yes |
| 91025100 | BDP102 LED60/740 II DW PCF SI LS-6 62P | Yes |
| 91029900 | BDP102 LED40/740 II DS PCF SI LS-6 62P | Yes |
| 91030500 | BDP102 LED50/740 II DS PCF SI LS-6 62P | Yes |
| 91031200 | BDP102 LED60/740 II DS PCF SI LS-6 62P | Yes |
| 91035000 | BDP102 LED40/830 II DW PCF SI LS-6 62P | Yes |
| 91036700 | BDP102 LED50/830 II DW PCF SI LS-6 62P | Yes |
| 91037400 | BDP102 LED60/830 II DW PCF SI LS-6 62P | Yes |
| 91041100 | BDP102 LED40/830 II DS PCF SI LS-6 62P | Yes |
| 91042800 | BDP102 LED50/830 II DS PCF SI LS-6 62P | Yes |
| 91043500 | BDP102 LED60/830 II DS PCF SI LS-6 62P | Yes |
| 91067100 | BDP102 LED20/830 DW PCF SI CLO 62P | No |
| 91068800 | BDP102 LED30/830 DW PCF SI CLO 62P | No |
| 91069500 | BDP102 LED35/830 DW PCF SI CLO 62P | No |
| 91070100 | BDP102 LED50/830 DW PCF SI CLO 62P | No |
| 91071800 | BDP102 LED70/830 DW PCF SI CLO 62P | No |
| 91075600 | BDP103 LED20/830 DW PCF SI CLO 62P | No |
| 91077000 | BDP103 LED35/830 DW PCF SI CLO 62P | No |
| 91078700 | BDP103 LED50/830 DW PCF SI CLO 62P | No |
| 91081700 | BDP103 LED120/830 DW PCF SI CLO 62P | No |
| 90623000 | BDP104 LED30/740 II DM PCC SI CLO-LS-8 6 | Yes |
| 34713300 | BDP104 LED70/740 DRW PCC GR D9 62P | Yes |
| 90624700 | BDP104 LED40/830 II DS PCF SI CLO-LS-8 6 | Yes |
| 90999600 | BDP100 LED40/740 II DW PCF SI LS-6 62P | Yes |
| 91086200 | BDP104 LED50/830 DW PCF SI CLO 62P | No |
| 91088600 | BDP104 LED100/830 DW PCF SI CLO 62P | No |

## Mechanical and Housing

| Order Code | Full Product Name | Housing Color |
|---|---|---|
| 34715700 | BDP105 LED70/740 DS PCC GR D9 62P | Gray |
| 90608700 | BDP100 LED30/740 DN PCC SI CLO-LS-6 76P | Silver |
| 90609400 | BDP100 LED40/830 II DM PCC SI CLO-LS-6 6 | Silver |
| 90996500 | BDP100 LED40/740 II DW PCC SI LS-6 62P | Silver |
| 90997200 | BDP100 LED50/740 II DW PCC SI LS-6 62P | Silver |
| 90998900 | BDP100 LED60/740 II DW PCC SI LS-6 62P | Silver |
| 91002200 | BDP100 LED40/740 II DS PCC SI LS-6 62P | Silver |
| 91003900 | BDP100 LED50/740 II DS PCC SI LS-6 62P | Silver |
| 91004600 | BDP100 LED60/740 II DS PCC SI LS-6 62P | Silver |
| 91008400 | BDP100 LED40/830 II DW PCC SI LS-6 62P | Silver |
| 91009100 | BDP100 LED50/830 II DW PCC SI LS-6 62P | Silver |
| 91010700 | BDP100 LED60/830 II DW PCC SI LS-6 62P | Silver |
| 91014500 | BDP100 LED40/830 II DS PCC SI LS-6 62P | Silver |
| 91015200 | BDP100 LED50/830 II DS PCC SI LS-6 62P | Silver |
| 91016900 | BDP100 LED60/830 II DS PCC SI LS-6 62P | Silver |
| 30244600 | BDP100 LED30/740 DM PCC SI CLO-DDF1 76P | Silver |

| Order Code | Full Product Name | Housing Color |
|---|---|---|
| 37308800 | BDP100 LED40/740 DS PCC GR DDF27 62P | Gray |
| 37309500 | BDP100 LED80/740 DS PCC GR DDF27 62P | Gray |
| 90973600 | BDP100 LED50/740 II DW PCC GR 62P | Gray |
| 90974300 | BDP100 LED70/740 II DW PCC GR 62P | Gray |
| 90979800 | BDP100 LED50/740 II DS PCC GR 62P | Gray |
| 90980400 | BDP100 LED70/740 II DS PCC GR 62P | Gray |
| 90986600 | BDP100 LED70/830 II DW PCC GR 62P | Gray |
| 90991000 | BDP100 LED50/830 II DS PCC GR 62P | Gray |
| 90992700 | BDP100 LED70/830 II DS PCC GR 62P | Gray |
| 12880400 | BDP100 LED120/740 II DRW PCC GR-900 D11 | Gray |
| 90610000 | BDP100 LED50/830 II DS PCF SI CLO-LS-6 6 | Silver |
| 91000800 | BDP100 LED50/740 II DW PCF SI LS-6 62P | Silver |
| 91001500 | BDP100 LED60/740 II DW PCF SI LS-6 62P | Silver |
| 91005300 | BDP100 LED40/740 II DS PCF SI LS-6 62P | Silver |
| 91006000 | BDP100 LED50/740 II DS PCF SI LS-6 62P | Silver |
| 91007700 | BDP100 LED60/740 II DS PCF SI LS-6 62P | Silver |

| Order Code | Full Product Name | Housing Color |
|---|---|---|
| 91011400 | BDP100 LED40/830 II DW PCF SI LS-6 62P | Silver |
| 91012100 | BDP100 LED50/830 II DW PCF SI LS-6 62P | Silver |
| 91013800 | BDP100 LED60/830 II DW PCF SI LS-6 62P | Silver |
| 91017600 | BDP100 LED40/830 II DS PCF SI LS-6 62P | Silver |
| 91018300 | BDP100 LED50/830 II DS PCF SI LS-6 62P | Silver |
| 91019000 | BDP100 LED60/830 II DS PCF SI LS-6 62P | Silver |
| 91051000 | BDP100 LED20/830 DW PCF SI CLO 62P | Silver |
| 91054100 | BDP100 LED50/830 DW PCF SI CLO 62P | Silver |
| 91056500 | BDP100 LED100/830 DW PCF SI CLO 62P | Silver |
| 91958200 | BDP100 LED50/740 DW PCF SI 62P | Silver |
| 32961000 | BDP100 LED60/740 II DS PCF SI 62P | Silver |
| 90603200 | BDP100 LED50/830 II DS PCF GR 62P | Gray |
| 90981100 | BDP100 LED30/740 II DS PCF GR 62P | Gray |
| 90982800 | BDP100 LED50/740 II DS PCF GR 62P | Gray |
| 90983500 | BDP100 LED70/740 II DS PCF GR 62P | Gray |
| 90995800 | BDP100 LED70/830 II DS PCF GR 62P | Gray |
| 91044200 | BDP100 LED20/830 DS PCF GR 62P | Gray |
| 91045900 | BDP100 LED30/830 DS PCF GR 62P | Gray |
| 91046600 | BDP100 LED40/830 DS PCF GR 62P | Gray |
| 90614800 | BDP101 LED60/830 II DS PCF SI CLO-DDF2 6 | Silver |
| 91060200 | BDP101 LED30/830 DW PCF SI CLO 62P | Silver |
| 91061900 | BDP101 LED35/830 DW PCF SI CLO 62P | Silver |
| 91064000 | BDP101 LED100/830 DW PCF SI CLO 62P | Silver |
| 90606300 | BDP101 LED50/830 II DS PCF GR 62P | Gray |
| 90613100 | BDP101 LED60/830 II DM PCC SI CLO-DDF2 6 | Silver |
| 34534100 | BDP101 LED40/740 II DS PCC GR MSP 62P | Gray |
| 90620900 | BDP102 LED40/830 II DW PCC SI CLO-DDF1 6 | Silver |
| 91020600 | BDP102 LED40/740 II DW PCC SI LS-6 62P | Silver |
| 91021300 | BDP102 LED50/740 II DW PCC SI LS-6 62P | Silver |
| 91022000 | BDP102 LED60/740 II DW PCC SI LS-6 62P | Silver |
| 91026800 | BDP102 LED40/740 II DS PCC SI LS-6 62P | Silver |
| 91027500 | BDP102 LED50/740 II DS PCC SI LS-6 62P | Silver |
| 91028200 | BDP102 LED60/740 II DS PCC SI LS-6 62P | Silver |
| 91032900 | BDP102 LED40/830 II DW PCC SI LS-6 62P | Silver |

| Order Code | Full Product Name | Housing Color |
|---|---|---|
| 91033600 | BDP102 LED50/830 II DW PCC SI LS-6 62P | Silver |
| 91034300 | BDP102 LED60/830 II DW PCC SI LS-6 62P | Silver |
| 91038100 | BDP102 LED40/830 II DS PCC SI LS-6 62P | Silver |
| 91039800 | BDP102 LED50/830 II DS PCC SI LS-6 62P | Silver |
| 91040400 | BDP102 LED60/830 II DS PCC SI LS-6 62P | Silver |
| 31986400 | BDP102 LED50/740 DS PCC GR MSP 62P | Gray |
| 90622300 | BDP102 LED50/830 II DS PCF SI CLO-DDF1 6 | Silver |
| 91023700 | BDP102 LED40/740 II DW PCF SI LS-6 62P | Silver |
| 91024400 | BDP102 LED50/740 II DW PCF SI LS-6 62P | Silver |
| 91025100 | BDP102 LED60/740 II DW PCF SI LS-6 62P | Silver |
| 91029900 | BDP102 LED40/740 II DS PCF SI LS-6 62P | Silver |
| 91030500 | BDP102 LED50/740 II DS PCF SI LS-6 62P | Silver |
| 91031200 | BDP102 LED60/740 II DS PCF SI LS-6 62P | Silver |
| 91035000 | BDP102 LED40/830 II DW PCF SI LS-6 62P | Silver |
| 91036700 | BDP102 LED50/830 II DW PCF SI LS-6 62P | Silver |
| 91037400 | BDP102 LED60/830 II DW PCF SI LS-6 62P | Silver |
| 91041100 | BDP102 LED40/830 II DS PCF SI LS-6 62P | Silver |
| 91042800 | BDP102 LED50/830 II DS PCF SI LS-6 62P | Silver |
| 91043500 | BDP102 LED60/830 II DS PCF SI LS-6 62P | Silver |
| 91067100 | BDP102 LED20/830 DW PCF SI CLO 62P | Silver |
| 91068800 | BDP102 LED30/830 DW PCF SI CLO 62P | Silver |
| 91069500 | BDP102 LED35/830 DW PCF SI CLO 62P | Silver |
| 91070100 | BDP102 LED50/830 DW PCF SI CLO 62P | Silver |
| 91071800 | BDP102 LED70/830 DW PCF SI CLO 62P | Silver |
| 91075600 | BDP103 LED20/830 DW PCF SI CLO 62P | Silver |
| 91077000 | BDP103 LED35/830 DW PCF SI CLO 62P | Silver |
| 91078700 | BDP103 LED50/830 DW PCF SI CLO 62P | Silver |
| 91081700 | BDP103 LED120/830 DW PCF SI CLO 62P | Silver |
| 90623000 | BDP104 LED30/740 II DM PCC SI CLO-LS-8 6 | Silver |
| 34713300 | BDP104 LED70/740 DRW PCC GR D9 62P | Gray |
| 90624700 | BDP104 LED40/830 II DS PCF SI CLO-LS-8 6 | Silver |
| 90999600 | BDP100 LED40/740 II DW PCF SI LS-6 62P | Silver |
| 91086200 | BDP104 LED50/830 DW PCF SI CLO 62P | Silver |
| 91088600 | BDP104 LED100/830 DW PCF SI CLO 62P | Silver |

## Approval and Application

| Order Code | Full Product Name | Surge Protection (Common/Differential) |
|---|---|---|
| 34715700 | BDP105 LED70/740 DS PCC GR D9 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90608700 | BDP100 LED30/740 DN PCC SI CLO-LS-6 76P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90609400 | BDP100 LED40/830 II DM PCC SI CLO-LS-6 6 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90996500 | BDP100 LED40/740 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90997200 | BDP100 LED50/740 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90998900 | BDP100 LED60/740 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91002200 | BDP100 LED40/740 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |

| Order Code | Full Product Name | Surge Protection (Common/Differential) |
|---|---|---|
| 91003900 | BDP100 LED50/740 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91004600 | BDP100 LED60/740 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91008400 | BDP100 LED40/830 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91009100 | BDP100 LED50/830 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91010700 | BDP100 LED60/830 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91014500 | BDP100 LED40/830 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91015200 | BDP100 LED50/830 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |

| Order Code | Full Product Name | Surge Protection (Common/Differential) |
|---|---|---|
| 91016900 | BDP100 LED60/830 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 30244600 | BDP100 LED30/740 DM PCC SI CLO-DDF1 76P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 37308800 | BDP100 LED40/740 DS PCC GR DDF27 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 37309500 | BDP100 LED80/740 DS PCC GR DDF27 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90973600 | BDP100 LED50/740 II DW PCC GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90974300 | BDP100 LED70/740 II DW PCC GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90979800 | BDP100 LED50/740 II DS PCC GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90980400 | BDP100 LED70/740 II DS PCC GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90986600 | BDP100 LED70/830 II DW PCC GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90991000 | BDP100 LED50/830 II DS PCC GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90992700 | BDP100 LED70/830 II DS PCC GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 12880400 | BDP100 LED120/740 II DRW PCC GR-900 D11 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90610000 | BDP100 LED50/830 II DS PCF SI CLO-LS-6 6 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91000800 | BDP100 LED50/740 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91001500 | BDP100 LED60/740 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91005300 | BDP100 LED40/740 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91006000 | BDP100 LED50/740 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91007700 | BDP100 LED60/740 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91011400 | BDP100 LED40/830 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91012100 | BDP100 LED50/830 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91013800 | BDP100 LED60/830 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91017600 | BDP100 LED40/830 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91018300 | BDP100 LED50/830 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91019000 | BDP100 LED60/830 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91051000 | BDP100 LED20/830 DW PCF SI CLO 62P | Luminaire surge protection level until 4 kV differential mode and 4 kV common mode |
| 91054100 | BDP100 LED50/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |

| Order Code | Full Product Name | Surge Protection (Common/Differential) |
|---|---|---|
| 91056500 | BDP100 LED100/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91958200 | BDP100 LED50/740 DW PCF SI 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 32961000 | BDP100 LED60/740 II DS PCF SI 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90603200 | BDP100 LED50/830 II DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90981100 | BDP100 LED30/740 II DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90982800 | BDP100 LED50/740 II DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90983500 | BDP100 LED70/740 II DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90995800 | BDP100 LED70/830 II DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91044200 | BDP100 LED20/830 DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91045900 | BDP100 LED30/830 DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91046600 | BDP100 LED40/830 DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90614800 | BDP101 LED60/830 II DS PCF SI CLO-DDF2 6 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91060200 | BDP101 LED30/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91061900 | BDP101 LED35/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91064000 | BDP101 LED100/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90606300 | BDP101 LED50/830 II DS PCF GR 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90613100 | BDP101 LED60/830 II DM PCC SI CLO-DDF2 6 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 34534100 | BDP101 LED40/740 II DS PCC GR MSP 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90620900 | BDP102 LED40/830 II DW PCC SI CLO-DDF1 6 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91020600 | BDP102 LED40/740 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91021300 | BDP102 LED50/740 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91022000 | BDP102 LED60/740 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91026800 | BDP102 LED40/740 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91027500 | BDP102 LED50/740 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91028200 | BDP102 LED60/740 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91032900 | BDP102 LED40/830 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |

| Order Code | Full Product Name | Surge Protection (Common/Differential) |
|---|---|---|
| 91033600 | BDP102 LED50/830 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91034300 | BDP102 LED60/830 II DW PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91038100 | BDP102 LED40/830 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91039800 | BDP102 LED50/830 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91040400 | BDP102 LED60/830 II DS PCC SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 31986400 | BDP102 LED50/740 DS PCC GR MSP 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90622300 | BDP102 LED50/830 II DS PCF SI CLO-DDF1 6 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91023700 | BDP102 LED40/740 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91024400 | BDP102 LED50/740 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91025100 | BDP102 LED60/740 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91029900 | BDP102 LED40/740 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91030500 | BDP102 LED50/740 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91031200 | BDP102 LED60/740 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91035000 | BDP102 LED40/830 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91036700 | BDP102 LED50/830 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91037400 | BDP102 LED60/830 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91041100 | BDP102 LED40/830 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |

| Order Code | Full Product Name | Surge Protection (Common/Differential) |
|---|---|---|
| 91042800 | BDP102 LED50/830 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91043500 | BDP102 LED60/830 II DS PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91067100 | BDP102 LED20/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91068800 | BDP102 LED30/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91069500 | BDP102 LED35/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91070100 | BDP102 LED50/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91071800 | BDP102 LED70/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91075600 | BDP103 LED20/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91077000 | BDP103 LED35/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91078700 | BDP103 LED50/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91081700 | BDP103 LED120/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90623000 | BDP104 LED30/740 II DM PCC SI CLO-LS-8 6 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 34713300 | BDP104 LED70/740 DRW PCC GR D9 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90624700 | BDP104 LED40/830 II DS PCF SI CLO-LS-8 6 | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 90999600 | BDP100 LED40/740 II DW PCF SI LS-6 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91086200 | BDP104 LED50/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |
| 91088600 | BDP104 LED100/830 DW PCF SI CLO 62P | Luminaire surge protection level until 6 kV differential mode and 6 kV common mode |

## Application Conditions

| Order Code | Full Product Name | Maximum dim level |
|---|---|---|
| 34715700 | BDP105 LED70/740 DS PCC GR D9 62P | 0% (digital) |
| 90608700 | BDP100 LED30/740 DN PCC SI CLO-LS-6 76P | 50% |
| 90609400 | BDP100 LED40/830 II DM PCC SI CLO-LS-6 6 | 50% |
| 90996500 | BDP100 LED40/740 II DW PCC SI LS-6 62P | 50% |
| 90997200 | BDP100 LED50/740 II DW PCC SI LS-6 62P | 50% |
| 90998900 | BDP100 LED60/740 II DW PCC SI LS-6 62P | 50% |
| 91002200 | BDP100 LED40/740 II DS PCC SI LS-6 62P | 50% |
| 91003900 | BDP100 LED50/740 II DS PCC SI LS-6 62P | 50% |
| 91004600 | BDP100 LED60/740 II DS PCC SI LS-6 62P | 50% |
| 91008400 | BDP100 LED40/830 II DW PCC SI LS-6 62P | 50% |
| 91009100 | BDP100 LED50/830 II DW PCC SI LS-6 62P | 50% |
| 91010700 | BDP100 LED60/830 II DW PCC SI LS-6 62P | 50% |
| 91014500 | BDP100 LED40/830 II DS PCC SI LS-6 62P | 50% |
| 91015200 | BDP100 LED50/830 II DS PCC SI LS-6 62P | 50% |

| Order Code | Full Product Name | Maximum dim level |
|---|---|---|
| 91016900 | BDP100 LED60/830 II DS PCC SI LS-6 62P | 50% |
| 30244600 | BDP100 LED30/740 DM PCC SI CLO-DDF1 76P | 50% |
| 37308800 | BDP100 LED40/740 DS PCC GR DDF27 62P | 50% |
| 37309500 | BDP100 LED80/740 DS PCC GR DDF27 62P | 50% |
| 90973600 | BDP100 LED50/740 II DW PCC GR 62P | Not applicable |
| 90974300 | BDP100 LED70/740 II DW PCC GR 62P | Not applicable |
| 90979800 | BDP100 LED50/740 II DS PCC GR 62P | Not applicable |
| 90980400 | BDP100 LED70/740 II DS PCC GR 62P | Not applicable |
| 90986600 | BDP100 LED70/830 II DW PCC GR 62P | Not applicable |
| 90991000 | BDP100 LED50/830 II DS PCC GR 62P | Not applicable |
| 90992700 | BDP100 LED70/830 II DS PCC GR 62P | Not applicable |
| 12880400 | BDP100 LED120/740 II DRW PCC GR-900 D11 | 50% |
| 90610000 | BDP100 LED50/830 II DS PCF SI CLO-LS-6 6 | 50% |
| 91000800 | BDP100 LED50/740 II DW PCF SI LS-6 62P | 50% |

| Order Code | Full Product Name | Maximum dim level |
|---|---|---|
| 91001500 | BDP100 LED60/740 II DW PCF SI LS-6 62P | 50% |
| 91005300 | BDP100 LED40/740 II DS PCF SI LS-6 62P | 50% |
| 91006000 | BDP100 LED50/740 II DS PCF SI LS-6 62P | 50% |
| 91007700 | BDP100 LED60/740 II DS PCF SI LS-6 62P | 50% |
| 91011400 | BDP100 LED40/830 II DW PCF SI LS-6 62P | 50% |
| 91012100 | BDP100 LED50/830 II DW PCF SI LS-6 62P | 50% |
| 91013800 | BDP100 LED60/830 II DW PCF SI LS-6 62P | 50% |
| 91017600 | BDP100 LED40/830 II DS PCF SI LS-6 62P | 50% |
| 91018300 | BDP100 LED50/830 II DS PCF SI LS-6 62P | 50% |
| 91019000 | BDP100 LED60/830 II DS PCF SI LS-6 62P | 50% |
| 91051000 | BDP100 LED20/830 DW PCF SI CLO 62P | Not applicable |
| 91054100 | BDP100 LED50/830 DW PCF SI CLO 62P | Not applicable |
| 91056500 | BDP100 LED100/830 DW PCF SI CLO 62P | Not applicable |
| 91958200 | BDP100 LED50/740 DW PCF SI 62P | Not applicable |
| 32961000 | BDP100 LED60/740 II DS PCF SI 62P | Not applicable |
| 90603200 | BDP100 LED50/830 II DS PCF GR 62P | Not applicable |
| 90981100 | BDP100 LED30/740 II DS PCF GR 62P | Not applicable |
| 90982800 | BDP100 LED50/740 II DS PCF GR 62P | Not applicable |
| 90983500 | BDP100 LED70/740 II DS PCF GR 62P | Not applicable |
| 90995800 | BDP100 LED70/830 II DS PCF GR 62P | Not applicable |
| 91044200 | BDP100 LED20/830 DS PCF GR 62P | Not applicable |
| 91045900 | BDP100 LED30/830 DS PCF GR 62P | Not applicable |
| 91046600 | BDP100 LED40/830 DS PCF GR 62P | Not applicable |
| 90614800 | BDP101 LED60/830 II DS PCF SI CLO-DDF2 6 | 50% |
| 91060200 | BDP101 LED30/830 DW PCF SI CLO 62P | Not applicable |
| 91061900 | BDP101 LED35/830 DW PCF SI CLO 62P | Not applicable |
| 91064000 | BDP101 LED100/830 DW PCF SI CLO 62P | Not applicable |
| 90606300 | BDP101 LED50/830 II DS PCF GR 62P | Not applicable |
| 90613100 | BDP101 LED60/830 II DM PCC SI CLO-DDF2 6 | 50% |
| 34534100 | BDP101 LED40/740 II DS PCC GR MSP 62P | Not applicable |
| 90620900 | BDP102 LED40/830 II DW PCC SI CLO-DDF1 6 | 50% |
| 91020600 | BDP102 LED40/740 II DW PCC SI LS-6 62P | 50% |
| 91021300 | BDP102 LED50/740 II DW PCC SI LS-6 62P | 50% |
| 91022000 | BDP102 LED60/740 II DW PCC SI LS-6 62P | 50% |
| 91026800 | BDP102 LED40/740 II DS PCC SI LS-6 62P | 50% |
| 91027500 | BDP102 LED50/740 II DS PCC SI LS-6 62P | 50% |

| Order Code | Full Product Name | Maximum dim level |
|---|---|---|
| 91028200 | BDP102 LED60/740 II DS PCC SI LS-6 62P | 50% |
| 91032900 | BDP102 LED40/830 II DW PCC SI LS-6 62P | 50% |
| 91033600 | BDP102 LED50/830 II DW PCC SI LS-6 62P | 50% |
| 91034300 | BDP102 LED60/830 II DW PCC SI LS-6 62P | 50% |
| 91038100 | BDP102 LED40/830 II DS PCC SI LS-6 62P | 50% |
| 91039800 | BDP102 LED50/830 II DS PCC SI LS-6 62P | 50% |
| 91040400 | BDP102 LED60/830 II DS PCC SI LS-6 62P | 50% |
| 31986400 | BDP102 LED50/740 DS PCC GR MSP 62P | Not applicable |
| 90622300 | BDP102 LED50/830 II DS PCF SI CLO-DDF1 6 | 50% |
| 91023700 | BDP102 LED40/740 II DW PCF SI LS-6 62P | 50% |
| 91024400 | BDP102 LED50/740 II DW PCF SI LS-6 62P | 50% |
| 91025100 | BDP102 LED60/740 II DW PCF SI LS-6 62P | 50% |
| 91029900 | BDP102 LED40/740 II DS PCF SI LS-6 62P | 50% |
| 91030500 | BDP102 LED50/740 II DS PCF SI LS-6 62P | 50% |
| 91031200 | BDP102 LED60/740 II DS PCF SI LS-6 62P | 50% |
| 91035000 | BDP102 LED40/830 II DW PCF SI LS-6 62P | 50% |
| 91036700 | BDP102 LED50/830 II DW PCF SI LS-6 62P | 50% |
| 91037400 | BDP102 LED60/830 II DW PCF SI LS-6 62P | 50% |
| 91041100 | BDP102 LED40/830 II DS PCF SI LS-6 62P | 50% |
| 91042800 | BDP102 LED50/830 II DS PCF SI LS-6 62P | 50% |
| 91043500 | BDP102 LED60/830 II DS PCF SI LS-6 62P | 50% |
| 91067100 | BDP102 LED20/830 DW PCF SI CLO 62P | Not applicable |
| 91068800 | BDP102 LED30/830 DW PCF SI CLO 62P | Not applicable |
| 91069500 | BDP102 LED35/830 DW PCF SI CLO 62P | Not applicable |
| 91070100 | BDP102 LED50/830 DW PCF SI CLO 62P | Not applicable |
| 91071800 | BDP102 LED70/830 DW PCF SI CLO 62P | Not applicable |
| 91075600 | BDP103 LED20/830 DW PCF SI CLO 62P | Not applicable |
| 91077000 | BDP103 LED35/830 DW PCF SI CLO 62P | Not applicable |
| 91078700 | BDP103 LED50/830 DW PCF SI CLO 62P | Not applicable |
| 91081700 | BDP103 LED120/830 DW PCF SI CLO 62P | Not applicable |
| 90623000 | BDP104 LED30/740 II DM PCC SI CLO-LS-8 6 | 50% |
| 34713300 | BDP104 LED70/740 DRW PCC GR D9 62P | 0% (digital) |
| 90624700 | BDP104 LED40/830 II DS PCF SI CLO-LS-8 6 | 50% |
| 90999600 | BDP100 LED40/740 II DW PCF SI LS-6 62P | 50% |
| 91086200 | BDP104 LED50/830 DW PCF SI CLO 62P | Not applicable |
| 91088600 | BDP104 LED100/830 DW PCF SI CLO 62P | Not applicable |

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991089**

**Polar Normal (separate) - BDP100I - 910500991064**

**Polar Normal (separate) - BDP100I - 910500991080**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991074**

**Polar Normal (separate) - BDP100I - 910500991010**

**Polar Normal (separate) - BDP100I - 910500991104**

**Polar Normal (separate) - BDP100I - 910500991136**

**Polar Normal (separate) - BDP100I - 910500991021**

**Polar Normal (separate) - BDP100I - 910500991062**

**Polar Normal (separate) - BDP100I - 910500991085**

**Polar Normal (separate) - BDP100I - 910500991093**

**Polar Normal (separate) - BDP100I - 910500991066**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991073**

**Polar Normal (separate) - BDP100I - 910500991082**

**Polar Normal (separate) - BDP100I - 910500991014**

**Polar Normal (separate) - BDP100I - 910500991090**

**Polar Normal (separate) - BDP100I - 910500991112**

**Polar Normal (separate) - BDP100I - 910500991077**

**Polar Normal (separate) - BDP100I - 910500991024**

**Polar Normal (separate) - BDP100I - 910500991079**

**Polar Normal (separate) - BDP100I - 910500991223**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991103**

**Polar Normal (separate) - BDP100I - 910500991149**

**Polar Normal (separate) - BDP100I - 910500991069**

**Polar Normal (separate) - BDP100I - 910500991084**

**Polar Normal (separate) - BDP100I - 910500991071**

**Polar Normal (separate) - BDP100I - 910500991078**

**Polar Normal (separate) - BDP100I - 910500991081**

**Polar Normal (separate) - BDP100I - 910500991086**

**Polar Normal (separate) - BDP100I - 910500991083**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991096**

**Polar Normal (separate) - BDP100I - 910500991094**

**Polar Normal (separate) - BDP100I - 910500991058**

**Polar Normal (separate) - BDP100I - 910500991139**

**Polar Normal (separate) - BDP100I - 910500991015**

**Polar Normal (separate) - BDP100I - 910500991097**

**Polar Normal (separate) - BDP100I - 910500991025**

**Polar Normal (separate) - BDP100I - 910500991009**

**Polar Normal (separate) - BDP100I - 910500991076**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991057**

**Polar Normal (separate) - BDP100I - 910500991060**

**Polar Normal (separate) - BDP100I - 910500991098**

**Polar Normal (separate) - BDP100I - 910500991087**

**Polar Normal (separate) - BDP100I - 910500991132**

**Polar Normal (separate) - BDP100I - 910500991190**

**Polar Normal (separate) - BDP100I - 910500991063**

**Polar Normal (separate) - BDP100I - 910500991068**

**Polar Normal (separate) - BDP100I - 910500991059**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991128**

**Polar Normal (separate) - BDP100I - 910500991065**

**Polar Normal (separate) - BDP100I - 910500991072**

**Polar Normal (separate) - BDP100I - 910500991101**

**Polar Normal (separate) - BDP100I - 910500991088**

**Polar Normal (separate) - BDP100I - 910500991164**

**Polar Normal (separate) - BDP100I - 910500991061**

**Polar Normal (separate) - BDP100I - 910500991056**

**Polar Normal (separate) - BDP100I - 910500991122**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991091**

**Polar Normal (separate) - BDP100I - 910500991125**

**Polar Normal (separate) - BDP100I - 910500991095**

**Polar Normal (separate) - BDP100I - 910500991129**

**Polar Normal (separate) - BDP100I - 910500991210**

**Polar Normal (separate) - BDP100I - 910500991067**

**Polar Normal (separate) - BDP100I - 910500991121**

**Polar Normal (separate) - BDP100I - 910500991147**

**Polar Normal (separate) - BDP100I - 910500991070**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910500991102**

**Polar Normal (separate) - BDP100I - 910500991117**

**Polar Normal (separate) - BDP100I - 910500991075**

**Polar Normal (separate) - BDP100I - 910500991142**

**Polar Normal (separate) - BDP100I - 910500991138**

**Polar Normal (separate) - BDP100I - 910925866295**

**Polar Normal (separate) - BDP100I - 910925866299**

**Polar Normal (separate) - BDP100I - 910925866304**

**Polar Normal (separate) - BDP100I - 910925863295**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910925866289**

**Polar Normal (separate) - BDP100I - 910925866287**

**Polar Normal (separate) - BDP100I - 910925866298**

**Polar Normal (separate) - BDP100I - 910925866297**

**Polar Normal (separate) - BDP100I - 910925866275**

**Polar Normal (separate) - BDP100I - 910925866278**

**Polar Normal (separate) - BDP100I - 910925867796**

**Polar Normal (separate) - BDP100I - 910925452182**

**Polar Normal (separate) - BDP100I - 910925863304**

## Polar Wide Diagrams

**Polar Normal (separate) - BDP100I - 910925863302**

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.