



Product Description

MASTER HPI Plus

Quartz metal halide lamps with opalized outer bulb

Benefits

- High safety and comfort level, maintained over life
- Minimal maintenance cost
- Initial investment saving options with "Plus"-concept and "S" and "P"-types
- Adjustable atmosphere creation by using appropriate color temperature

Features

- Ovoid, internally white coated outer bulb
- Unique 3-band technology resulting in high luminous efficacy, both initially and over long lifetime
- Available in cool white and daylight color appearance demonstrating good color stability
- "S"-type for direct retrofit for HPL lamps
- "P"-type for use without protective front shield

Application


- High bay lighting, e.g. industrial workshops, exhibition halls, hypermarkets, shopping malls, DIY stores, churches, airports and train stations

MASTER HPI Plus

Versions



Dimensional drawing



Product	D (max)	C (max)
MASTER HPI Plus 250W/667 BU E40 1SL/12	91 mm	226 mm
MASTER HPI Plus 250W/645 BU E40 1SL/12	91 mm	226 mm
MASTER HPI Plus 400W/667 BU E40 1SL/6	122 mm	290 mm
MASTER HPI Plus 400W/645 BU E40 1SL/6	122 mm	290 mm

MASTER HPI Plus

Controls and Dimming

Dimmable	No
----------	----

General Information

Cap-Base	E40
Life To 10% Failures (Nom)	7500 h
Life To 20% Failures (Nom)	11000 h
Life To 50% Failures (Nom)	20000 h
Life To 5% Failures (Nom)	5000 h
LSF 12000 h Rated	76 %
LSF 16000 h Rated	63 %
LSF 2000 h Rated	99 %
LSF 20000 h Rated	50 %
LSF 4000 h Rated	96 %
LSF 6000 h Rated	93 %
LSF 8000 h Rated	88 %
Operating Position	H15
System Description	Base-Up

Luminaire Design Requirements

Bulb Temperature (Max)	350 °C
------------------------	--------

Light Technical

LLMF 12000 h Rated	68 %
LLMF 16000 h Rated	63 %
LLMF 2000 h Rated	90 %
LLMF 20000 h Rated	60 %
LLMF 4000 h Rated	82 %
LLMF 6000 h Rated	77 %
LLMF 8000 h Rated	73 %

Mechanical and Housing

Bulb Finish	Coated
-------------	--------

Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h	Energy	Mercury (Hg) Content (Nom)
			Efficiency Label (EEL)	
18252410	MASTER HPI Plus 400W/645 BU E40 1SL/6	434 kWh	A+	67 mg
20737110	MASTER HPI Plus 400W/667 BU E40 1SL/6	434 kWh	A+	67 mg
18114515	MASTER HPI Plus 250W/645 BU E40 1SL/12	278 kWh	A	47 mg
20739515	MASTER HPI Plus 250W/667 BU E40 1SL/12	278 kWh	A	47 mg

Operating and Electrical (1/2)

Order Code	Full Product Name	Lamp			
		Current (EM) (Nom)	Voltage (Max)	Voltage (Min)	Voltage (Nom)
18252410	MASTER HPI Plus 400W/645 BU E40 1SL/6	3.4 A	135 V	115 V	125 V
20737110	MASTER HPI Plus 400W/667 BU E40 1SL/6	3.4 A	135 V	115 V	125 V

Order Code	Full Product Name	Lamp			
		Current (EM) (Nom)	Voltage (Max)	Voltage (Min)	Voltage (Nom)
18114515	MASTER HPI Plus 250W/645 BU E40 1SL/12	2.2 A	138 V	118 V	128 V
20739515	MASTER HPI Plus 250W/667 BU E40 1SL/12	2.2 A	138 V	118 V	128 V

Operating and Electrical (2/2)

Order Code	Full Product Name	Power (Rated) (Nom)
18252410	MASTER HPI Plus 400W/645 BU E40 1SL/6	395.0 W
20737110	MASTER HPI Plus 400W/667 BU E40 1SL/6	395.0 W

Order Code	Full Product Name	Power (Rated) (Nom)
18114515	MASTER HPI Plus 250W/645 BU E40 1SL/12	253.0 W
20739515	MASTER HPI Plus 250W/667 BU E40 1SL/12	253.0 W

Light Technical (1/2)

MASTER HPI Plus

Order Code	Full Product Name	Chromaticity		Colour	
		Coordinate X (Nom)	Coordinate Y (Nom)	Code	Designation
18252410	MASTER HPI Plus 400W/645 BU E40 1SL/6	367	374	645	Cool White (CW)
20737110	MASTER HPI Plus 400W/667 BU E40 1SL/6	310	341	667	Daylight

Order Code	Full Product Name	Chromaticity		Colour	
		Coordinate X (Nom)	Coordinate Y (Nom)	Code	Designation
18114515	MASTER HPI Plus 250W/645 BU E40 1SL/12	365	363	645	Cool White (CW)
20739515	MASTER HPI Plus 250W/667 BU E40 1SL/12	308	318	667	Daylight

Light Technical (2/2)

Order Code	Full Product Name	Correlated Colour Temperature (Nom)	Colour Rendering Index (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux (Rated) (Nom)	Ratio Scotopic/Photopic Lumens
20737110	MASTER HPI Plus 400W/667 BU E40 1SL/6	6700 K	60	82 lm/W	32500 lm	2.00
18114515	MASTER HPI Plus	4500 K	65	72 lm/W	18000 lm	1.50

Order Code	Full Product Name	Correlated Colour Temperature (Nom)	Colour Rendering Index (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux (Rated) (Nom)	Ratio Scotopic/Photopic Lumens

Mechanical and Housing

Order Code	Full Product Name	Bulb Shape
18252410	MASTER HPI Plus 400W/645 BU E40 1SL/6	BD120
20737110	MASTER HPI Plus 400W/667 BU E40 1SL/6	BD120
18114515	MASTER HPI Plus 250W/645 BU E40 1SL/12	BD90
20739515	MASTER HPI Plus 250W/667 BU E40 1SL/12	BD90

