# **PHILIPS** Lighting



# MASTER LEDspot LV AR111 – Ideal solution for spot lighting in shops

## **MASTER LEDspot LV AR111**

Delivering a warm, halogen-like accent beam, MASTER LEDspot LV AR111 is an ideal retrofit solution for spot and general lighting applications in the hospitality and retail industry. It is particularly suitable for general lighting where the light is on all the time, such as creative accent lighting applications in shops, restaurants, hotels, and especially for galleries, exhibitions and museums. The robustly designed MASTER LEDspot LV AR111 offers various beam angles for a clearly defined beam spread. There is no UV or IR in the beam, making it suitable for illuminating heat-sensitive objects (food, organic materials, paintings, etc.). The patented intelligent driver enables broad compatibility with existing electromagnetic and electronic halogen transformers. MASTER LEDspot LV AR111 delivers huge energy savings and minimises maintenance cost without any reduction in brightness.

#### Benefits

- $\cdot$  Up to 80% energy saving compared with halogen lamps
- $\cdot$  Up to 80% energy saving compared with halogen lamps
- $\cdot$  Broad compatibility with transformers
- $\cdot$  Broad compatibility with transformers
- $\cdot$  Retrofittable
- Retrofittable


#### Features

- $\cdot$  Patented intelligent driver
- $\cdot$  Patented intelligent driver
- Lifetime of 45,000 hours
- Lifetime of 45,000 hours
- $\cdot$  Low energy consumption
- $\cdot$  Low energy consumption
- $\cdot$  Clearly defined beam spread
- $\cdot$  Clearly defined beam spread
- $\cdot$  UV- and IR-free light for less heat and protection for heat-sensitive objects
- $\cdot$  UV- and IR-free light for less heat and protection for heat-sensitive objects

#### Application

- Shops, hotels, restaurants, bars, cafés
- Shops, hotels, restaurants, bars, cafés
- Gallieres, museums, exhibitions, lobbies, corridors, stairwells, washrooms, reception areas
- Gallieres, museums, exhibitions, lobbies, corridors, stairwells, washrooms, reception areas

#### **Dimensional drawing**



Product	D	с
MAS LED ExpertColor 11-50W 927 AR111 40D	111 mm	62 mm
MAS LED ExpertColor 15-75W 927 AR111 24D	111 mm	62 mm
MAS LED ExpertColor 15-75W 930 AR111 24D	111 mm	62 mm
MAS LED ExpertColor 15-75W 930 AR111 40D	111 mm	62 mm

General Information	
Cap-Base	G53
Switching Cycle	50,000
Nominal lifetime	40,000 hour(s)
Light Technical	
Color rendering index (CRI)	97
LLMF At End Of Nominal Lifetime	70 %
(Nom)	
Operating and Electrical	
Input Frequency	– Hz
Line Frequency	– Hz
Starting Time (Nom)	0.5 s
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Shape	AR111

#### Light Technical (1/2)

-	1. 7				
			Correlated Color		
		Beam Angle	Temperature	Color	
Order Code	Full Product Name	(Nom)	(Nom)	Code	Luminous Flux
929002238808	MAS LED ExpertColor	40 degree(s)	2700 K	927	650 lm
	11-50W 927 AR111 40D				
929002239008	MAS LED ExpertColor	24 degree(s)	2700 K	927	950 lm
	15-75W 927 AR111 24D				
929002239108	MAS LED ExpertColor	24 degree(s)	3000 K	930	1,000 lm
	15-75W 930 AR111 24D				
929002239408	MAS LED ExpertColor	40 degree(s)	3000 K	930	1,000 lm
	15-75W 930 AR111 40D				

#### Light Technical (2/2)

		Luminous Intensity
Order Code	Full Product Name	(Nom)
929002238808	MAS LED ExpertColor 11-50W 927 AR111 40D	1,300 cd
929002239008	MAS LED ExpertColor 15-75W 927 AR111 24D	3,500 cd

		Luminous Intensity
Order Code	Full Product Name	(Nom)
929002239108	MAS LED ExpertColor 15-75W 930 AR111 24D	3,500 cd
929002239408	MAS LED ExpertColor 15-75W 930 AR111 40D	1,400 cd

#### **Operating and Electrical**

		Power	Wattage			Power	Wattage
Order Code	Full Product Name	Consumption	Equivalent	Order Code	Full Product Name	Consumption	Equivalent
929002238808	MAS LED ExpertColor 11-50W	11 W	50 W	929002239108	MAS LED ExpertColor 15-75W	15 W	75 W
	927 AR111 40D				930 AR111 24D		
929002239008	MAS LED ExpertColor 15-75W	15 W	75 W	929002239408	MAS LED ExpertColor 15-75W	15 W	75 W
	927 AR111 24D				930 AR111 40D		

#### Temperature


		T-Case Maximum
Order Code	Full Product Name	(Nom)
929002238808	MAS LED ExpertColor 11-50W 927 AR111 40D	70 °C
929002239008	MAS LED ExpertColor 15-75W 927 AR111 24D	74 °C

		T-Case Maximum
Order Code	Full Product Name	(Nom)
929002239108	MAS LED ExpertColor 15-75W 930 AR111 24D	74 °C
929002239408	MAS LED ExpertColor 15-75W 930 AR111 40D	74 °C


#### Approval and Application

		Energy Consumption	
Order Code	Full Product Name	kWh/1000 h	Orde
929002238808	MAS LED ExpertColor 11-50W 927 AR111	13 kWh	9290
	40D		
929002239008	MAS LED ExpertColor 15-75W 927 AR111	17 kWh	9290
	24D		


		Energy Consumption
Order Code	Full Product Name	kWh/1000 h
929002239108	MAS LED ExpertColor 15-75W 930 AR111	17 kWh
	24D	
929002239408	MAS LED ExpertColor 15-75W 930 AR111	17 kWh
	40D	




Accent Diagrams




Accent Diagram - MAS LED ExpertColor 11-50W 927 AR111 40D




Accent Diagram - MAS LED ExpertColor 15-75W 930 AR111 40D







Accent Diagram - MAS LED ExpertColor 15-75W 927 AR111 24D





Accent Diagram - MAS LED ExpertColor 15-75W 930 AR111 24D

#### **Beam Diagrams**











Beam diagram - MAS LED ExpertColor 15-75W 927 AR111 24D



Beam diagram - MAS LED ExpertColor 11-50W 927 AR111 40D





© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.

www.lighting.philips.com 2023, August 2 - data subject to change