


PowerVision – high-performance floodlighting

PowerVision MVF024

PowerVision is a high-performance general-purpose floodlight for sports lighting, general area lighting and facade illumination. This compact luminaire distributes a low-glare, wide, medium or narrow beam evenly, accurately and efficiently. With the MHN-LA 2000W/842 lamp, the natural color rendering (Ra = 80) and comfortable atmosphere (Tc = 4200 K) are well suited to TV and filming. With the MHN-LA 2000W/956 lamp, the highest international CTV requirements (Ra = 90, Tc = 5600 K) are met. A built-in skirt in the reflector assembly minimizes spill light and glare.Intergrated system of optics, gear and lamp in a single housing, ensuring high beam efficiency and a well-controlled beam. Built-in skirt in reflector assembly minimizes spill light and glare. The luminaire's rugged all-weather construction is designed for easy aiming, simple cleaning and speedy servicing.

Faydaları

- High-performance, general-purpose floodlight for sports lighting, general area lighting and facade illumination
- Compact luminaire distributes a low-glare, wide, medium or narrow beam evenly, accurately and efficiently, with minimal spill light and glare
- Available MHN lamps offer natural color rendering and comfortable atmosphere well suited to TV and filming, or even meeting the highest international CTV requirements

Özellikler

- Dayanıklı ve kompakt tüm hava koşullarına uygun yapı
- Tek bir muhafazada entegre optik sistem, tertibat ve ampul
- Az parlayan geniş, orta genişlikte veya dar ışın
- Renksel geriverim: Ra = 80; renk sıcaklığı: 4200 K
- Kolay hedefleme

PowerVision MVF024


Uygulama

- Spor alanları
- Araç park yerleri
- Mimari ışıklandırma
- Endüstriyel alanlar

Versions



ÜRÜN BİLGİLERİ



aksesuarlar

Ordercode 26575900



PowerVision MVF024

Genel Bilgiler	
CE işareti	CE mark
ENEC işareti	ENEC mark
Tertibat	CONV
Işık kaynağı sayısı	1
Ürün Ailesi Kodu	MVF024

Mekanik Ayrıntılar ve Muhafaza	
Renk	-

Genel Bilgiler

Order Code	Full Product Name	Işık kaynağı rengi	Lamba ailesi kodu	Lamba gücü	Optik sistem türü
02744900	MVF024 MHN-LA2000W 400V WB SI	-	MHN-LA	2000 W	Wide beam
54777000	MVF024 HPI-T1000W K 230V NB	-	HPI-T	1000 W	Narrow beam
54779400	MVF024 HPI-T1000W K 230V MB	-	HPI-T	1000 W	Medium beam
54781700	MVF024 HPI-T1000W K 230V WB	-	HPI-T	1000 W	Wide beam
54782400	MVF024 MHN-LA2000W/842 400V NB SI	842 nötr beyaz	MHN-LA	2000 W	Narrow beam
54783100	MVF024 MHN-LA2000W/842 400V MB SI	842 nötr beyaz	MHN-LA	2000 W	Medium beam
54784800	MVF024 MHN-LA2000W/842 400V WB SI	842 nötr beyaz	MHN-LA	2000 W	Wide beam
29137700	MVF024 MHN-FC2000W/740 400V NB SI	740 nötr beyaz	MHN-FC	2000 W	Narrow beam
29138400	MVF024 MHN-FC2000W/740 400V MB SI	740 nötr beyaz	MHN-FC	2000 W	Medium beam
29139100	MVF024 MHN-FC2000W/740 400V WB SI	740 nötr beyaz	MHN-FC	2000 W	Wide beam
29252700	MVF024 MHN-FC1000W/740 230V NB SI	740 nötr beyaz	MHN-FC	1000 W	Narrow beam
29253400	MVF024 MHN-FC1000W/740 230V MB SI	740 nötr beyaz	MHN-FC	1000 W	Medium beam
29254100	MVF024 MHN-FC1000W/740 230V WB SI	740 nötr beyaz	MHN-FC	1000 W	Wide beam
41629600	MVF024 SON-T1000W WB SI	-	SON-T	1000 W	Wide beam
41630200	MVF024 SON-T1000W MB SI	-	SON-T	1000 W	Medium beam
41632600	MVF024 SON-T1000W K WB SI	-	SON-T	1000 W	Wide beam
41633300	MVF024 SON-T1000W K MB SI	-	SON-T	1000 W	Medium beam
41634000	MVF024 SON-T1000W K NB SI	-	SON-T	1000 W	Narrow beam

© 2018 Philips Lighting Holding B.V. Tüm hakları saklıdır. Teknik özellikler önceden bildirilmeksizin değiştirilebilir. Ticari markalar Philips Lighting Holding B.V. veya ilgili sahiplerine aittir.