

ComfortVision – asymmetric downlighting

ComfortVision SNF111

ComfortVision is a high-efficiency, asymmetric floodlight, distributing a low-glare beam evenly and accurately. It can accommodate metal-halide lamps for good color rendering or a high-pressure sodium lamp for economical performance. Available in medium- or narrow-beam versions, the floodlight accepts a single 1000 or two 400 or 600 W lamps. The twin-lamp version offers switching flexibility that permits tailoring to the user's needs while allowing energy savings. ComfortVision's rugged all-weather construction is designed for easy aiming, simple cleaning and speedy servicing. For optimal downlighting, the luminaire should be mounted horizontally at a height of 15-25 meters. It has an adjustment range of $\pm 12^\circ$ from the horizontal. A universal mounting bracket allows mounting to headframes, ceilings and walls.

Benefits

- High-efficiency asymmetrical floodlight that distributes a low-glare beam evenly and accurately
- Maximum flexibility with a choice of medium- or narrow-beam versions and a single 1000 W or two switchable 400 or 600 W lamps
- Rugged, all-weather construction designed for easy aiming, simple cleaning and speedy servicing

Features

- Rugged, all-weather construction
- Single 1000 W or two switchable 400 or 600 W lamps
- Medium or narrow beam
- Adjustment range of $\pm 12^\circ$ from the horizontal
- Universal mounting bracket

ComfortVision SNF111

Application

- Industrial areas
- Roundabouts
- Car parks
- Sports lighting

Specifications


Aiming Horizontal	to °
Aiming Vertical	to °
Ballast	Conventional (CONV)
Material of Bracket	Bracket:
Material of Gear box	Gear box:

Material	Housing:
Material of Reflector	Reflector:
Material	:
Material	:

Versions



Product details



General Information	
CE mark	CE mark
ENEC mark	-
Gear	CONV
Lamp family code	SON-T
Product Family Code	SNF111

General Information

ComfortVision SNF111

Order Code	Full Product Name	Lamp power	Number of light		Optic type
			sources		
910403929212	SNF111 1xSON-T1000W MB	1000 W	1		Medium beam
	SI				
910403929512	SNF111 2XSON-T400W NB	400 W	2		Narrow beam
	SI				

Order Code	Full Product Name	Lamp power	Number of light		Optic type
			sources		
910403929612	SNF111 2xSON-T400W MB	400 W	2		Medium beam
	SI				

