



ProLux – saving without impact

ProLux TPS550 C

In industry, the bottom line is affected by a whole host of factors – worker productivity, running costs and maintenance, to name just a few. In today's economic environment, with margins under pressure, all businesses operating high-bay facilities are faced with the pressing need to save energy. Our ProLux high-bay solution is a direct replacement for current HID high-bay systems and enables significant energy savings. The combination of robust housing, high-reflectance material and specially designed reflector add up to a high-efficiency luminaire that can help drive profitability by improving energy efficiency.

优点

- Maximum energy saving
- Easy maintenance
- Flexibility in design and installation

特点

- Saves 45% energy compared with HID
- High-output lamps and optics
- Uniform light levels for visual comfort
- Choice of three beams
- Pipe/surface/suspended versions
- Responsive system – on/off with no run-up times
- Integrated system – all Philips components
- Easy to maintain

应用

- Warehouses and distribution centers
- Light industry and assembly halls

ProLux TPS550 C

Versions



产品详细



| | |
|--------|-----------|
| 運作和電氣 | |
| 輸入電壓 | 220-240 V |
| 基本資訊 | |
| 裝置 | HFP |
| 燈具系列代碼 | TL5 |
| 燈具功率 | 54 W |
| 機械和殼體 | |
| 色彩 | WH |

基本資訊

ProLux TPS550 C

| Order Code | Full Product Name | 光源數 | 光學裝置類型 |
|--------------|-------------------------|-----|--------|
| 910403630502 | TPS550 4XTL5-54W HFP MB | 4 | MB |

| Order Code | Full Product Name | 光源數 | 光學裝置類型 |
|--------------|-------------------------|-----|--------|
| 910403630503 | TPS550 6XTL5-54W HFP NB | 6 | NB |

