



The right fit for your high-output applications.

Centium T12HO

No matter what the conditions require, operating at a variety of line voltages between 120V to 480V, whether located in high ambient temperature environments (requiring a 90° C rating) or not, our family of Philips Advance Centium ballasts are ideal for a wide variety of applications.

Benefits

- IntelliVolt versions now available, 1/2-lamp operation of 8' 95/110W T12 slimline lamps
- Improved efficiency over magnetic counterparts
- · Lighter weight with the same mounting and wiring configuration

Features

- IntelliVolt (120-277V) input voltage range
- \cdot 1 or 2 Lamp operation

Application

• Retail, commercial, institutional and industrial applications including; schools, offices, specialty & department stores, warehouses and manufacturing


Centium T12HO

Versions



ICN2S110SC35I

Dimensional drawing



| Product | A1 | A2 | B1 | C1 |
|--|--------|---------|--------|---------|
| CENTIUM ELE BALLAST (2) F96T12/HO 120-277V | 9.5 in | 8.90 in | 1.7 in | 1.18 in |
| CENTIUM ELE BALLAST (2) F96T12/HO 120-277V | 9.5 in | 8.90 in | 1.7 in | 1.18 in |



© 2019 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.

www.lighting.philips.com 2019, March 22 - data subject to change