CoreLine Waterproof – the clear choice for LED

CoreLine Waterproof

Whether for a new building or renovation of an existing space, customers want lighting solutions that provide quality of light and substantial energy and maintenance savings. The new CoreLine Waterproof range of LED products can be used to replace traditional waterproof luminaires with fluorescent lamps. The process of selecting, installing and maintaining is so easy – it's a simple switch.

Benefits

- Up to 50% energy savings compared with TL-D
- Reliable LED technology – maintenance-free
- Direct replacement for conventional waterproof luminaires in terms of light performance, installation flexibility and length

Features

- Reliable integrated LED technology, ensuring maintenance-free installation and a long lifetime
- Can be used to replace traditional waterproof luminaires ranging from 18 to 58 W TL-D
- Wide-beam light distribution
- Diffuser with optical element ensures visual comfort
- Ceiling-mounted bracket and suspension hooks included; installation can be made vandal-proof by additional screw fixation of mounting brackets

Application

- Parking garages
- Warehouses
- General lighting

Warnings and Safety

- UV radiation will damage the material over time resulting in loss of waterproof sealing and IP66 rating.
- Do not install the luminaire in locations where it will be exposed to direct sunlight.

Versions

CoreLine waterproof All in L1200

Dimensional drawing







Product details

CoreLine waterproof All in L1500

CoreLine Waterproof WT120C G2 PCU-7DPP



CoreLine waterproof All in, WT120C G2, easy lumen switch

CoreLine Waterproof WT120C G2 PCU-3DPP

CoreLine Waterproof WT120C G2 PCU-10DPP

CoreLine Waterproof WT120C G2 PCU-9DPP

CoreLine Waterproof WT120C G2 PCU-12DPP

CoreLine waterproof G2 (WT120C G2),MDU, Motion Detection Unit

Product details



CoreLine Waterproof WT120C G2 PCU-2DPP



CoreLine Waterproof WT120C G2 PCU-13DPP

CoreLine Waterproof WT120C G2 PCU-8DPP



CoreLine waterproof G2 (WT120C G2),MDU, Motion Detection Unit

CoreLine Waterproof WT120C G2 PCU-11DPP

CoreLine waterproof G2 (WT120C G2),Emergency lighting, TrustSight

General Information

CE mark	CE mark
Driver included	Yes
ENEC mark	ENEC mark
Glow-wire test	Temperature 850 °C, duration 30 s
Light source replaceable	No
Number of gear units	1 unit

Light Technical

Color rendering index (CRI)	>80
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1

Operating and Electrical

Line Frequency	50 or 60 Hz

Approval and Application

Protection class IEC	Safety class I
Mech. impact protection code	IK08
Ingress protection code	IP65

Initial Performance (IEC Compliant)

Luminous flux tolerance	+/-10%

General Information (1/2)

Order Code	Full Product Name	Type of emergency lighting battery	Flammability mark	Lamp family code	Embedded control
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	For mounting on easily flammable surfaces	LED27S	-
96248700	WT120C G2 LED27S/840 PSU MDU L1200	-	For mounting on easily flammable surfaces	LED27S	Movement and light sensor (On/Off)
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	-	For mounting on easily flammable surfaces	LED27S	Movement and light sensor (On/Off)
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	Lithium	For mounting on easily flammable surfaces	LED27S	-
88307500	WT120C G2 LED27S/840 PSD L1200	-	For mounting on easily flammable surfaces	LED27S	-
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	Lithium	For mounting on easily flammable surfaces	LED27S	-
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	For mounting on easily flammable surfaces	LED40S	-
96256200	WT120C G2 LED40S/840 PSU MDU L1200	-	For mounting on easily flammable surfaces	LED40S	Movement and light sensor (On/Off)
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	-	For mounting on easily flammable surfaces	LED40S	Movement and light sensor (On/Off)
16316700	WT120C G2 LED40S/840 PSU WEC L1200	-	For mounting on easily flammable surfaces	LED40S	-
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	-	For mounting on easily flammable surfaces	LED40S	-
88309900	WT120C G2 LED40S/840 PSD L1200	-	For mounting on easily flammable surfaces	LED40S	-
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	Lithium	For mounting on easily flammable surfaces	LED40S	-
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	Lithium	For mounting on easily flammable surfaces	LED40S	Movement and light sensor (On/Off)
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	Lithium	For mounting on easily flammable surfaces	LED40S	-
97576000	WT120C G2 LED40S/840 WIA L1200	-	For mounting on easily flammable surfaces	-	-
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	Lithium	For mounting on easily flammable surfaces	-	-
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-	For mounting on easily flammable surfaces	-	-
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	For mounting on easily flammable surfaces	-	-
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	For mounting on easily flammable surfaces	-	-
84046600	WT120C G2 LED27S/840 PSU L1200	-	For mounting on easily flammable surfaces	-	-

Order Code	Full Product Name	Type of emergency lighting battery	Flammability mark	Lamp family code	Embedded control
84048000	WT120C G2 LED40S/840 PSU L1200	-	For mounting on easily flammable surfaces	-	-
36933499	WT120C G2 LED40S/865 PSU L1200	-	For mounting on easily flammable surfaces	-	-
36936599	WT120C G2 LED37S/830 PSU L1200	-	For mounting on easily flammable surfaces	-	-
34976399	WT120C G2 LED18S/840 PSU PCO L600	-	For mounting on easily flammable surfaces	-	-
34977099	WT120C G2 LED25S/840 PSU PCO L1200	-	For mounting on easily flammable surfaces	-	-
34978799	WT120C G2 LED31S/840 PSU PCO L1500	-	For mounting on easily flammable surfaces	-	-
34979499	WT120C G2 LED37S/840 PSU PCO L1200	-	For mounting on easily flammable surfaces	-	-
34980099	WT120C G2 LED57S/840 PSU PCO L1500	-	For mounting on easily flammable surfaces	-	-
34981799	WT120C G2 LED75S/840 PSU PCO L1500	-	For mounting on easily flammable surfaces	-	-
50019899	WT120C G2 LED27_45S/840 PSU L1200	-	For mounting on normally flammable surfaces	-	-
96244900	WT120C G2 LED19S/840 PSU MDU L600	-	For mounting on easily flammable surfaces	LED27S	Movement and light sensor (On/Off)
88306800	WT120C G2 LED19S/840 PSD L600	-	For mounting on easily flammable surfaces	LED19S	-
84045900	WT120C G2 LED19S/840 PSU L600	-	For mounting on easily flammable surfaces	-	-
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	For mounting on easily flammable surfaces	LED34S	-
96267800	WT120C G2 LED34S/840 PSU MDU L1500	-	For mounting on easily flammable surfaces	LED34S	Movement and light sensor (On/Off)
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	-	For mounting on easily flammable surfaces	LED34S	Movement and light sensor (On/Off)
88308200	WT120C G2 LED34S/840 PSD L1500	-	For mounting on easily flammable surfaces	LED34S	-
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	Lithium	For mounting on easily flammable surfaces	LED34S	-
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	Lithium	For mounting on easily flammable surfaces	LED34S	Movement and light sensor (On/Off)
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	Lithium	For mounting on easily flammable surfaces	LED34S	-
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	For mounting on easily flammable surfaces	LED60S	-

Order Code	Full Product Name	Type of emergency lighting battery	Flammability mark	Lamp family code	Embedded control
96275300	WT120C G2 LED60S/840 PSU MDU L1500	-	For mounting on easily flammable surfaces	LED60S	Movement and light sensor (On/Off)
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	-	For mounting on easily flammable surfaces	LED60S	Movement and light sensor (On/Off)
16318100	WT120C G2 LED60S/840 PSU WEC L1500	-	For mounting on easily flammable surfaces	LED60S	-
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	-	For mounting on easily flammable surfaces	LED60S	-
88310500	WT120C G2 LED60S/840 PSD L1500	-	For mounting on easily flammable surfaces	LED60S	-
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	Lithium	For mounting on easily flammable surfaces	LED60S	-
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	Lithium	For mounting on easily flammable surfaces	LED60S	Movement and light sensor (On/Off)
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	Lithium	For mounting on easily flammable surfaces	LED60S	-
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	For mounting on easily flammable surfaces	LED80S	-
96286900	WT120C G2 LED80S/840 PSU MDU L1500	-	For mounting on easily flammable surfaces	LED80S	Movement and light sensor (On/Off)
40929600	WT120C G2 LED80S/840 PSD L1500	-	For mounting on easily flammable surfaces	LED80S	-
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	Lithium	For mounting on easily flammable surfaces	LED80S	-
97578400	WT120C G2 LED65S/840 WIA L1500	-	For mounting on easily flammable surfaces	-	-
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	Lithium	For mounting on easily flammable surfaces	-	-
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	-	For mounting on easily flammable surfaces	-	-
96534800	WT120C G2 LED80S/840 WIA L1500	-	For mounting on easily flammable surfaces	-	-
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	Lithium	For mounting on easily flammable surfaces	-	-
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	-	For mounting on easily flammable surfaces	-	-
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	For mounting on easily flammable surfaces	-	-
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	For mounting on easily flammable surfaces	-	-
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	For mounting on easily flammable surfaces	-	-
84047300	WT120C G2 LED34S/840 PSU L1500	-	For mounting on easily flammable surfaces	-	-

Order Code	Full Product Name	Type of emergency lighting battery	Flammability mark	Lamp family code	Embedded control
84049700	WT120C G2 LED60S/840 PSU L1500	-	For mounting on easily flammable surfaces	-	-
40928900	WT120C G2 LED80S/840 PSU L1500	-	For mounting on easily flammable surfaces	-	-
36934199	WT120C G2 LED34S/865 PSU L1500	-	For mounting on easily flammable surfaces	-	-
36935899	WT120C G2 LED60S/865 PSU L1500	-	For mounting on easily flammable surfaces	-	-
36937299	WT120C G2 LED55S/830 PSU L1500	-	For mounting on easily flammable surfaces	-	-

General Information (2/2)

Order Code	Full Product Name	Product family code	Service tag
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	WT130C	Yes
96248700	WT120C G2 LED27S/840 PSU MDU L1200	WT130C	Yes
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	WT130C	Yes
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	WT130C	Yes
88307500	WT120C G2 LED27S/840 PSD L1200	WT130C	Yes
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	WT130C	Yes
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	WT130C	Yes
96256200	WT120C G2 LED40S/840 PSU MDU L1200	WT130C	Yes
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	WT130C	Yes
16316700	WT120C G2 LED40S/840 PSU WEC L1200	WT130C	Yes
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	WT130C	Yes
88309900	WT120C G2 LED40S/840 PSD L1200	WT130C	Yes
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	WT130C	Yes
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	WT130C	Yes
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	WT130C	Yes
97576000	WT120C G2 LED40S/840 WIA L1200	WT130C	-
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	WT130C	-
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	WT130C	-
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	-
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	-
84046600	WT120C G2 LED27S/840 PSU L1200	-	Yes
84048000	WT120C G2 LED40S/840 PSU L1200	-	Yes
36933499	WT120C G2 LED40S/865 PSU L1200	-	-
36936599	WT120C G2 LED37S/830 PSU L1200	-	-
34976399	WT120C G2 LED18S/840 PSU PCO L600	-	Yes
34977099	WT120C G2 LED25S/840 PSU PCO L1200	-	Yes
34978799	WT120C G2 LED31S/840 PSU PCO L1500	-	Yes
34979499	WT120C G2 LED37S/840 PSU PCO L1200	-	Yes
34980099	WT120C G2 LED57S/840 PSU PCO L1500	-	Yes
34981799	WT120C G2 LED75S/840 PSU PCO L1500	-	Yes
50019899	WT120C G2 LED27_45S/840 PSU L1200	-	No
96244900	WT120C G2 LED19S/840 PSU MDU L600	WT130C	Yes
88306800	WT120C G2 LED19S/840 PSD L600	WT130C	Yes

Order Code	Full Product Name	Product family code	Service tag
84045900	WT120C G2 LED19S/840 PSU L600	-	Yes
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	WT130C	Yes
96267800	WT120C G2 LED34S/840 PSU MDU L1500	WT130C	Yes
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	WT130C	Yes
88308200	WT120C G2 LED34S/840 PSD L1500	WT130C	Yes
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	WT130C	Yes
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	WT130C	Yes
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	WT130C	Yes
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	WT130C	Yes
96275300	WT120C G2 LED60S/840 PSU MDU L1500	WT130C	Yes
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	WT130C	Yes
16318100	WT120C G2 LED60S/840 PSU WEC L1500	WT130C	Yes
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	WT130C	Yes
88310500	WT120C G2 LED60S/840 PSD L1500	WT130C	Yes
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	WT130C	Yes
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	WT130C	Yes
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	WT130C	Yes
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	WT130C	Yes
96286900	WT120C G2 LED80S/840 PSU MDU L1500	WT130C	Yes
40929600	WT120C G2 LED80S/840 PSD L1500	WT130C	Yes
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	WT130C	Yes
97578400	WT120C G2 LED65S/840 WIA L1500	WT130C	-
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	WT130C	-
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	WT130C	-
96534800	WT120C G2 LED80S/840 WIA L1500	WT130C	-
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	WT130C	-
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	WT130C	-
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	-
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	-
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	-
84047300	WT120C G2 LED34S/840 PSU L1500	-	Yes
84049700	WT120C G2 LED60S/840 PSU L1500	-	Yes
40928900	WT120C G2 LED80S/840 PSU L1500	-	Yes

Order Code	Full Product Name	Product family code	Service tag
36934199	WT120C G2 LED34S/865 PSU L1500	-	-
36935899	WT120C G2 LED60S/865 PSU L1500	-	-

Order Code	Full Product Name	Product family code	Service tag
36937299	WT120C G2 LED55S/830 PSU L1500	-	-

Light Technical (1/2)

Order Code	Full Product Name	"All-in" Type	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	4000 K	126 lm/W	2,700 lm
96248700	WT120C G2 LED27S/840 PSU MDU L1200	-	4000 K	123 lm/W	2,700 lm
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	-	4000 K	123 lm/W	2,700 lm
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	-	4000 K	104 lm/W	2,700 lm
88307500	WT120C G2 LED27S/840 PSD L1200	-	4000 K	123 lm/W	2,700 lm
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	-	4000 K	100 lm/W	2,700 lm
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	4000 K	133 lm/W	4,000 lm
96256200	WT120C G2 LED40S/840 PSU MDU L1200	-	4000 K	131 lm/W	4,000 lm
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	-	4000 K	133 lm/W	4,000 lm
16316700	WT120C G2 LED40S/840 PSU WEC L1200	-	4000 K	138 lm/W	4,000 lm
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	-	4000 K	136 lm/W	4,000 lm
88309900	WT120C G2 LED40S/840 PSD L1200	-	4000 K	131 lm/W	4,000 lm
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	-	4000 K	121 lm/W	4,000 lm
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	-	4000 K	114 lm/W	4,000 lm

Order Code	Full Product Name	"All-in" Type	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	-	4000 K	113 lm/W	4,000 lm
97576000	WT120C G2 LED40S/840 WIA L1200	-	4000 K	133 lm/W	4,000 lm
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	-	4000 K	121 lm/W	4,000 lm
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-	4000 K	133 lm/W	4,000 lm
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	4000 K	131 lm/W	2,700 lm
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	4000 K	140 lm/W	4,000 lm
84046600	WT120C G2 LED27S/840 PSU L1200	-	4000 K	132 lm/W	2,700 lm
84048000	WT120C G2 LED40S/840 PSU L1200	-	4000 K	140 lm/W	4,000 lm
36933499	WT120C G2 LED40S/865 PSU L1200	-	6500 K	140 lm/W	4,000 lm
36936599	WT120C G2 LED37S/830 PSU L1200	-	3000 K	130 lm/W	3,700 lm
34976399	WT120C G2 LED18S/840 PSU PCO L600	-	4000 K	121 lm/W	1,800 lm
34977099	WT120C G2 LED25S/840 PSU PCO L1200	-	4000 K	122 lm/W	2,500 lm
34978799	WT120C G2 LED31S/840 PSU PCO L1500	-	4000 K	128 lm/W	3,100 lm
34979499	WT120C G2 LED37S/840 PSU PCO L1200	-	4000 K	130 lm/W	3,700 lm

CoreLine Waterproof

Order Code	Full Product Name	"All-in" Type	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
34980099	WT120C G2 LED57S/840 PSU PCO L1500	-	4000 K	133 lm/W	5,700 lm
34981799	WT120C G2 LED75S/840 PSU PCO L1500	-	4000 K	131 lm/W	7,500 lm
50019899	WT120C G2 LED27_45S/840 PSU L1200	"All-in" Multi Lumen	4000 K	141 lm/W	2,700 lm
96244900	WT120C G2 LED19S/840 PSU MDU L600	-	4000 K	116 lm/W	1,900 lm
88306800	WT120C G2 LED19S/840 PSD L600	-	4000 K	115 lm/W	1,900 lm
84045900	WT120C G2 LED19S/840 PSU L600	-	4000 K	127 lm/W	1,900 lm
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	4000 K	133 lm/W	3,400 lm
96267800	WT120C G2 LED34S/840 PSU MDU L1500	-	4000 K	131 lm/W	3,400 lm
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	-	4000 K	131 lm/W	3,400 lm
88308200	WT120C G2 LED34S/840 PSD L1500	-	4000 K	131 lm/W	3,400 lm
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	-	4000 K	113 lm/W	3,400 lm
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	-	4000 K	110 lm/W	3,400 lm
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	-	4000 K	110 lm/W	3,400 lm
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	4000 K	135 lm/W	6,000 lm
96275300	WT120C G2 LED60S/840 PSU MDU L1500	-	4000 K	133 lm/W	6,000 lm
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	-	4000 K	133 lm/W	6,000 lm

Order Code	Full Product Name	"All-in" Type	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
16318100	WT120C G2 LED60S/840 PSU WEC L1500	-	4000 K	135 lm/W	6,000 lm
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	-	4000 K	136 lm/W	6,000 lm
88310500	WT120C G2 LED60S/840 PSD L1500	-	4000 K	133 lm/W	6,000 lm
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	-	4000 K	121 lm/W	6,000 lm
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	-	4000 K	120 lm/W	6,000 lm
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	-	4000 K	121 lm/W	6,000 lm
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	4000 K	133 lm/W	8,000 lm
96286900	WT120C G2 LED80S/840 PSU MDU L1500	-	4000 K	131 lm/W	8,000 lm
40929600	WT120C G2 LED80S/840 PSD L1500	-	4000 K	129 lm/W	8,000 lm
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	-	4000 K	126 lm/W	8,000 lm
97578400	WT120C G2 LED65S/840 WIA L1500	-	4000 K	144 lm/W	6,500 lm
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	-	4000 K	135 lm/W	6,500 lm
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	-	4000 K	141 lm/W	6,500 lm
96534800	WT120C G2 LED80S/840 WIA L1500	-	4000 K	131 lm/W	8,000 lm
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	-	4000 K	119 lm/W	8,000 lm
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	-	4000 K	133 lm/W	8,000 lm

Order Code	Full Product Name	"All-in" Type	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	4000 K	138 lm/W	3,400 lm
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	4000 K	139 lm/W	6,000 lm
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	4000 K	140 lm/W	8,000 lm
84047300	WT120C G2 LED34S/840 PSU L1500	-	4000 K	140 lm/W	3,400 lm
84049700	WT120C G2 LED60S/840 PSU L1500	-	4000 K	140 lm/W	6,000 lm

Order Code	Full Product Name	"All-in" Type	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux
40928900	WT120C G2 LED80S/840 PSU L1500	-	4000 K	140 lm/W	8,000 lm
36934199	WT120C G2 LED34S/865 PSU L1500	-	6500 K	139 lm/W	3,400 lm
36935899	WT120C G2 LED60S/865 PSU L1500	-	6500 K	140 lm/W	6,000 lm
36937299	WT120C G2 LED55S/830 PSU L1500	-	3000 K	128 lm/W	5,500 lm

Light Technical (2/2)

Order Code	Full Product Name	Optic type	Stroboscopic effect visibility measure (SVM)
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	Wide beam	1.6
96248700	WT120C G2 LED27S/840 PSU MDU L1200	Wide beam	1.6
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	Wide beam	1.6
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	Wide beam	1.6
88307500	WT120C G2 LED27S/840 PSD L1200	Wide beam	1.6
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	Wide beam	1.6
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	Wide beam	1.6
96256200	WT120C G2 LED40S/840 PSU MDU L1200	Wide beam	1.6
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	Wide beam	1.6
16316700	WT120C G2 LED40S/840 PSU WEC L1200	Wide beam	1.6
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	Wide beam	1.6
88309900	WT120C G2 LED40S/840 PSD L1200	Wide beam	1.6
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	Wide beam	1.6
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	Wide beam	1.6
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	Wide beam	1.6

Order Code	Full Product Name	Optic type	Stroboscopic effect visibility measure (SVM)
97576000	WT120C G2 LED40S/840 WIA L1200	Wide beam	1.6
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	Wide beam	1.6
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	Wide beam	1.6
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	Beam angle 110°	1.6
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	Beam angle 110°	1.6
84046600	WT120C G2 LED27S/840 PSU L1200	Wide beam	1.6
84048000	WT120C G2 LED40S/840 PSU L1200	Wide beam	1.6
36933499	WT120C G2 LED40S/865 PSU L1200	Wide beam	1.6
36936599	WT120C G2 LED37S/830 PSU L1200	Wide beam	1.6
34976399	WT120C G2 LED18S/840 PSU PCO L600	Very wide beam	1.6
34977099	WT120C G2 LED25S/840 PSU PCO L1200	Very wide beam	1.6
34978799	WT120C G2 LED31S/840 PSU PCO L1500	Very wide beam	1.6
34979499	WT120C G2 LED37S/840 PSU PCO L1200	Very wide beam	1.6
34980099	WT120C G2 LED57S/840 PSU PCO L1500	Very wide beam	1.6
34981799	WT120C G2 LED75S/840 PSU PCO L1500	Very wide beam	1.6
50019899	WT120C G2 LED27_45S/840 PSU L1200	Symmetrical	0.4

CoreLine Waterproof

Order Code	Full Product Name	Optic type	Stroboscopic effect visibility measure (SVM)
96244900	WT120C G2 LED19S/840 PSU MDU L600	Wide beam	1.6
88306800	WT120C G2 LED19S/840 PSD L600	Wide beam	1.6
84045900	WT120C G2 LED19S/840 PSU L600	Wide beam	1.6
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	Wide beam	1.6
96267800	WT120C G2 LED34S/840 PSU MDU L1500	Wide beam	1.6
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	Wide beam	1.6
88308200	WT120C G2 LED34S/840 PSD L1500	Wide beam	1.6
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	Wide beam	1.6
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	Wide beam	1.6
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	Wide beam	1.6
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	Wide beam	1.6
96275300	WT120C G2 LED60S/840 PSU MDU L1500	Wide beam	1.6
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	Wide beam	1.6
16318100	WT120C G2 LED60S/840 PSU WEC L1500	Wide beam	1.6
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	Wide beam	1.6
88310500	WT120C G2 LED60S/840 PSD L1500	Wide beam	1.6
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	Wide beam	1.6
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	Wide beam	1.6

Order Code	Full Product Name	Optic type	Stroboscopic effect visibility measure (SVM)
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	Wide beam	1.6
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	Wide beam	1.6
96286900	WT120C G2 LED80S/840 PSU MDU L1500	Wide beam	1.6
40929600	WT120C G2 LED80S/840 PSD L1500	Wide beam	1.6
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	Wide beam	1.6
97578400	WT120C G2 LED65S/840 WIA L1500	Wide beam	1.6
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	Wide beam	1.6
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	Wide beam	1.6
96534800	WT120C G2 LED80S/840 WIA L1500	Wide beam	1.6
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	Wide beam	1.6
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	Wide beam	1.6
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	Beam angle 110°	1.6
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	Beam angle 110°	1.6
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	Beam angle 110°	1.6
84047300	WT120C G2 LED34S/840 PSU L1500	Wide beam	1.6
84049700	WT120C G2 LED60S/840 PSU L1500	Wide beam	1.6
40928900	WT120C G2 LED80S/840 PSU L1500	Wide beam	1.6
36934199	WT120C G2 LED34S/865 PSU L1500	Wide beam	1.6
36935899	WT120C G2 LED60S/865 PSU L1500	Wide beam	1.6
36937299	WT120C G2 LED55S/830 PSU L1500	Wide beam	1.6

Operating and Electrical

Order Code	Full Product Name	Input Voltage	Power Consumption
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	220 to 240 V	21.5 W
96248700	WT120C G2 LED27S/840 PSU MDU L1200	220 to 240 V	22 W
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	220 to 240 V	22 W
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	220 to 240 V	26 W
88307500	WT120C G2 LED27S/840 PSD L1200	220 to 240 V	22 W
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	220 to 240 V	27 W
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	220 to 240 V	30 W

Order Code	Full Product Name	Input Voltage	Power Consumption
96256200	WT120C G2 LED40S/840 PSU MDU L1200	220 to 240 V	30.5 W
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	220 to 240 V	30 W
16316700	WT120C G2 LED40S/840 PSU WEC L1200	220 to 240 V	29 W
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	220 to 240 V	29.5 W
88309900	WT120C G2 LED40S/840 PSD L1200	220 to 240 V	30.5 W
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	220 to 240 V	33 W
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	220 to 240 V	35 W

Order Code	Full Product Name	Input Voltage	Power Consumption
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	220 to 240 V	35.5 W
97576000	WT120C G2 LED40S/840 WIA L1200	220 to 240 V	30 W
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	220 to 240 V	33 W
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	220 to 240 V	30 W
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	220 to 240 V	20.5 W
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	220 to 240 V	28.5 W
84046600	WT120C G2 LED27S/840 PSU L1200	220 to 240 V	20.5 W
84048000	WT120C G2 LED40S/840 PSU L1200	220 to 240 V	28.6 W
36933499	WT120C G2 LED40S/865 PSU L1200	220 to 240 V	28.5 W
36936599	WT120C G2 LED37S/830 PSU L1200	220 to 240 V	28.5 W
34976399	WT120C G2 LED18S/840 PSU PCO L600	220 to 240 V	15 W
34977099	WT120C G2 LED25S/840 PSU PCO L1200	220 to 240 V	20.5 W
34978799	WT120C G2 LED31S/840 PSU PCO L1500	220 to 240 V	24.3 W
34979499	WT120C G2 LED37S/840 PSU PCO L1200	220 to 240 V	28.6 W
34980099	WT120C G2 LED57S/840 PSU PCO L1500	220 to 240 V	42.9 W
34981799	WT120C G2 LED75S/840 PSU PCO L1500	220 to 240 V	57.1 W
50019899	WT120C G2 LED27_45S/840 PSU L1200	220 to 240 V	32 W
96244900	WT120C G2 LED19S/840 PSU MDU L600	220 to 240 V	16.4 W
88306800	WT120C G2 LED19S/840 PSD L600	220 to 240 V	16.5 W
84045900	WT120C G2 LED19S/840 PSU L600	220 to 240 V	15 W
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	220 to 240 V	25.5 W
96267800	WT120C G2 LED34S/840 PSU MDU L1500	220 to 240 V	26 W
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	220 to 240 V	26 W
88308200	WT120C G2 LED34S/840 PSD L1500	220 to 240 V	26 W
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	220 to 240 V	30 W
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	220 to 240 V	31 W
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	220 to 240 V	31 W

Order Code	Full Product Name	Input Voltage	Power Consumption
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	220 to 240 V	44.5 W
96275300	WT120C G2 LED60S/840 PSU MDU L1500	220 to 240 V	45 W
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	220 to 240 V	45 W
16318100	WT120C G2 LED60S/840 PSU WEC L1500	220 to 240 V	44.5 W
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	220 to 240 V	44 W
88310500	WT120C G2 LED60S/840 PSD L1500	220 to 240 V	45 W
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	220 to 240 V	49.5 W
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	220 to 240 V	50 W
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	220 to 240 V	49.5 W
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	220 to 240 V	60 W
96286900	WT120C G2 LED80S/840 PSU MDU L1500	220 to 240 V	61 W
40929600	WT120C G2 LED80S/840 PSD L1500	220 to 240 V	62 W
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	220 to 240 V	63.5 W
97578400	WT120C G2 LED65S/840 WIA L1500	220 to 240 V	45 W
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	220 to 240 V	48 W
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	220 to 240 V	46 W
96534800	WT120C G2 LED80S/840 WIA L1500	220-240 V	61 W
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	220-240 V	67 W
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	220-240 V	60 W
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	220 to 240 V	24.5 W
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	220 to 240 V	43 W
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	220 to 240 V	57 W
84047300	WT120C G2 LED34S/840 PSU L1500	220 to 240 V	24.3 W
84049700	WT120C G2 LED60S/840 PSU L1500	220 to 240 V	42.9 W
40928900	WT120C G2 LED80S/840 PSU L1500	220 to 240 V	57.1 W
36934199	WT120C G2 LED34S/865 PSU L1500	220 to 240 V	24.5 W
36935899	WT120C G2 LED60S/865 PSU L1500	220 to 240 V	43 W
36937299	WT120C G2 LED55S/830 PSU L1500	220 to 240 V	43 W

Temperature

Order Code	Full Product Name	Ambient temperature range
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-20 to +35 °C
96248700	WT120C G2 LED27S/840 PSU MDU L1200	-20 to +35 °C

Order Code	Full Product Name	Ambient temperature range
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	-20 to +35 °C

Order Code	Full Product Name	Ambient temperature range
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	0 to +25 °C
88307500	WT120C G2 LED27S/840 PSD L1200	-20 to +35 °C
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	0 to +25 °C
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-20 to +35 °C
96256200	WT120C G2 LED40S/840 PSU MDU L1200	-20 to +35 °C
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	-20 to +35 °C
16316700	WT120C G2 LED40S/840 PSU WEC L1200	-20 to +35 °C
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	-20 to +35 °C
88309900	WT120C G2 LED40S/840 PSD L1200	-20 to +35 °C
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	0 to +25 °C
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	0 to +25 °C
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	0 to +25 °C
97576000	WT120C G2 LED40S/840 WIA L1200	-20 to +35 °C
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	0 to +25 °C
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-20 to +35 °C
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-20 to +40 °C
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-20 to +40 °C
84046600	WT120C G2 LED27S/840 PSU L1200	-20 to +40 °C
84048000	WT120C G2 LED40S/840 PSU L1200	-20 to +40 °C
36933499	WT120C G2 LED40S/865 PSU L1200	-20 to +40 °C
36936599	WT120C G2 LED37S/830 PSU L1200	-20 to +40 °C
34976399	WT120C G2 LED18S/840 PSU PCO L600	-20 to +40 °C
34977099	WT120C G2 LED25S/840 PSU PCO L1200	-20 to +40 °C
34978799	WT120C G2 LED31S/840 PSU PCO L1500	-20 to +40 °C
34979499	WT120C G2 LED37S/840 PSU PCO L1200	-20 to +40 °C
34980099	WT120C G2 LED57S/840 PSU PCO L1500	-20 to +40 °C
34981799	WT120C G2 LED75S/840 PSU PCO L1500	-20 to +40 °C
50019899	WT120C G2 LED27_45S/840 PSU L1200	-20 to +40 °C
96244900	WT120C G2 LED19S/840 PSU MDU L600	-20 to +35 °C
88306800	WT120C G2 LED19S/840 PSD L600	-20 to +35 °C
84045900	WT120C G2 LED19S/840 PSU L600	-20 to +40 °C
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-20 to +35 °C
96267800	WT120C G2 LED34S/840 PSU MDU L1500	-20 to +35 °C
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	-20 to +35 °C

Order Code	Full Product Name	Ambient temperature range
88308200	WT120C G2 LED34S/840 PSD L1500	-20 to +35 °C
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	0 to +25 °C
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	0 to +25 °C
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	0 to +25 °C
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-20 to +35 °C
96275300	WT120C G2 LED60S/840 PSU MDU L1500	-20 to +35 °C
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	-20 to +35 °C
16318100	WT120C G2 LED60S/840 PSU WEC L1500	-20 to +35 °C
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	-20 to +35 °C
88310500	WT120C G2 LED60S/840 PSD L1500	-20 to +35 °C
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	0 to +25 °C
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	0 to +25 °C
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	0 to +25 °C
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-20 to +35 °C
96286900	WT120C G2 LED80S/840 PSU MDU L1500	-20 to +35 °C
40929600	WT120C G2 LED80S/840 PSD L1500	-20 to +35 °C
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	0 to +25 °C
97578400	WT120C G2 LED65S/840 WIA L1500	-20 to +35 °C
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	0 to +25 °C
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	-20 to +35 °C
96534800	WT120C G2 LED80S/840 WIA L1500	-20 to +35 °C
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	0 to +25 °C
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	-20 to +35 °C
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-20 to +40 °C
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-20 to +40 °C
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-20 to +40 °C
84047300	WT120C G2 LED34S/840 PSU L1500	-20 to +40 °C
84049700	WT120C G2 LED60S/840 PSU L1500	-20 to +40 °C
40928900	WT120C G2 LED80S/840 PSU L1500	-20 to +40 °C
36934199	WT120C G2 LED34S/865 PSU L1500	-20 to +40 °C
36935899	WT120C G2 LED60S/865 PSU L1500	-20 to +40 °C
36937299	WT120C G2 LED55S/830 PSU L1500	-20 to +40 °C

Controls and Dimming

Order Code	Full Product Name	Dimmable
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	No
96248700	WT120C G2 LED27S/840 PSU MDU L1200	No
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	No
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	No
88307500	WT120C G2 LED27S/840 PSD L1200	Yes
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	Yes
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	No
96256200	WT120C G2 LED40S/840 PSU MDU L1200	No
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	No
16316700	WT120C G2 LED40S/840 PSU WEC L1200	No

Order Code	Full Product Name	Dimmable
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	No
88309900	WT120C G2 LED40S/840 PSD L1200	Yes
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	No
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	No
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	Yes
97576000	WT120C G2 LED40S/840 WIA L1200	Yes
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	Yes
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	Yes
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	No
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	No

Order Code	Full Product Name	Dimmable
84046600	WT120C G2 LED27S/840 PSU L1200	No
84048000	WT120C G2 LED40S/840 PSU L1200	No
36933499	WT120C G2 LED40S/865 PSU L1200	No
36936599	WT120C G2 LED37S/830 PSU L1200	No
34976399	WT120C G2 LED18S/840 PSU PCO L600	No
34977099	WT120C G2 LED25S/840 PSU PCO L1200	No
34978799	WT120C G2 LED31S/840 PSU PCO L1500	No
34979499	WT120C G2 LED37S/840 PSU PCO L1200	No
34980099	WT120C G2 LED57S/840 PSU PCO L1500	No
34981799	WT120C G2 LED75S/840 PSU PCO L1500	No
50019899	WT120C G2 LED27_45S/840 PSU L1200	No
96244900	WT120C G2 LED19S/840 PSU MDU L600	No
88306800	WT120C G2 LED19S/840 PSD L600	Yes
84045900	WT120C G2 LED19S/840 PSU L600	No
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	No
96267800	WT120C G2 LED34S/840 PSU MDU L1500	No
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	No
88308200	WT120C G2 LED34S/840 PSD L1500	Yes
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	No
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	No
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	Yes
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	No
96275300	WT120C G2 LED60S/840 PSU MDU L1500	No
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	No
16318100	WT120C G2 LED60S/840 PSU WEC L1500	No

Order Code	Full Product Name	Dimmable
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	No
88310500	WT120C G2 LED60S/840 PSD L1500	Yes
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	No
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	No
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	Yes
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	No
96286900	WT120C G2 LED80S/840 PSU MDU L1500	No
40929600	WT120C G2 LED80S/840 PSD L1500	Yes
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	No
97578400	WT120C G2 LED65S/840 WIA L1500	Yes
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	Yes
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	Yes
96534800	WT120C G2 LED80S/840 WIA L1500	Yes
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	Yes
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	Yes
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	No
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	No
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	No
84047300	WT120C G2 LED34S/840 PSU L1500	No
84049700	WT120C G2 LED60S/840 PSU L1500	No
40928900	WT120C G2 LED80S/840 PSU L1500	No
36934199	WT120C G2 LED34S/865 PSU L1500	No
36935899	WT120C G2 LED60S/865 PSU L1500	No
36937299	WT120C G2 LED55S/830 PSU L1500	No

Mechanical and Housing

Order Code	Full Product Name	Housing Color
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	Gray
96248700	WT120C G2 LED27S/840 PSU MDU L1200	Gray
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	Gray
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	Gray
88307500	WT120C G2 LED27S/840 PSD L1200	Gray
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	Gray
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	Gray
96256200	WT120C G2 LED40S/840 PSU MDU L1200	Gray
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	Gray
16316700	WT120C G2 LED40S/840 PSU WEC L1200	Gray
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	Gray
88309900	WT120C G2 LED40S/840 PSD L1200	Gray
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	Gray
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	Gray
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	Gray
97576000	WT120C G2 LED40S/840 WIA L1200	Gray
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	Gray
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	Gray
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	Gray
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	Gray
84046600	WT120C G2 LED27S/840 PSU L1200	Gray
84048000	WT120C G2 LED40S/840 PSU L1200	Gray
36933499	WT120C G2 LED40S/865 PSU L1200	Gray

Order Code	Full Product Name	Housing Color
36936599	WT120C G2 LED37S/830 PSU L1200	Gray
34976399	WT120C G2 LED18S/840 PSU PCO L600	Gray
34977099	WT120C G2 LED25S/840 PSU PCO L1200	Gray
34978799	WT120C G2 LED31S/840 PSU PCO L1500	Gray
34979499	WT120C G2 LED37S/840 PSU PCO L1200	Gray
34980099	WT120C G2 LED57S/840 PSU PCO L1500	Gray
34981799	WT120C G2 LED75S/840 PSU PCO L1500	Gray
50019899	WT120C G2 LED27_45S/840 PSU L1200	Grey
96244900	WT120C G2 LED19S/840 PSU MDU L600	Gray
88306800	WT120C G2 LED19S/840 PSD L600	Gray
84045900	WT120C G2 LED19S/840 PSU L600	Gray
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	Gray
96267800	WT120C G2 LED34S/840 PSU MDU L1500	Gray
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	Gray
88308200	WT120C G2 LED34S/840 PSD L1500	Gray
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	Gray
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	Gray
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	Gray
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	Gray
96275300	WT120C G2 LED60S/840 PSU MDU L1500	Gray
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	Gray
16318100	WT120C G2 LED60S/840 PSU WEC L1500	Gray
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	Gray

Order Code	Full Product Name	Housing Color
88310500	WT120C G2 LED60S/840 PSD L1500	Gray
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	Gray
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	Gray
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	Gray
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	Gray
96286900	WT120C G2 LED80S/840 PSU MDU L1500	Gray
40929600	WT120C G2 LED80S/840 PSD L1500	Gray
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	Gray
97578400	WT120C G2 LED65S/840 WIA L1500	Gray
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	Gray
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	Gray
96534800	WT120C G2 LED80S/840 WIA L1500	Gray

Order Code	Full Product Name	Housing Color
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	Gray
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	Gray
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	Gray
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	Gray
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	Gray
84047300	WT120C G2 LED34S/840 PSU L1500	Gray
84049700	WT120C G2 LED60S/840 PSU L1500	Gray
40928900	WT120C G2 LED80S/840 PSU L1500	Gray
36934199	WT120C G2 LED34S/865 PSU L1500	Gray
36935899	WT120C G2 LED60S/865 PSU L1500	Gray
36937299	WT120C G2 LED55S/830 PSU L1500	Gray

Emergency Operation

Order Code	Full Product Name	Emergency flux	Power consumption during Central DC emergency mode
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	-
96248700	WT120C G2 LED27S/840 PSU MDU L1200	-	-
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	-	-
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	500 lm	3 W
88307500	WT120C G2 LED27S/840 PSD L1200	-	-
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	500 lm	3 W
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	-
96256200	WT120C G2 LED40S/840 PSU MDU L1200	-	-
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	-	-
16316700	WT120C G2 LED40S/840 PSU WEC L1200	-	-
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	-	-
88309900	WT120C G2 LED40S/840 PSD L1200	-	-
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	500 lm	3 W
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	500 lm	3 W
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	500 lm	3 W
97576000	WT120C G2 LED40S/840 WIA L1200	-	-
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	500 lm	3 W
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	-	-

Order Code	Full Product Name	Emergency flux	Power consumption during Central DC emergency mode
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	-	-
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	-	-
84046600	WT120C G2 LED27S/840 PSU L1200	-	-
84048000	WT120C G2 LED40S/840 PSU L1200	-	-
36933499	WT120C G2 LED40S/865 PSU L1200	-	-
36936599	WT120C G2 LED37S/830 PSU L1200	-	-
34976399	WT120C G2 LED18S/840 PSU PCO L600	-	-
34977099	WT120C G2 LED25S/840 PSU PCO L1200	-	-
34978799	WT120C G2 LED31S/840 PSU PCO L1500	-	-
34979499	WT120C G2 LED37S/840 PSU PCO L1200	-	-
34980099	WT120C G2 LED57S/840 PSU PCO L1500	-	-
34981799	WT120C G2 LED75S/840 PSU PCO L1500	-	-
50019899	WT120C G2 LED27_45S/840 PSU L1200	-	-
96244900	WT120C G2 LED19S/840 PSU MDU L600	-	-
88306800	WT120C G2 LED19S/840 PSD L600	-	-
84045900	WT120C G2 LED19S/840 PSU L600	-	-
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	-
96267800	WT120C G2 LED34S/840 PSU MDU L1500	-	-
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	-	-
88308200	WT120C G2 LED34S/840 PSD L1500	-	-

Order Code	Full Product Name	Emergency flux	Power consumption during Central DC emergency mode
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	500 lm	3 W
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	500 lm	3 W
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	500 lm	3 W
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	-
96275300	WT120C G2 LED60S/840 PSU MDU L1500	-	-
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	-	-
16318100	WT120C G2 LED60S/840 PSU WEC L1500	-	-
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	-	-
88310500	WT120C G2 LED60S/840 PSD L1500	-	-
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	500 lm	3 W
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	500 lm	3 W
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	500 lm	3 W
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	-
96286900	WT120C G2 LED80S/840 PSU MDU L1500	-	-

Order Code	Full Product Name	Emergency flux	Power consumption during Central DC emergency mode
40929600	WT120C G2 LED80S/840 PSD L1500	-	-
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	500 lm	3 W
97578400	WT120C G2 LED65S/840 WIA L1500	-	-
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	500 lm	3 W
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	-	-
96534800	WT120C G2 LED80S/840 WIA L1500	-	-
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	500 lm	3 W
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	-	-
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	-	-
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	-	-
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	-	-
84047300	WT120C G2 LED34S/840 PSU L1500	-	-
84049700	WT120C G2 LED60S/840 PSU L1500	-	-
40928900	WT120C G2 LED80S/840 PSU L1500	-	-
36934199	WT120C G2 LED34S/865 PSU L1500	-	-
36935899	WT120C G2 LED60S/865 PSU L1500	-	-
36937299	WT120C G2 LED55S/830 PSU L1500	-	-

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
96248700	WT120C G2 LED27S/840 PSU MDU L1200	(0.38,0.38)SDCM<=3
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	(0.38,0.38)SDCM<=3
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	(0.38,0.38)SDCM<=3
88307500	WT120C G2 LED27S/840 PSD L1200	(0.38,0.38)SDCM<=3
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	(0.38,0.38)SDCM<=3
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
96256200	WT120C G2 LED40S/840 PSU MDU L1200	(0.38,0.38)SDCM<=3
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	(0.38,0.38)SDCM<=3
16316700	WT120C G2 LED40S/840 PSU WEC L1200	(0.38,0.38)SDCM<=3
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	(0.38,0.38)SDCM<=3
88309900	WT120C G2 LED40S/840 PSD L1200	(0.38,0.38)SDCM<=3
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	(0.38,0.38)SDCM<=3
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	(0.38,0.38)SDCM<=3
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	(0.38,0.38)SDCM<=3
97576000	WT120C G2 LED40S/840 WIA L1200	(0.38,0.38)SDCM<=3
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	(0.38,0.38)SDCM<=3
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	(0.38,0.38)SDCM<=3

Order Code	Full Product Name	Initial chromaticity
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	(0.38,0.38)SDCM<=3
84046600	WT120C G2 LED27S/840 PSU L1200	(0.38,0.38)SDCM<=3
84048000	WT120C G2 LED40S/840 PSU L1200	(0.38,0.38)SDCM<=3
36933499	WT120C G2 LED40S/865 PSU L1200	(0.31,0.32)SDCM<=3
36936599	WT120C G2 LED37S/830 PSU L1200	(0.43,0.40)SDCM<=3
34976399	WT120C G2 LED18S/840 PSU PCO L600	(0.38,0.38)SDCM<=3
34977099	WT120C G2 LED25S/840 PSU PCO L1200	(0.38,0.38)SDCM<=3
34978799	WT120C G2 LED31S/840 PSU PCO L1500	(0.38,0.38)SDCM<=3
34979499	WT120C G2 LED37S/840 PSU PCO L1200	(0.38,0.38)SDCM<=3
34980099	WT120C G2 LED57S/840 PSU PCO L1500	(0.38,0.38)SDCM<=3
34981799	WT120C G2 LED75S/840 PSU PCO L1500	(0.38,0.38)SDCM<=3
50019899	WT120C G2 LED27_45S/840 PSU L1200	(0.38,0.38)SDCM<=3
96244900	WT120C G2 LED19S/840 PSU MDU L600	(0.38,0.38)SDCM<=3
88306800	WT120C G2 LED19S/840 PSD L600	(0.38,0.38)SDCM<=3
84045900	WT120C G2 LED19S/840 PSU L600	(0.38,0.38)SDCM<=3
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
96267800	WT120C G2 LED34S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3

Order Code	Full Product Name	Initial chromaticity
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	(0.38,0.38)SDCM<=3
88308200	WT120C G2 LED34S/840 PSD L1500	(0.38,0.38)SDCM<=3
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	(0.38,0.38)SDCM<=3
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	(0.38,0.38)SDCM<=3
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	(0.38,0.38)SDCM<=3
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
96275300	WT120C G2 LED60S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	(0.38,0.38)SDCM<=3
16318100	WT120C G2 LED60S/840 PSU WEC L1500	(0.38,0.38)SDCM<=3
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	(0.38,0.38)SDCM<=3
88310500	WT120C G2 LED60S/840 PSD L1500	(0.38,0.38)SDCM<=3
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	(0.38,0.38)SDCM<=3
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	(0.38,0.38)SDCM<=3
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	(0.38,0.38)SDCM<=3
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
96286900	WT120C G2 LED80S/840 PSU MDU L1500	(0.38,0.38)SDCM<=3
40929600	WT120C G2 LED80S/840 PSD L1500	(0.38,0.38)SDCM<=3

Order Code	Full Product Name	Initial chromaticity
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	(0.38,0.38)SDCM<=3
97578400	WT120C G2 LED65S/840 WIA L1500	(0.38,0.38)SDCM<=3
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	(0.38,0.38)SDCM<=3
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	(0.38,0.38)SDCM<=3
96534800	WT120C G2 LED80S/840 WIA L1500	(0.38,0.38)SDCM<=3
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	(0.38,0.38)SDCM<=3
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	(0.38,0.38)SDCM<=3
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	(0.38,0.38)SDCM<=3
84047300	WT120C G2 LED34S/840 PSU L1500	(0.38,0.38)SDCM<=3
84049700	WT120C G2 LED60S/840 PSU L1500	(0.38,0.38)SDCM<=3
40928900	WT120C G2 LED80S/840 PSU L1500	(0.38,0.38)SDCM<=3
36934199	WT120C G2 LED34S/865 PSU L1500	(0.31,0.32)SDCM<=3
36935899	WT120C G2 LED60S/865 PSU L1500	(0.31,0.32)SDCM<=3
36937299	WT120C G2 LED55S/830 PSU L1500	(0.43,0.40)SDCM<=3

Application Conditions

Order Code	Full Product Name	Maximum dim level	Suitable for random switching
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	Not applicable	Not applicable
96248700	WT120C G2 LED27S/840 PSU MDU L1200	Not applicable	Yes
96249400	WT120C G2 LED27S/840 PSU MDU TW3 L1200	Not applicable	Yes
85418000	WT120C G2 LED27S/840 PSU ELB3 L1200	Not applicable	Not applicable
88307500	WT120C G2 LED27S/840 PSD L1200	1%	Not applicable
88311200	WT120C G2 LED27S/840 PSD ELB3 L1200	1%	Not applicable
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	Not applicable	Not applicable
96256200	WT120C G2 LED40S/840 PSU MDU L1200	Not applicable	Yes
96257900	WT120C G2 LED40S/840 PSU MDU TW3 L1200	Not applicable	Yes
16316700	WT120C G2 LED40S/840 PSU WEC L1200	Not applicable	Not applicable
16317400	WT120C G2 LED40S/840 PSU TW1 WEC L1200	Not applicable	Not applicable
88309900	WT120C G2 LED40S/840 PSD L1200	1%	Not applicable
85419700	WT120C G2 LED40S/840 PSU ELB3 L1200	Not applicable	Not applicable
96263000	WT120C G2 LED40S/840 PSU MDU ELB3 L1200	Not applicable	Yes
88312900	WT120C G2 LED40S/840 PSD ELB3 L1200	1%	Not applicable
97576000	WT120C G2 LED40S/840 WIA L1200	10%	Not applicable

Order Code	Full Product Name	Maximum dim level	Suitable for random switching
97577700	WT120C G2 LED40S/840 WIA ELB3 L1200	10%	Not applicable
97580700	WT120C G2 LED40S/840 WIA TW3 L1200	10%	Not applicable
91685800	WT120C G2 LED27S/840 PSU TW3 L1200	Not applicable	Not applicable
91687200	WT120C G2 LED40S/840 PSU TW3 L1200	Not applicable	Not applicable
84046600	WT120C G2 LED27S/840 PSU L1200	Not applicable	Not applicable
84048000	WT120C G2 LED40S/840 PSU L1200	Not applicable	Not applicable
36933499	WT120C G2 LED40S/865 PSU L1200	Not applicable	Not applicable
36936599	WT120C G2 LED37S/830 PSU L1200	Not applicable	Not applicable
34976399	WT120C G2 LED18S/840 PSU PCO L600	Not applicable	Not applicable
34977099	WT120C G2 LED25S/840 PSU PCO L1200	Not applicable	Not applicable
34978799	WT120C G2 LED31S/840 PSU PCO L1500	Not applicable	Not applicable
34979499	WT120C G2 LED37S/840 PSU PCO L1200	Not applicable	Not applicable
34980099	WT120C G2 LED57S/840 PSU PCO L1500	Not applicable	Not applicable
34981799	WT120C G2 LED75S/840 PSU PCO L1500	Not applicable	Not applicable
50019899	WT120C G2 LED27_45S/840 PSU L1200	-	Yes
96244900	WT120C G2 LED19S/840 PSU MDU L600	Not applicable	Yes
88306800	WT120C G2 LED19S/840 PSD L600	1%	Not applicable

CoreLine Waterproof

Order Code	Full Product Name	Maximum dim level	Suitable for random switching
84045900	WT120C G2 LED19S/840 PSU L600	Not applicable	Not applicable
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	Not applicable	Not applicable
96267800	WT120C G2 LED34S/840 PSU MDU L1500	Not applicable	Yes
96268500	WT120C G2 LED34S/840 PSU MDU TW3 L1500	Not applicable	Yes
88308200	WT120C G2 LED34S/840 PSD L1500	1%	Not applicable
85420300	WT120C G2 LED34S/840 PSU ELB3 L1500	Not applicable	Not applicable
96271500	WT120C G2 LED34S/840 PSU MDU ELB3 L1500	Not applicable	Yes
88313600	WT120C G2 LED34S/840 PSD ELB3 L1500	1%	Not applicable
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	Not applicable	Not applicable
96275300	WT120C G2 LED60S/840 PSU MDU L1500	Not applicable	Yes
96276000	WT120C G2 LED60S/840 PSU MDU TW3 L1500	Not applicable	Yes
16318100	WT120C G2 LED60S/840 PSU WEC L1500	Not applicable	Not applicable
16319800	WT120C G2 LED60S/840 PSU TW1 WEC L1500	Not applicable	Not applicable
88310500	WT120C G2 LED60S/840 PSD L1500	1%	Not applicable
85421000	WT120C G2 LED60S/840 PSU ELB3 L1500	Not applicable	Not applicable
96282100	WT120C G2 LED60S/840 PSU MDU ELB3 L1500	Not applicable	Yes
88314300	WT120C G2 LED60S/840 PSD ELB3 L1500	1%	Not applicable

Order Code	Full Product Name	Maximum dim level	Suitable for random switching
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	Not applicable	Not applicable
96286900	WT120C G2 LED80S/840 PSU MDU L1500	Not applicable	Yes
40929600	WT120C G2 LED80S/840 PSD L1500	1%	Not applicable
40931900	WT120C G2 LED80S/840 PSU L1500 ELB3	Not applicable	Not applicable
97578400	WT120C G2 LED65S/840 WIA L1500	10%	Not applicable
97579100	WT120C G2 LED65S/840 WIA ELB3 L1500	10%	Not applicable
97581400	WT120C G2 LED65S/840 WIA TW3 L1500	10%	Not applicable
96534800	WT120C G2 LED80S/840 WIA L1500	10%	Not applicable
96535500	WT120C G2 LED80S/840 WIA ELB3 L1500	10%	Not applicable
96536200	WT120C G2 LED80S/840 WIA TW3 L1500	10%	Not applicable
91686500	WT120C G2 LED34S/840 PSU TW3 L1500	Not applicable	Not applicable
91688900	WT120C G2 LED60S/840 PSU TW3 L1500	Not applicable	Not applicable
40930200	WT120C G2 LED80S/840 PSU TW3 L1500	Not applicable	Not applicable
84047300	WT120C G2 LED34S/840 PSU L1500	Not applicable	Not applicable
84049700	WT120C G2 LED60S/840 PSU L1500	Not applicable	Not applicable
40928900	WT120C G2 LED80S/840 PSU L1500	Not applicable	Not applicable
36934199	WT120C G2 LED34S/865 PSU L1500	Not applicable	Not applicable
36935899	WT120C G2 LED60S/865 PSU L1500	Not applicable	Not applicable
36937299	WT120C G2 LED55S/830 PSU L1500	Not applicable	Not applicable

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.