



# CDM-SA/T – the greener way to light up the night

## CDM-SA/T

With a high luminous efficacy producing more lumens per watt than standard Architainment lamps, the CDM-SA/T is the greener alternative to light up the night. In addition, the optimal lamp filling and short arc of the lamp create a high beam intensity and excellent color rendering.

### Benefits

- High lumen output
- High beam intensity
- Excellent colors

### Features

- High luminous efficacy
- Compact arc
- Optimal lamp filling

### Application

- Advertising/text projection
- Fibre optics
- Decorative outdoor, architectural lighting
- Shops and shop windows

Warnings and Safety


- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Lamp contains mercury.
- Manage in Accord with Disposal Laws.
- See: [www.lamprecycle.org](http://www.lamprecycle.org) or 1-800-555-0050

Versions



CDM-SA/T 150W

Dimensional drawing



| Product  | D<br>(max) | O   | L (min) | L<br>(max) | L     | C<br>(max) | F<br>(max) | F      | F (min) |
|----------|------------|-----|---------|------------|-------|------------|------------|--------|---------|
| CDM-SA/T | 13/16      | 1/4 | 2-3/16  | 2-1/4      | 2-1/4 | 4-3/8      | 1-1/4 in   | 1-3/16 | 1-3/16  |
| 150W/942 | in         | in  | in      | in         | in    | in         |            | in     | in      |
| 1CT/12   |            |     |         |            |       |            |            |        |         |

Color Rendering Diagrams



