



Product Description

MSD

MSD – right light, stage bright These single ended, compact lamps enable optimal light collection and accurate beam control, while they also provide true daylight colour temperatures – all to create great stage brightness and vivid entertainment. And since they offer long lifetime usage they help minimize the cost of ownership via fewer lamp replacements and fewer maintenance man hour costs.

Benefits

- Optimal light collection
- Low cost of ownership
- Brightness on stage

Features

- Long lifetime
- Compact arc
- Good colour rendering
- Universal burning position


Application

- Studio and disco lighting

Versions



Dimensional drawing



| Product | D (max) | O | L (min) | L (max) | L | C (max) | F (max) | F | F (min) |
|---------------------|---------|--------|---------|---------|-------|---------|---------|-------|---------|
| MSD 200 1CT/40 | 23 mm | 5.0 mm | 54 mm | 56 mm | 55 mm | 108 mm | 29 mm | 28 mm | 27 mm |
| MSD 250/2 30H 1CT/4 | 23 mm | 5.0 mm | 54 mm | 56 mm | 55 mm | 108 mm | 29 mm | 28 mm | 27 mm |

| Controls and Dimming | |
|----------------------|--------------|
| Dimmable | no |
| General Information | |
| Cap-Base | GY9.5 |
| Main Application | Studio/Disco |
| Operating Position | UNIVERSAL |
| System Description | na |

Operating and Electrical

| Order Code | Full Product Name | Lamp Current (Nom) | Power (Rated) (Nom) |
|--------------|-------------------|--------------------|---------------------|
| 928097205114 | MSD 200 1CT/40 | 3.4 A | 200 W |

| Order Code | Full Product Name | Lamp Current (Nom) | Power (Rated) (Nom) |
|--------------|---------------------|--------------------|---------------------|
| 928099005115 | MSD 250/2 30H 1CT/4 | 3 A | 250 W |

General Information

| Order Code | Full Product Name | Life To 50% Failures (Nom) |
|--------------|-------------------|----------------------------|
| 928097205114 | MSD 200 1CT/40 | 2000 h |

| Order Code | Full Product Name | Life To 50% Failures (Nom) |
|--------------|---------------------|----------------------------|
| 928099005115 | MSD 250/2 30H 1CT/4 | 3000 h |

Light Technical

| Order Code | Full Product Name | Colour Code | Correlated Colour Temperature (Nom) | Colour Rendering Index (Nom) | Luminous Flux (Min) | Luminous Flux (Nom) |
|--------------|-------------------|-------------|-------------------------------------|------------------------------|---------------------|---------------------|
| 928097205114 | MSD 200 1CT/40 | - | 6000 K | 80 | 11500 lm | 13500 lm |

| Order Code | Full Product Name | Colour Code | Correlated Colour Temperature (Nom) | Colour Rendering Index (Nom) | Luminous Flux (Min) | Luminous Flux (Nom) |
|--------------|---------------------|-------------|-------------------------------------|------------------------------|---------------------|---------------------|
| 928099005115 | MSD 250/2 30H 1CT/4 | 850 | 8100 K | 70 | 16000 lm | 18000 lm |

Colour Rendering Diagrams

